(Red Blood Cell) Folate

Order Synonym(s)
(Red Blood Cell) Folate

Associated DTA(s)
RBC Fol Hemol
RBC Folate

CDM Code(s)

43753046	Red Blood Cell Folate
43853046	Red Blood Cell Folate

CPT Code(s)

82747	Folic acid; RBC

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

15q Del, Characteriz Reflex, FISH-Mayo

Order Synonym(s)
15q Del Follow up, Prader-Willi/Angelman-Mayo
15q Del, Characteriz Reflex, FISH-Mayo
FISH-Mayo
Mayo-15q Del, Characteriz Reflex, FISH

Associated DTA(s)
15q Del Amend-Mayo
15q Del Consult-Mayo
15q Del Intrp-Mayo
15q Del Mthd-Mayo
15q Del Ord Dt-Mayo
15q Del Ref Rsn-Mayo
15q Del Release Dt-Mayo
15q Del Rslt-Mayo
15q Del Spec ID-Mayo
15q Del Spec-Mayo
15q Del Src-Mayo

CDM Code(s)

43764830	15q Del, Characteriz Reflex, FISH-Mayo
43864830	15q Del, Characteriz Reflex, FISH-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
3.00 ML
Prep Agent(s)

15q11.2 Duplication, FISH-Mayo

Order Synonym(s)
15q Autism-Mayo
15q11.2 Duplication, FISH-Mayo
Autism, FISH 15q-Mayo
Mayo-15q Duplication, FISH

Associated DTA(s)
15q11.2 Del Amend-Mayo
15q11.2 Del Consult-Mayo
15q11.2 Del Intrp-Mayo
15q11.2 Del Mthd-Mayo
15q11.2 Del Ord Dt-Mayo
15q11.2 Del Ref Rsn-Mayo
15q11.2 Del Rpt Dt-Mayo
15q11.2 Del Rslt-Mayo
15q11.2 Del Spec-Mayo
15q11.2 Del SpecID-Mayo
15q11.2 Del Src-Mayo

CDM Code(s)
43764100 15q11.2 Deletion/Duplication, FISH-Mayo
43864100 15q11.2 Deletion/Duplication, FISH-Mayo
CPT Code(s)
15q11.2 Deletion/Duplication, FISH-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
3.00 ML
Prep Agent(s)

[Continued]

17 Hydroxyprogesterone-Mayo

Order Synonym(s)
17 HPG-Mayo
17 Hydroxyprogesterone-Mayo
17 OH Progesterone-Mayo
HPG17 Mayo
Mayo-17-Hydroxyprogesterone, S

Associated DTA(s)
17-Hydroxyprog-Mayo

CDM Code(s)

43761891	17 Hydroxyprogesterone-Mayo
43861891	17 Hydroxyprogesterone-Mayo

CPT Code(s)

83498	17 Hydroxyprogesterone-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

17-hydroxycorticosteroids 24 Hour Urine-

Order Synonym(s)
17-hydroxycorticosteroids 24 Hour Urine-ARUP
17OH Cortico Urine, 24 Hr-ARUP
24 Hour Urine 17-hydroxycorticosteroids-ARUP
Urine 24 Hour 17-hydroxycorticosteroids-ARUP

Associated DTA(s)
17 Hydroxycorticosterone
17-Hydroxycorticosteriods
Coll Length
Creatinine Urine
Creatinine Urine mg/day
Total Volume-ARUP

CDM Code(s)

43761131	17-HYDROXYCORTICOSTEROIDS UVI
43861131	17-HYDROXYCORTICOSTEROIDS URIN

CPT Code(s)

83491	17-HYDROXYCORTICOSTEROIDS UVI

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
Refrigerate during collection

Specimen Stability

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
12.00	ML

Prep Agent(s)

17-Hydroxyprogesterone 24 Hour Urine-May

Order Synonym(s)
17 OH Progesterone 24 Hour Urine-Mayo
17-Hydroxyprogesterone 24 Hour Urine-Mayo
17OH Progesterone Urine, 24 Hr
24 Hr Urine 17 OH Progesterone-Mayo
24 Hr Urine 17-Hydroxyprogesterone-Mayo
Mayo-17-Hydroxy Progesterone, U
Urine 24 Hr 17 OH Progesterone-Mayo
Urine 24 Hr 17-Hydroxyprogesterone-Mayo

Associated DTA(s)
U24 17-OHprog-Mayo
Unit of Measure-Mayo

CDM Code(s)

43764104	17-Hydroxyprogesterone 24 Hour Urine-Mayo
43864104	17-Hydroxyprogesterone 24 Hour Urine-Mayo

CPT Code(s)

83498	17-Hydroxyprogesterone 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
Refrigerate during collection

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

17OHPG Pediatric-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

17-Hydroxyprogesterone PediatricARUP
17OHPG Pediatric-ARUP
Pediatric 17OHPG-ARUP

17-Hydroxyprogesterone, Ped-ARUP

CDM Code(s)

43767604 17-OH Progesterone
43867604 17-OH Progesterone

CPT Code(s)

83498 Hydroxyprogesterone, 17-d

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Freeze serum immediately

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

18-Hydroxycorticosterone-Mayo

Order Synonym(s)

18 Hydroxycorticosterone Mayo
18-Hydroxycorticosterone-Mayo
Mayo-18-Hydroxycorticosterone, Serum

Associated DTA(s)

18-Hydroxycorti-Mayo

CDM Code(s)

43764106 18-Hydroxycorticosterone-Mayo
43864106 18-Hydroxycorticosterone-Mayo

CPT Code(s)

82542 18-Hydroxycorticosterone-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

[Continued]

21-Hydroxylase Antibody-Mayo

Order Synonym(s)
21 Hydroxylase Antibody Mayo
21-Hydroxylase Antibody-Mayo
Mayo-21-Hydroxylase Ab, S

Associated DTA(s)
21-Hydroxy Ab-Mayo

CDM Code(s)

43764107	21-Hydroxylase Antibody-Mayo
43864107	21-Hydroxylase Antibody-Mayo

CPT Code(s)

83519	21-Hydroxylase Antibody-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

22q11.2 Deletion/Duplication, FISH-Mayo

Order Synonym(s)
22q11.2 Deletion/Duplication, FISH-Mayo
DiGeorge FISH-Mayo
FISH, DiGeorge Syndrome-Mayo
FISH, VCFS-Mayo
FISH, Velo-Cardio-Facial-Syndrome-Mayo
Mayo-22q11.2 Deletion/Duplication, FISH

Associated DTA(s)
VCF/DiGrg Amnd-Mayo
VCF/DiGrg Cnslt-Mayo
VCF/DiGrg Intrp-Mayo
VCF/DiGrg Mthd-Mayo
VCF/DiGrg OrdDt-Mayo
VCF/DiGrg RptDt-Mayo
VCF/DiGrg Rslt-Mayo
VCF/DiGrg Rsn-Mayo
VCF/DiGrg Spec-Mayo
VCF/DiGrg SpecID-Mayo
VCF/DiGrg Src-Mayo

CDM Code(s)

43764108	22q11.2 Deletion/Duplication, FISH-Mayo
43864108	22q11.2 Deletion/Duplication, FISH-Mayo

CPT Code(s)

	22q11.2 Deletion/Duplication, FISH-Mayo

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

5' Nucleotidase-Mayo

Order Synonym(s)

5 Nucleotidase Mayo
5' Nucleotidase-Mayo
Mayo-5'Nucleotidase, S

Associated DTA(s)

5' Nucleotidase-Mayo

CDM Code(s)

43762532	5' Nucleotidase-Mayo
43862532	5' Nucleotidase-Mayo

CPT Code(s)

83915	5' Nucleotidase-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

5-Hydroxyindoleacetic Acid 24 Hour Urine

Order Synonym(s)

24 Hr Urine 5-HIAA-Mayo
24 Hr Urine 5-Hydroxyindoleacetic Acid-Mayo

Associated DTA(s)

Hrs 5-HIAA-Mayo
TV 5-HIAA-Mayo

[Continued]

5 HIAA Urine, 24 Hr Mayo
5-Hydroxyindoleacetic Acid 24 Hour Urine-Mayo
Mayo-5-Hydroxyindoleacetic Acid, U
Urine 24 Hr 5-HIAA-Mayo
Urine 24 Hr 5-Hydroxyindoleacetic Acid-Mayo

U24 5-HIAA-Mayo

CDM Code(s)

43761116 5-Hydroxyindoleacetic Acid 24 Hour Urine-Mayo
43861116 5-Hydroxyindoleacetic Acid 24 Hour Urine-Mayo

CPT Code(s)

83497 5-Hydroxyindoleacetic Acid 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Preservative required

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

7 Dehydrocholesterol, Blood-Mayo

Order Synonym(s)

7 Dehydrocholesterol, Blood-Mayo

Associated DTA(s)

7 Dehydrocholesterol, Blood-Mayo

CDM Code(s)

43764897 7 Dehydrocholesterol Mayo
43864897 7 Dehydrocholesterol Mayo

CPT Code(s)

82541 Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Remove plasma w/in 45 min

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

ACC Fecal Occult Blood Screen

Order Synonym(s)
ACC Fecal Occult Blood Screen
POC FOB Screen
POC Fecal Occult Blood Screen

Associated DTA(s)
POC Neg Occult Bld Control
POC Occult Blood
POC Pos Occult Bld Control

CDM Code(s)

43730089	ACC Fecal Occult Blood Screen
43830089	ACC Fecal Occult Blood Screen

CPT Code(s)

82270	Blood, occult, by peroxidase activity (eg, guaiac), qualitat

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG Manual POC

Specimen Type(s)
FECES

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Acetaminophen Level

Order Synonym(s)
Acetaminophen
Acetaminophen Level
Tylenol Level

Associated DTA(s)
Aceta Lvl

CDM Code(s)

43752001	ACETAMINOPHEN
43852001	ACETAMINOPHEN

CPT Code(s)

82003	Acetaminophen

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

[Continued]

MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
Enter Prep # 5 in TDS: -First specimen is collected at least 4 hours after ingestion. -Second specimen is collected at least 4 hours after the first specimen.

Acetylcholine Receptor Binding Antibody-

Order Synonym(s)
ACH Receptor Binding Antibody-Mayo
Acetylcholine Receptor Binding Ab Mayo
Acetylcholine Receptor Binding Antibody-Mayo
Mayo-ACh Receptor (Muscle) Binding Ab

Associated DTA(s)
ACHr Binding Ab-Mayo

CDM Code(s)

43761300	Acetylcholine Receptor Binding Antibody-Mayo
43861300	Acetylcholine Receptor Binding Antibody-Mayo

CPT Code(s)

83519	Immunoassay, analyte, quantitative; by radiopharmaceutical t

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Acetylcholine Receptor Blocking Antibody

Order Synonym(s)
ACH Receptor Blocking Antibody-ARUP
Acetylcholine Receptor Blocking Ab-ARUP
Acetylcholine Receptor Blocking Antibody-ARUP

Associated DTA(s)
ACHr Block Ab

CDM Code(s)

43761300	Acetylcholine Receptor Blocking Antibody
43861300	Acetylcholine Receptor Blocking Antibody

CPT Code(s)

83519	Immunoassay, analyte, quantitative; by radiopharmaceutical t

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Refrige Serum Immediately

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Acetylcholine Receptor Modulating Antibo

Order Synonym(s)
ACHE Receptor Modulating Ab ARUP
ACHE Receptor Modulating Antibody ARUP
Acetylcholine Receptor Modulating Antibody ARUP

Associated DTA(s)
ACHE Recep Mod Ab

CDM Code(s)

43761300	Acetylcholine Receptor Modulating Antibody ARUP
43861300	Acetylcholine Receptor Modulating Antibody ARUP

CPT Code(s)

83519	Immunoassay, analyte, quantitative; by radiopharmaceutical t

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Refrige Serum Immediately

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Acetylcholinesterase Amniotic Fluid-Mayo

Order Synonym(s)

ACHE Amniotic Fl-Mayo
ACHE Amniotic Fluid Mayo
Acetylcholinesterase Amniotic Fluid-Mayo
Amniotic Fl ACHE
Amniotic Fl Acetylcholinesterase-Mayo
Fl Amniotic ACHE
Mayo-Acetylcholinesterase, AF

Associated DTA(s)

AChE AF-Mayo

CDM Code(s)

43764112	Acetylcholinesterase Amniotic Fluid-Mayo
43864112	Acetylcholinesterase Amniotic Fluid-Mayo

CPT Code(s)

82013	Acetylcholinesterase Amniotic Fluid-Mayo

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

AMNIOTIC FL

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Acetylcholinesterase Red Blood Cell-Mayo

Order Synonym(s)

ACHE Red Blood Cell Mayo
ACHE Erythrocyte-Mayo
ACHE RBC-Mayo
Acetylcholinesterase Red Blood Cell-Mayo
Erythrocyte Acetylcholinesterase-Mayo
Mayo-Acetylcholinesterase, RBC

Associated DTA(s)

RBC Cholinester-Mayo

[Continued]

RBC ACHE-Mayo
RBC Acetylcholinesterase-Mayo

CDM Code(s)

43764114	Acetylcholinesterase Red Blood Cell-Mayo
43864114	Acetylcholinesterase Red Blood Cell-Mayo

CPT Code(s)

82482	Acetylcholinesterase Red Blood Cell-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Activated Protein Resistance V-Mayo

Order Synonym(s)	Associated DTA(s)
APC Resistance V Mayo	APCRV Interp-Mayo
APC Resistance-Mayo	APCRV Ratio-Mayo
Activated Protein Resistance V-Mayo	
Mayo-Activated Protein Resistance V, P	

CDM Code(s)

43764115	Activated Protein Resistance V-Mayo
43864115	Activated Protein Resistance V-Mayo

CPT Code(s)

85307	Activated Protein Resistance V-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Blue

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.70	ML

Prep Agent(s)

[Continued]

Acute Hepatitis Panel

Order Synonym(s)
Acute Hepatitis Panel
Hepatitis Panel Acute

Associated DTA(s)
Acute Hep Interp
Hep A IgM Ab
Hep B Core IgM Ab
Hep B Srf Ag
Hep C Ab

CDM Code(s)

43753053	ACUTE HEPATITIS PANEL
43853053	ACUTE HEPATITIS PANEL

CPT Code(s)

80074	Acute hepatitis panel This panel must include the following:

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Acylcarnitines Quantitative-Mayo

Order Synonym(s)
Acylcarnitines Quantitative Mayo
Acylcarnitines Quantitative-Mayo
Mayo-Acylcarnitines, Quantitative, P

Associated DTA(s)
3-OH-Dod C12-OH-Mayo
3-OH-H C16-OH-Mayo
3-OH-H C16:1-OH-Mayo
3-OH-Hex C6-OH-Mayo
3-OH-L C18:2-OH-Mayo
3-OH-O C18:1-OH-Mayo
3-OH-T C14-OH-Mayo

[Continued]

3-OH-T C14:1-OH-Mayo
Acetylcarn C2-Mayo
Acyclcarn Cmnt-Mayo
Acylcarn Qnt-Mayo
Decanoyl C10-Mayo
Decenoyl C10:1-Mayo
Dodecan C12-Mayo
Dodecen C12:1-Mayo
Glutaryl C5-DC-Mayo
Hexadecan C16-Mayo
Hexadecen C16:1-Mayo
Hexanoyl C6-Mayo
Iso-/2-Meth C5-Mayo
Iso-/Buty C4-Mayo
Linoleyl C18:2-Mayo
Octanoyl C8-Mayo
Octenoyl C8:1-Mayo
Oleyl C18:1-Mayo
Propion C3-Mayo
Stearoyl C18-Mayo
Tetradeca C14-Mayo
Tetradeca C14:2-Mayo
Tetradece C14:1-Mayo

CDM Code(s)

43764602	Acylcarnitines Quantitative-Mayo
43864602	Acylcarnitines Quantitative-Mayo

CPT Code(s)

82017	Acylcarnitines Quantitative-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Acylglycines, Quantitative, Urine-Mayo

Order Synonym(s)
Acylglycines, Quantitative, Urine-Mayo
Associated DTA(s)
Acylglycines, Qnt, UA-Mayo
CDM Code(s)

[Continued]

43764898 Acylglycines, Quant, Urine
43864898 Acylglycines, Quant, Urine

CPT Code(s)
82544 Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Adenosine Deaminase Body Fluid-Mayo

Order Synonym(s)
ADDM Body Fluid Mayo
ADDM Fluid-Mayo
Adenosine Deaminase Body Fluid-Mayo
Fl ADDM-Mayo
Fl Adenosine Deaminase-Mayo
Mayo-Adenosine Deaminase, Fluid

Associated DTA(s)
ADA Source BF-Mayo
Calc ADA BF-Mayo

CDM Code(s)
43761300 Adenosine Deaminase Body Fluid-Mayo
43861300 Adenosine Deaminase Body Fluid-Mayo

CPT Code(s)
84311 Adenosine Deaminase Body Fluid-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Body Fluid

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)
Centrifuge

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.30	ML

Prep Agent(s)

[Continued]

Adenosine Deaminase, B-Mayo

Order Synonym(s)
ADDM Blood-Mayo
ADDM, Blood Mayo
Adenosine Deaminase, B-Mayo
Mayo-Adenosine Deaminase, B
RBC ADDM-Mayo
RBC Adenosine Deaminase-Mayo

Associated DTA(s)
Adeno Deaminase-Mayo

CDM Code(s)

43764603	Adenosine Deaminase, B-Mayo
43864603	Adenosine Deaminase, B-Mayo

CPT Code(s)

82657	Adenosine Deaminase, B-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Adrenocorticotropic Hormone-Mayo

Order Synonym(s)
ACTH-Mayo
Adrenocorticotropic Hormone-Mayo
Corticotropin-Mayo

Associated DTA(s)
ACTH-Mayo

CDM Code(s)

43761001	Adrenocorticotropic hormone (ACTH)
43861001	Adrenocorticotropic hormone (ACTH)

CPT Code(s)

82024	Adrenocorticotropic hormone (ACTH)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood | Lavender on Ice

Specimen Handling Instruction(s)
Collect on ice;spin,separate and freeze
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

AFB Id-Mayo

Order Synonym(s)
AFB Id-Mayo
Culture Refer for ID, Mycobacterium-Mayo
Associated DTA(s)
AFB ID
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Alanine Aminotransferase

Order Synonym(s)
ALT
Alanine Aminotransferase
SGPT
Associated DTA(s)
ALT/GPT Lvl
CDM Code(s)

43750236	SGPT
43850236	SGPT

CPT Code(s)

84460	Transferase; alanine amino (ALT) (SGPT)

Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Albumin Level

Order Synonym(s)
Albumin
Albumin Level

Associated DTA(s)
Alb Lvl

CDM Code(s)

43750006	ALBUMIN SERUM
43850006	ALBUMIN SERUM

CPT Code(s)

82040	Albumin; serum

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability:Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from cells within 2 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Albumin Level Body Fluid

Order Synonym(s)

Albumin Level Body Fluid
Albumin, Body Fluid
Fluid Albumin Level

Associated DTA(s)

Alb Body Fl Type
Alb Fl

CDM Code(s)

43750385	FLUID ALBUMIN
43850385	FLUID ALBUMIN

CPT Code(s)

82040	Albumin; serum

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8hrs Refrigerated:72 hrs Remove from cells within 2 hrs

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Alcohol Medical Blood

Order Synonym(s)

Alcohol Medical Blood
Blood Alcohol Level

Associated DTA(s)

MBA

[Continued]

Blood EtOH
EtOH Level
MBA
Medical Blood Alcohol

CDM Code(s)

43752006	Alcohol Medical Blood
43852006	Alcohol Medical Blood

CPT Code(s)

82055	Alcohol (ethanol); any specimen except breath

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: ASAP

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Alcohol Medical Urine

Order Synonym(s)	Associated DTA(s)
Alcohol Medical Urine	U Alcohol
Ethanol Level Urine	
Ethanol Urine Level	
Medical Urine Alcohol Level	
Urine Alcohol Level	
Urine Ethanol Level	

CDM Code(s)

43752186	Alcohol Medical Urine
43852186	Alcohol Medical Urine

CPT Code(s)

[Continued]

82055 Alcohol (ethanol); any specimen except breath

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Stability: Within 2 hrs of collection. Up to 72 hrs if frozen

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Aldolase-Mayo

Order Synonym(s)
Aldolase Mayo
Aldolase-Mayo
Mayo-Aldolase, S

Associated DTA(s)
Aldolase-Mayo

CDM Code(s)
43762534 Aldolase-Mayo
43862534 Aldolase-Mayo

CPT Code(s)
82085 Aldolase

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Aldosterone 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Aldosterone-Mayo
Aldosterone 24 Hour Urine-Mayo
Aldosterone Urine, 24 Hr Mayo
Mayo-Aldosterone, U
Urine 24 Hr Aldosterone-Mayo

Associated DTA(s)
Hrs Aldosterone-Mayo
TV Aldosterone-Mayo
U24 Aldosterone-Mayo

CDM Code(s)

43761375	Aldosterone 24 Hour Urine-Mayo
43861375	Aldosterone 24 Hour Urine-Mayo

CPT Code(s)

82088	Aldosterone 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
Preservative required

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
11.00	ML

Prep Agent(s)

Aldosterone-Mayo

Order Synonym(s)
Aldosterone-Mayo

Associated DTA(s)
Aldosterone-Mayo

CDM Code(s)

43761305	Aldosterone-Mayo
43861305	Aldosterone-Mayo

CPT Code(s)

82088	Aldosterone-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.40	ML

Prep Agent(s)

Alkaline Phosphatase

Order Synonym(s)
Alk Phos
Alkaline Phosphatase

Associated DTA(s)
Alk Phos Lvl

CDM Code(s)

43750213	PHOSPHATASE ALKALINE
43850213	PHOSPHATASE ALKALINE

CPT Code(s)

84075	Phosphatase, alkaline;

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Alkaline Phosphatase Body Fluid Level

Order Synonym(s)
Alk Phos, Body Fluid

Associated DTA(s)
Alk Phos Body Fl Type

[Continued]

Alkaline Phosphatase Body Fluid Level
Fluid Alkaline Phosphatase Level

Alk Phos Fl

CDM Code(s)

43750395 FLUID ALKALINE PHOSPHATASE
43850395 FLUID ALKALINE PHOSPHATASE

CPT Code(s)

84075 FLUID ALKALINE PHOSPHATASE

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Alkaline Phosphatase Fractionated (Isoen

Order Synonym(s)

Alkaline Phospatase Fractionated-ARUP
Alkaline Phosphatase Fractionated (Isoenzymes)-ARUP
Alkaline Phosphatase Fractionated-ARUP
Alkaline Phosphatase Isoenzymes-ARUP
Fractionated Alkaline Phosphatase-ARUP
Isoenzymes Alkaline Phosphatase-ARUP

Associated DTA(s)

Alk Phos
Alk Phos Bone Calc
Alk Phos Liver Calc
Alk Phos Other Calc

CDM Code(s)

43761533 Alk Phos Isos
43861533 Alkaline Phosphatase Isoenzymes

CPT Code(s)

84080 Phosphatase, alkaline; isoenzymes

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
ARUP Refrig
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Alkaline Phosphatase Heat Sensitive-ARUP

Order Synonym(s)
Alk Phos, Heat Sensitive (Bone Specific)-ARUP
Alkaline Phosphatase Heat Sensitive-ARUP
Alkaline Phosphatase, Bone Specific-ARUP
Bone Specific Alkaline Phosphatase-ARUP
Heat Sensitive Alkaline Phosphatase-ARUP
Skeletal Alkaline Phosphatase-ARUP
Associated DTA(s)
Alk Phos Heat Sens
CDM Code(s)
43761297 Alkaline Phosphatase Heat Sensitive
43861297 Alkaline Phosphatase Heat Sensitive
CPT Code(s)
84080 Phosphatase, alkaline; isoenzymes
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)
Freeze serum immediately
Specimen Stability
Collection Class(es)
ARUP Frozen
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Allergen Almond-ARUP

Order Synonym(s)
Allergen Almond Level-ARUP
Allergen Almond-ARUP
Associated DTA(s)
Aller Almond
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Alpha-lactalbumin-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Alpha lactalbumin Level-ARUP	Aller A-lactalb
Allergen Alpha-lactalbumin-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Alternaria Tenuis-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Alternaria Tenuis Level-ARUP	Aller Alt tenius
Allergen Alternaria Tenuis-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Apple-ARUP

Order Synonym(s)
Allergen Apple Level-ARUP
Allergen Apple-ARUP

Associated DTA(s)
Aller Apple

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Aspergillus Fumigatus-ARUP

Order Synonym(s)
Allergen Aspergillus Fumigatus Level-ARUP
Allergen Aspergillus Fumigatus-ARUP

Associated DTA(s)
Aller Asperg fum

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Avocado-ARUP

Order Synonym(s)
Allergen Avacado Level-ARUP
Allergen Avocado-ARUP

Associated DTA(s)
Aller Avocado

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Bahia Grass-ARUP

Order Synonym(s)
Allergen Bahia Grass Level-ARUP
Allergen Bahia Grass-ARUP

Associated DTA(s)
Aller Bahia Grass

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML
0.50	ML

Prep Agent(s)

Allergen Banana-ARUP

Order Synonym(s)
Allergen Banana Level-ARUP
Allergen Banana-ARUP

Associated DTA(s)
Aller Banana

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Barley-ARUP

Order Synonym(s)
Allergen Barley Level-ARUP
Allergen Barley-ARUP

Associated DTA(s)
Aller Barley

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Beef-ARUP

Order Synonym(s)
Allergen Beef Level-ARUP
Allergen Beef-ARUP

Associated DTA(s)
Allergen-Beef

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Bermuda Grass-ARUP

Order Synonym(s)
Allergen Bermuda Grass Level-ARUP
Allergen Bermuda Grass-ARUP

Associated DTA(s)
Aller Bermuda Grass

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Beta Lactoglobulin-ARUP

Order Synonym(s)
Allergen Beta Lactoglobulin Level-ARUP
Allergen Beta Lactoglobulin-ARUP

Associated DTA(s)
Aller B-lactoglob

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Botrytis Cinerea, IgE-Mayo

Order Synonym(s)
Allergen Botrytis Cinerea IgE Mayo
Allergen Botrytis Cinerea, IgE-Mayo
Mayo-Botrytis Cinerea, IgE

Associated DTA(s)
Botrytis Cinerea IgE-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Brazil Nut-ARUP

Order Synonym(s)
Allergen Brazil Nut Level-ARUP
Allergen Brazil Nut-ARUP

Associated DTA(s)
Aller Brazil Nut

CDM Code(s)

CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Cacao (Chocolate)-ARUP

Order Synonym(s)
Allergen Cacao (Chocolate)-ARUP
Allergen Chocolate (Cacao) Level-ARUP

Associated DTA(s)
Allergen-Chocolate (Cacao)

CDM Code(s)

CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Candida Albicans-ARUP

Order Synonym(s)
Allergen Candida Albicans Level-ARUP
Allergen Candida Albicans-ARUP
Associated DTA(s)
Allergen - Candida Albicans
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Carrot-ARUP

Order Synonym(s)
Allergen Carrot Level-ARUP
Allergen Carrot-ARUP
Associated DTA(s)
Aller Carrot
CDM Code(s)
CPT Code(s)
Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Casein-ARUP

Order Synonym(s)
Allergen Casein Level-ARUP
Allergen Casein-ARUP
Associated DTA(s)
Aller Casein
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Cashew Nut-ARUP

Order Synonym(s)
Allergen Cashew Nut Level-ARUP
Allergen Cashew Nut-ARUP
Associated DTA(s)
Aller Cashew Nut
CDM Code(s)
CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Allergen Cat Epithelium-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Cat Epithelium Level-ARUP	Aller Cat Epithelium
Allergen Cat Epithelium-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Celery-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Celery Level-ARUP	Aller Celery
Allergen Celery-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Cephalosporium Acremonium-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Cephalosporium Acremonium Level-ARUP	Aller Cephalosporium
Allergen Cephalosporium Acremonium-ARUP	

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Cheddar Cheese-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Cheddar Cheese Level-ARUP	Aller Cheddar Cheese
Allergen Cheddar Cheese-ARUP	

CDM Code(s)
CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Cheese Mold-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Cheese Mold Level-ARUP	Aller Cheese Mold
Allergen Cheese Mold-ARUP	

CDM Code(s)

CPT Code(s)

86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Cherry-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Cherry Level-ARUP	Aller Cherry
Allergen Cherry-ARUP	

CDM Code(s)

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Chestnut-ARUP

Order Synonym(s)
Allergen Chestnut Level-ARUP
Allergen Chestnut-ARUP
Associated DTA(s)
Aller Chestnut
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Chicken Feathers-ARUP

Order Synonym(s)
Allergen Chicken Feathers Level-ARUP
Allergen Chicken Feathers-ARUP
Associated DTA(s)
Aller Chicken Fthrs
CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Chicken Meat-ARUP

Order Synonym(s)
Allergen Chicken Meat Level-ARUP
Allergen Chicken Meat-ARUP
Associated DTA(s)
Aller Chicken Meat
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Cladosporium Herbarum-ARUP

Order Synonym(s)
Allergen Cladosporium Herbarum Level-ARUP
Allergen Cladosporium Herbarum-ARUP
Associated DTA(s)
Aller Cladosporium
CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Clam-ARUP

Order Synonym(s)
Allergen Clam Level-ARUP
Allergen Clam-ARUP
Associated DTA(s)
Aller Clam
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Cockroach-ARUP

Order Synonym(s)
Allergen Cockroach Level-ARUP
Allergen Cockroach-ARUP
Associated DTA(s)
Aller Cockroach
CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Coconut-ARUP

Order Synonym(s)
Allergen Coconut Level-ARUP
Allergen Coconut-ARUP
Associated DTA(s)
Aller Coconut
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Cod Fish-ARUP

Order Synonym(s)
Allergen Cod Fish-ARUP
Associated DTA(s)
Allergen Cod Fish
CDM Code(s)
CPT Code(s)
Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.50 ML
Prep Agent(s)

Allergen Corn-ARUP

Order Synonym(s)
Allergen Corn Level-ARUP
Allergen Corn-ARUP
Associated DTA(s)
Allergen-Corn
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Cow Milk-ARUP

Order Synonym(s)
Allergen Cow Milk Level-ARUP
Allergen Cow Milk-ARUP
Associated DTA(s)
Allergen-Milk
CDM Code(s)
CPT Code(s)
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Crab-ARUP

Order Synonym(s)

Allergen Crab Level-ARUP
Allergen Crab-ARUP

Associated DTA(s)

Allergen-Crab

CDM Code(s)

CPT Code(s)

86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Dandelion-ARUP

Order Synonym(s)

Allergen Dandelion Level-ARUP
Allergen Dandelion-ARUP

Associated DTA(s)

Aller Dandelion

CDM Code(s)

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Dermatophagoides Farinae-ARUP

Order Synonym(s)
Allergen Dermatophagoides Farinae Level-ARUP
Allergen Dermatophagoides Farinae-ARUP
Associated DTA(s)
Aller Dermatophag Farinae
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Dermatophagoides pteronyssinus-

Order Synonym(s)
Allergen Deratophagoides ptwronyssinus Level-ARUP
Allergen Dermatophagoides pteronyssinus-ARUP
Associated DTA(s)
Aller Dermatophag Pteronyssinus
CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Dog Dander/Epithelium-ARUP

Order Synonym(s)
Allergen Dog Dander/Epithelium Level-ARUP
Allergen Dog Dander/Epithelium-ARUP
Associated DTA(s)
Allergen-Dog Dander
CDM Code(s)
CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Egg White-ARUP

Order Synonym(s)
Allergen Egg White Level-ARUP
Allergen Egg White-ARUP
Associated DTA(s)
Allergen-Egg White
CDM Code(s)

[Continued]

CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Egg Yolk-ARUP

Order Synonym(s)
Allergen Egg Yolk Level-ARUP
Allergen Egg Yolk-ARUP
Associated DTA(s)
Aller Egg Yolk
CDM Code(s)
CPT Code(s)
86003 ALLERGEN, IGE SPECIFIC
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen English Plantain-ARUP

Order Synonym(s)
Allergen English Plantain Level-ARUP
Associated DTA(s)
Aller Plantain Eng

[Continued]

Allergen English Plantain-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Fire Ant-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Fire Ant Level-ARUP	Aller Fire Ant
Allergen Fire Ant-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Fusarium Moniliforme-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Fusarium Moniliforme Level-ARUP	Aller Fusarium

[Continued]

Allergen Fusarium Moniliforme-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Giant Ragweed-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Giant Ragweed Level-ARUP	Aller Gnt Ragweed
Allergen Giant Ragweed-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Goldenrod-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Goldenrod Level-ARUP	Aller Goldenrod

[Continued]

Allergen Goldenrod-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Goose Feathers-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Goose Feathers Level-ARUP	Aller Goose Fthrs
Allergen Goose Feathers-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Grapefruit-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Grapefruit Level-ARUP	Aller Grapefruit

[Continued]

Allergen Grapefruit-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Green Bean-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Green Bean Level-ARUP	Aller Green Bean
Allergen Green Bean-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Hamster Epithelium-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Hamster Epithelium Level-ARUP	Aller Hamster Epi

[Continued]

Allergen Hamster Epithelium-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Hazel Nut-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Hazel Nut Level-ARUP	Aller Hazelnut
Allergen Hazel Nut-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Helminthosporium Halodes-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Helminthosporium Halodes Level-ARUP	Aller Helminthospor

[Continued]

Allergen Helminthosporium Halodes-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Honeybee Venom-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Honeybee Venom Level-ARUP	Aller Honey Bee
Allergen Honeybee Venom-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen House Dust-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen House Dust Level-ARUP	Aller House Dust

[Continued]

Allergen House Dust-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Johnson Grass-ARUP

Order Synonym(s)

Allergen Johnson Grass Level-ARUP

Allergen Johnson Grass-ARUP

Associated DTA(s)

Aller Johnson Grass

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Kiwi Fruit-ARUP

Order Synonym(s)

Allergen Kiwi Fruit Level-ARUP

Associated DTA(s)

Aller Kiwi

[Continued]

Allergen Kiwi Fruit-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Latex Rubber-ARUP

Order Synonym(s)

Allergen Latex Rubber Level-ARUP

Allergen Latex Rubber-ARUP

Associated DTA(s)

Allergen - Latex

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Lettuce-ARUP

Order Synonym(s)

Allergen Lettuce Level-ARUP

Associated DTA(s)

Aller Lettuce

[Continued]

Allergen Lettuce-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Lima Beans-ARUP

Order Synonym(s)

Allergen Lima Beans Level-ARUP

Allergen Lima Beans-ARUP

Associated DTA(s)

Aller Lima Bean

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Lobster-ARUP

Order Synonym(s)

Allergen Lobster Level-ARUP

Associated DTA(s)

Aller Lobster

[Continued]

Allergen Lobster-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Macadamia Nut-ARUP

Order Synonym(s)

Allergen Macadamia Nut Level-ARUP

Allergen Macadamia Nut-ARUP

Associated DTA(s)

Aller Macadamia

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Malt-ARUP

Order Synonym(s)

Allergen Malt Level-ARUP

Associated DTA(s)

Aller Malt

[Continued]

Allergen Malt-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Mustard-ARUP

Order Synonym(s)

Allergen Mustard Level-ARUP

Allergen Mustard-ARUP

Associated DTA(s)

Aller Mustard

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Oak-ARUP

Order Synonym(s)

Allergen Oak Level-ARUP

Associated DTA(s)

Aller Oak

[Continued]

Allergen Oak-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Oat-ARUP

Order Synonym(s)

Allergen Oat Level-ARUP

Allergen Oak-ARUP

Associated DTA(s)

Aller Oat

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Onion-ARUP

Order Synonym(s)

Allergen Onion Level-ARUP

Associated DTA(s)

Aller Onion

[Continued]

Allergen Onion-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Orange-ARUP

Order Synonym(s)

Allergen Orange Level-ARUP

Allergen Orange-ARUP

Associated DTA(s)

Aller Orange

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Oyster-ARUP

Order Synonym(s)

Allergen Oyster Level-ARUP

Associated DTA(s)

Aller Oyster

[Continued]

Allergen Oyster-ARUP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Peach-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Peach Level-ARUP	Aller Peach
Allergen Peach-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Peanut-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Peanut Level-ARUP	Allergen-Peanut

[Continued]

Allergen Peanut-ARUP

CDM Code(s)

CPT Code(s)

86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Pear-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Pear Level-ARUP	Aller Pear
Allergen Pear-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Peas-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

Allergen Peas Level-ARUP
Allergen Peas-ARUP

Allergen-Peas

CDM Code(s)

CPT Code(s)

86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Pecan Nut-ARUP

Order Synonym(s)

Allergen Pecan Nut Level-ARUP
Allergen Pecan Nut-ARUP

Associated DTA(s)

Aller Pecan Nut

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Pecan Tree-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Pecan Tree Level-ARUP
Allergen Pecan Tree-ARUP

Aller Pecan Tree

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Penicillium Notatum-ARUP

Order Synonym(s)
Allergen Penicillium Notatum-ARUP
Allergen Penicillum Notatum Level-ARUP

Associated DTA(s)
Aller Penicillum not

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Phoma Betae-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Phoma Betae Level-ARUP
Allergen Phoma Betae-ARUP

Aller Phoma betae

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Pigweed-ARUP

Order Synonym(s)
Allergen Pigweed Level-ARUP
Allergen Pigweed-ARUP

Associated DTA(s)
Aller Pigweed

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Pine-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Pine Level-ARUP
Allergen Pine-ARUP

Aller Pine

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Pineapple-ARUP

Order Synonym(s)
Allergen Pineapple Level-ARUP
Allergen Pineapple-ARUP

Associated DTA(s)
Aller Pineapple

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Pistachio-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Pistachio Level-ARUP
Allergen Pistachio-ARUP

Aller Pistachio

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Pork-ARUP

Order Synonym(s)
Allergen Pork Level-ARUP
Allergen Pork-ARUP
Associated DTA(s)
Allergen-Pork
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Potato-ARUP

Order Synonym(s) **Associated DTA(s)**

[Continued]

Allergen Potato Level-ARUP
Allergen Potato-ARUP

Allergen-Potato

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Rice-ARUP

Order Synonym(s)
Allergen Rice Level-ARUP
Allergen Rice-ARUP

Associated DTA(s)
Aller Rice

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Rye Grass-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Rye Grass Level-ARUP
Allergen Rye Grass-ARUP

Allergen-Rye

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Rye-ARUP

Order Synonym(s)
Allergen Rye Level-ARUP
Allergen Rye-ARUP

Associated DTA(s)
Aller Rye Food

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Salmon-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Salmon Level-ARUP
Allergen Salmon-ARUP

Aller Salmon

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Scallop-ARUP

Order Synonym(s)
Allergen Scallop Level-ARUP
Allergen Scallop-ARUP

Associated DTA(s)
Aller Scallop

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Sesame Seed-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Sesame Seed Level-ARUP — Aller Sesame Seed
Allergen Sesame Seed-ARUP

CDM Code(s)

CPT Code(s)

86003 ALLERGEN, IGE SPECIFIC

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Short Ragweed-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Short Ragweed Level-ARUP	Aller Ragweed Sht
Allergen Short Ragweed-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Shrimp-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

Allergen Shrimp Level-ARUP
Allergen Shrimp-ARUP

Allergen-Shrimp

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Soybean-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Soybean Level-ARUP	Allergen-Soybean
Allergen Soybean-ARUP	

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Stemphylium Botryosum-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

Allergen Stemphylium Botryosum Level-ARUP
Allergen Stemphylium Botryosum-ARUP

Aller Stemphylium

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Strawberry-ARUP

Order Synonym(s)
Allergen Strawberry Level-ARUP
Allergen Strawberry-ARUP
Associated DTA(s)
Aller Strawberry
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Sunflower-ARUP

Order Synonym(s)
Associated DTA(s)

[Continued]

Allergen Sunflower Level-ARUP
Allergen Sunflower-ARUP

Aller Sunflower Seed

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

Allergen Sweet Potato-ARUP

Order Synonym(s)
Allergen Sweet Potato Level-ARUP
Allergen Sweet Potato-ARUP

Associated DTA(s)
Aller Sweet Potato

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Timothy Grass-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Timothy Grass Level-ARUP	Aller Timothy Grass
Allergen Timothy Grass-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Tomato-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Tomato Level-ARUP	Allergen-Tomato
Allergen Tomato-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Tuna-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

Allergen Tuna Level-ARUP
Allergen Tuna-ARUP

Associated DTA(s)
Aller Tuna

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Walnut-ARUP

Order Synonym(s)
Allergen Walnut Level-ARUP
Allergen Walnut-ARUP

Associated DTA(s)
Aller Walnut

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Wasp-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Wasp Level-ARUP
Allergen Wasp-ARUP

Aller Wasp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Water Chestnut-ARUP

Order Synonym(s)
Allergen Water Chestnut Level-ARUP
Allergen Water Chestnut-ARUP

Associated DTA(s)
Aller Water Chestnut

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Watermelon-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Watermelon Level-ARUP
Allergen Watermelon-ARUP

Aller Watermelon

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen Wheat-ARUP

Order Synonym(s)
Allergen Wheat Level-ARUP
Allergen Wheat-ARUP
Associated DTA(s)
Allergen-Wheat
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Allergen White Face Hornet Venom-ARUP

Order Synonym(s)
Associated DTA(s)

[Continued]

Allergen White Fac Hornet Venom Level-ARUP
Allergen White Face Hornet Venom-ARUP

Aller White Hornet

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Yeast-ARUP

Order Synonym(s)

Allergen Yeast Level-ARUP
Allergen Yeast-ARUP

Associated DTA(s)

Aller Yeast

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Yellow Hornet Venom-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Allergen Yellow Horner Venom Level-ARUP	Aller Yellow Hornet
Allergen Yellow Hornet Venom-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Allergen Yellow Jacket Venom-ARUP

Order Synonym(s)	Associated DTA(s)
Allergen Yellow Jacket Venom Level-ARUP	Aller Yellow Jacket Venom
Allergen Yellow Jacket Venom-ARUP	

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

AlloFuse DBM Putty 1.0cc

Order Synonym(s)	Associated DTA(s)

[Continued]

AlloFuse DBM Putty 1.0cc

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Product/Tissue

Service Resource(s)

MCCG BB Bone and Tissue

Specimen Type(s)	Specimen Container Instruction(s)
TISSUE	Bone and Tissue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Alpha 1 Antitrypsin

Order Synonym(s)	Associated DTA(s)
A1A	Alpha 1 Antitrypsin
Alpha 1 Antitrypsin	

CDM Code(s)

43756001	A1 ANTI-TRYPSIN
43856001	A1 ANTI-TRYPSIN

CPT Code(s)

82103	Alpha-1-antitrypsin; total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Immage 800

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Alpha Fetoprotein Maternal Quad Screen-M

Order Synonym(s)
Alpha Fetoprotein Maternal Quad Screen-Mayo
Maternal Quad Screen Mayo
Maternal Quad Screen-Mayo

Associated DTA(s)
Clinical History Form Received?
Maternal Quad Screen-Mayo

CDM Code(s)
43761583 Alpha Fetoprotein Maternal Quad Screen-Mayo
43861583 Alpha Fetoprotein Maternal Quad Screen-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Alpha Fetoprotein Tumor Marker Only

Order Synonym(s)
AFP
AFP Tumor Marker
AFP Tumor Marker Only
Alpha Fetoprotein
Alpha Fetoprotein Tumor Marker Only

Associated DTA(s)
AFP Tumor Marker

CDM Code(s)
43753008
43853008

CPT Code(s)
82105 Alpha-fetoprotein (AFP); serum

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

[Continued]

MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Alpha-1-Acid Glycoprotein-Mayo

Order Synonym(s)
Alpha 1 Acid Glycoprtein Mayo
Alpha-1-Acid Glycoprotein-Mayo
Mayo-Alpha-1-Acid Glycoprotein

Associated DTA(s)
A-1-Acid Glyco-Mayo

CDM Code(s)

43764119	Alpha-1-Acid Glycoprotein-Mayo
43864119	Alpha-1-Acid Glycoprotein-Mayo

CPT Code(s)

82985	Alpha-1-Acid Glycoprotein-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Alpha-1-Antitrypsin Phenotype-Mayo

Order Synonym(s)
A1A Phenotype Mayo
A1A Phenotype-Mayo

Associated DTA(s)
A1A Phenotype-Mayo

[Continued]

Alpha-1-Antitrypsin Phenotype-Mayo
Mayo Alpha-1-Antitrypsin Phenotype
Protease Inhibitor A1A-Mayo
Protease Inhibitor Alpha-1-Antitrypsin-Mayo

CDM Code(s)

43764834 Alpha-1-Antitrypsin Phenotype-Mayo
43864834 Alpha-1-Antitrypsin Phenotype-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Alpha-2-Macroglobulin-Mayo

Order Synonym(s)

Alpha 2 Macroglobulin Mayo
Alpha-2-Macroglobulin-Mayo
Mayo-Alpha-2-Macroglobulin, S

Associated DTA(s)

A-2-Macroglob-Mayo

CDM Code(s)

43764120 Alpha-2-Macroglobulin-Mayo
43864120 Alpha-2-Macroglobulin-Mayo

CPT Code(s)

83883 Alpha-2-Macroglobulin-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

2.00 ML

Prep Agent(s)

Alpha-Fetoprotein Amniotic Fluid-Mayo

Order Synonym(s)
- AFP Amniotic Fluid-Mayo
- AFP Amniotic Mayo
- Alpha-Fetoprotein Amniotic Fluid-Mayo
- Amniotic Fl AFP-Mayo
- Amniotic Fl Alpha Feto Protein-Mayo
- Fl Amniotic AFP-Mayo
- Fl Amniotic Alpha Feto Protein-Mayo
- Mayo-Alpha Fetoprotein, AF

Associated DTA(s)
- AFP AF-Mayo
- AFP Col Date-Mayo
- AFP Comments-Mayo
- AFP EDDbyLMP-Mayo
- AFP EDDbyUS-Mayo
- AFP Followup-Mayo
- AFP GA Used-Mayo
- AFP GAbyLMP-Mayo
- AFP GAbyUS-Mayo
- AFP Info-Mayo
- AFP Interp-Mayo
- AFP LMP AFP-Mayo
- AFP Results-Mayo

CDM Code(s)

43761435	Alpha-Fetoprotein Amniotic Fluid-Mayo
43861435	Alpha-Fetoprotein Amniotic Fluid-Mayo

CPT Code(s)

82106	Alpha-fetoprotein (AFP); amniotic fluid

Default Collection Method(s)
- Sterile Procedure

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- Amniotic Fluid

Specimen Container Instruction(s)
- Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Alpha-Galactosidase, Leukocytes-Mayo

Order Synonym(s)
- Alpha Galactosidase, Leuk Mayo
- Alpha-Galactosidase, Leukocytes-Mayo
- Alpha-Galactosidase, WBC-Mayo
- Mayo-Alpha-Galactosidase, Leukocytes

Associated DTA(s)
- A-Galacto WBC-Mayo

CDM Code(s)

[Continued]

43764121 Alpha-Galactosidase, Leukocytes-Mayo
43864121 Alpha-Galactosidase, Leukocytes-Mayo

CPT Code(s)

82657 Alpha-Galactosidase, Leukocytes-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
7.00	ML

Prep Agent(s)

Alpha-Galactosidase-Mayo

Order Synonym(s)

Alpha Galactosidase Mayo
Alpha-Galactosidase-Mayo
Mayo-Alpha-Galactosidase, S

Associated DTA(s)

A-Galactosidase-Mayo

CDM Code(s)

43764122 Alpha-Galactosidase-Mayo
43864122 Alpha-Galactosidase-Mayo

CPT Code(s)

82657 Alpha-Galactosidase-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Alpha-Subunit (HCG, TSH, FSH, LH)-Mayo

Order Synonym(s)
Alpha-Subunit (HCG, TSH, FSH, LH)-Mayo
Alpha-Subunit (HCG,TSH,FSH,LH) Mayo
Mayo-Alpha-Subunit (HCG, TSH, FSH, LH)

Associated DTA(s)
PGH A-Subunit-Mayo

CDM Code(s)

43764143	Alpha-Subunit (HCG, TSH, FSH, LH)-Mayo
43864143	Alpha-Subunit (HCG, TSH, FSH, LH)-Mayo

CPT Code(s)

83519	Alpha-Subunit (HCG, TSH, FSH, LH)-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Aluminum 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Aluminum-Mayo
Aluminum 24 Hour Urine-Mayo
Aluminum 24 Hr Urine Mayo
Mayo-Aluminum, U
Urine 24 Hr Aluminum-Mayo

Associated DTA(s)
Hrs Nickel-Mayo
TV Nickel-Mayo
U24 Aluminum-Mayo
Ur Aluminum-Mayo

CDM Code(s)

43764144	Aluminum 24 Hour Urine-Mayo
43864144	Aluminum 24 Hour Urine-Mayo

CPT Code(s)

82108	Aluminum 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
10.00 ML
Prep Agent(s)

Aluminum Level-Mayo

Order Synonym(s)
Aluminum Level-Mayo
Aluminum Mayo
Mayo-Aluminum, S
Associated DTA(s)
Aluminum-Mayo
CDM Code(s)
43761915 Aluminum Level-Mayo
43861915 Aluminum Level-Mayo
CPT Code(s)
82108 Aluminum Level-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
RylPlain
Specimen Handling Instruction(s)
Pour off serum
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Amikacin Level Peak

Order Synonym(s)
Amikacin Level Peak
Amikacin Peak
Peak Amikacin Level
Peak Amikin Level
Associated DTA(s)
Amik Dose Tm
Amikacin Pk
CDM Code(s)
43752127 Amikacin Level Peak
43852127 Amikacin Level Peak
CPT Code(s)
80150 Amikacin
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Abbott TDX
MCCG MGC240

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

The PEAK specimen should be scheduled 30 minutes after completion of a continuous infusion or IM dose.

Amikacin Level Random

Order Synonym(s)

Amakacin Random
Amikacin Level Random
Amikin Level Random
Random Amikacin Level
Random Amikin Level

Associated DTA(s)

Amik Dose Tm
Amikacin Ran

CDM Code(s)

43752127	Amikacin Level Random
43852127	Amikacin Level Random

CPT Code(s)

80150	Amikacin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Abbott TDX
MCCG MGC240

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Amikacin Level Trough

Order Synonym(s)
Amikacin Level Trough
Amikacin Trough
Amikin Level Trough
Trough Amikacin Level
Trough Amikin Level

Associated DTA(s)
Amik Dose Tm
Amikacin Tr

CDM Code(s)

43752127	Amikacin Level Trough
43852127	Amikacin Level Trough

CPT Code(s)

80150	Amikacin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott TDX
MCCG MGC240

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
Trough specimens should be collected within 30 minutes of the next scheduled dose.

Amino Acid Quantitative-Mayo

Order Synonym(s)
Amino Acid Quantitative Mayo
Amino Acid Quantitative-Mayo
Amino Acid, Plasma
Amino Acid, Serum
Mayo-Amino Acids, Qnt
Plasma Amino Acid

Associated DTA(s)
Amino Acid Qnt-Mayo

CDM Code(s)

43764837	Amino Acid Qualitative-Mayo
43864837	Amino Acid Qualitative-Mayo

CPT Code(s)

[Continued]

82139 Amino Acid Qualitative-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Amino Acid Urine Quantitative-Mayo

Order Synonym(s)
Amino Acid Urine Quant Mayo
Amino Acid Urine Quantitative-Mayo
Mayo-Amino Acid Qnt, Rand, U

Associated DTA(s)
Hrs AA Qnt IonEx-Mayo
TV AA Qnt Ion Ex-Mayo
U 1-Methylhisti-Mayo
U 3-Methylhisti-Mayo
U A-Amino Acid-Mayo
U A-Amino-N-But-Mayo
U AA Qnt Ion Ex-Mayo
U AA Qnt Result-Mayo
U Alanine-Mayo
U Arginine-Mayo
U Asparagine-Mayo
U B-Alanine-Mayo
U B-Amino Acid-Mayo
U Carnosine-Mayo
U Citrulline-Mayo
U Creat (AA)-Mayo
U Cystathionine-Mayo
U Cystine-Mayo
U Glutamic Acid-Mayo
U Glutamine-Mayo
U Glycine-Mayo
U Histidine-Mayo
U Isoleucine-Mayo
U Leucine-Mayo
U Lysine-Mayo
U Methionine-Mayo
U Ornithine-Mayo
U Phenylalanine-Mayo

[Continued]

U Proline-Mayo
U Serine-Mayo
U Taurine-Mayo
U Threonine-Mayo
U Tyrosine-Mayo
U Valine-Mayo

CDM Code(s)
43764837 Amino Acid QN Ion Exchange Random Urine-Mayo
43864837 Amino Acid QN Ion Exchange Random Urine-Mayo
CPT Code(s)
82103 Alpha-1-antitrypsin; total
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Amiodarone Level-Mayo

Order Synonym(s)
Amidarone Mayo
Amiodarone Level-Mayo
Mayo-Amiodarone, P/S
Associated DTA(s)
Amiod Lvl-Mayo
Desethyl Lvl-Mayo
CDM Code(s)
43761922 Amiodarone Level-Mayo
43861922 Amiodarone Level-Mayo
CPT Code(s)
80299 Amiodarone Level-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)

[Continued]

Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**

3.00 ML

Prep Agent(s)

Amitriptyline and Nortriptyline-Mayo

Order Synonym(s)

Amitriptyline and Nortriptyline Mayo
Amitriptyline and Nortriptyline-Mayo
Mayo-Amitriptyline and Nortriptyline, P

Associated DTA(s)

Ami&Nortrip Lvl-Mayo
Amitrip Lvl-Mayo
Nortrip Lvl-Mayo

CDM Code(s)

43764150 Amitriptyline and Nortriptyline-Mayo
43864150 Amitriptyline and Nortriptyline-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**

3.00 ML

Prep Agent(s)

AML Target Gene Panel-US Labs

Order Synonym(s)

AML Target Gene Panel-US Labs

Associated DTA(s)

AML Target Gene-US Labs

CDM Code(s)

43767536 AML Target Gene Panel
43867536 AML Target Gene Panel

CPT Code(s)

88275 AML Target Gene Panel

Default Collection Method(s)

Sterile Procedure
Venous Draw

Service Resource(s)

MCCG US Labs

Specimen Type(s)

BONE MARROW

Specimen Container Instruction(s)

Grn-Sodium Hep

[Continued]

Blood

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Ammonia Arterial Level

Order Synonym(s)

Ammonia Arterial Level
Arterial NH3 Level
NH3 Arterial
NH3 Arterial Level

Associated DTA(s)

Ammonia Art

CDM Code(s)

43751175	AMMONIA ARTERIAL
43851175	AMMONIA ARTERIAL

CPT Code(s)

82140	Ammonia

Default Collection Method(s)

Arterial Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Green (Li Hep)

Specimen Handling Instruction(s)

Transport on ice

Specimen Stability

Stability ASAP

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Ammonia, ArterialThe Respiratory Therapist/Technician assigned to your area mustbe beeped to draw Arterial Ammonia

[Continued]

Ammonia Level

Order Synonym(s)
Ammonia Level
NH3
NH3 Level

Associated DTA(s)
Ammonia

CDM Code(s)

43750011	AMMONIA
43850011	AMMONIA

CPT Code(s)

82140	Ammonia

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)
Transport on ice

Specimen Stability
Stability: ASAP

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Amphetamine Confirmation by TLC

Order Synonym(s)
Amphetamin Confimation TLC
Amphetamine Confirmation by TLC

Associated DTA(s)
Amphetamine by TLC Confirmation

CDM Code(s)

43752195	Amphetamine Confirmation by TLC
43852195	Amphetamine Confirmation by TLC

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Amphetamine Quantitative

Order Synonym(s)

Amphetamine Quantitative
Amphtamine Quant
Qnt Stat Amphetamine
Stat Amphetamine Quantitative

Associated DTA(s)

Amph Cutoff
Amph Qnt
Coll Date (Ampha)

CDM Code(s)

43752072	Amphetamine Quantitative
43852072	Amphetamine Quantitative

CPT Code(s)

80102	Amphetamine Quantitative

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Amylase 2 Hour Urine

Order Synonym(s)

2 Hour Urine Amylase
Amylase 2 Hour Urine
Amylase Urine, 2Hr
Urine 2 Hour Amylase

Associated DTA(s)

TV Amylase
U Amylase
U2 Amylase

CDM Code(s)

43754001	AMYLASE URINE

[Continued]

43854001 AMYLASE URINE

CPT Code(s)

82150 AMYLASE URINE

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Amylase Isoenzymes-ARUP

Order Synonym(s)

Amylase Isoenzymes-ARUP
Isoenzymes Amylase-ARUP

Associated DTA(s)

Pancreatic Amylase Isoenz
Salivary Amylase Isoenz
Total Amylase for Isoenzy

CDM Code(s)

43761576 Amylase Isoenzymes
43861576 Amylase Isoenzymes

CPT Code(s)

82150 Amylase

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Seperate serum ASAP

Specimen Stability

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

[Continued]

3.00	ML

Prep Agent(s)

Amylase Level

Order Synonym(s)
Amylase
Amylase Level

Associated DTA(s)
Amylase Level

CDM Code(s)

43750016	AMYLASE SERUM
43850016	AMYLASE SERUM

CPT Code(s)

82150	Amylase

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Amylase Level Body Fluid

Order Synonym(s)
Amylase Body Fluid
Amylase Level Body Fluid
Fluid Amylase Level

Associated DTA(s)
Amyl Body Fl Type
Amylase Fl

CDM Code(s)

43750014	FLUID AMYLASE

[Continued]

43850014 FLUID AMYLASE

CPT Code(s)

82150 Amylase

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Amylase Level Urine Random

Order Synonym(s)

Amylase Level Urine Random
Amylase Random Urine
Random Urine Amylase Level
Urine Amylase Level Random

Associated DTA(s)

U Amylase

CDM Code(s)

43754001 AMYLASE URINE
43854001 AMYLASE URINE

CPT Code(s)

82150 AMYLASE URINE

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Urine samples should be analyzed within 2 Hrs of collection. Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

ANA Ab Screen

Order Synonym(s)
ANA Ab Screen
ANA Screen Only
ENA Ab Screen
Extractable Nuclear Ab Screen

Associated DTA(s)
ANA Ab Screen
ANA Scrn Interp

CDM Code(s)

43735001	ANA Ab Screen
43835001	ANA Ab Screen

CPT Code(s)

86038	Antinuclear antibodies (ANA);

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

ANA Screen Reflex to Profile

Order Synonym(s)
ANA Screen Reflex Profile
ANA Screen Reflex to Profile
ANA Titer Reflex to Profile
ENA Ab Reflex to Profile

Associated DTA(s)
ANA Screen Reflex

[Continued]

Extractable Nuclear Ab Screen Reflex to Profile

CDM Code(s)

43735001	ANA Screen Reflex to Profile
43835001	ANA Screen Reflex to Profile

CPT Code(s)

86038	Antinuclear antibodies (ANA);

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

ANCA Panel for Vasculitis-Mayo

Order Synonym(s)	Associated DTA(s)
ANCA Panel for Vasculitis Mayo	Myeloperox Ab-Mayo
ANCA Panel for Vasculitis-Mayo	Proteinase 3 Ab-Mayo
Cytoplasmic Neutrophil Ab for Vasculitis	
Mayo-ANCA Panel for Vasculitis, S	
Vasculitis ANCA	

CDM Code(s)

43764838	ANCA Panel for Vasculitis-Mayo
43864838	ANCA Panel for Vasculitis-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Androstenedione-Mayo

Order Synonym(s)
- Androstenedione Mayo
- Androstenedione-Mayo
- Mayo-Androstenedione, S

Associated DTA(s)
- Androsten ng/dL-Mayo

CDM Code(s)

43761315	Androstenedione-Mayo
43861315	Androstenedione-Mayo

CPT Code(s)

82157	Androstenedione

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- Blood

Specimen Container Instruction(s)
- Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.30	ML

Prep Agent(s)

Aneuploidy Detection, POC, FISH-Mayo

Order Synonym(s)
- Aneuploidy Detection POC FISH Mayo
- Aneuploidy Detection, POC, FISH-Mayo
- Mayo-Aneuploidy Detection, POC, FISH
- Ploidy Detection POC-Mayo

Associated DTA(s)
- Aneu/POC Amend-Mayo
- Aneu/POC Cnslt-Mayo
- Aneu/POC Interp-Mayo
- Aneu/POC Method-Mayo
- Aneu/POC Ord Dt-Mayo
- Aneu/POC Rpt Dt-Mayo
- Aneu/POC Rslt-Mayo
- Aneu/POC Rsn-Mayo
- Aneu/POC Source-Mayo
- Aneu/POC Spec-Mayo
- Aneu/POC SpecID-Mayo

CDM Code(s)

[Continued]

43764154 Aneuploidy Detection, POC, FISH-Mayo
43864154 Aneuploidy Detection, POC, FISH-Mayo

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
TISSUE

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Angiotensin Converting Enzyme CSF-Mayo

Order Synonym(s)
ACE CSF-Mayo
Angiotensin Converting Enzyme CSF-Mayo
CSF ACE-Mayo

Associated DTA(s)
CSF ACE-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Angiotensin Converting Enzyme-Mayo

Order Synonym(s)
ACE Mayo
ACE-Mayo

Associated DTA(s)
ACE-Mayo

[Continued]

Angiotensin Converting Enzyme-Mayo
Mayo-Angiotensin Converting Enzyme, S

CDM Code(s)

43761917	Angiotensin Converting Enzyme-Mayo
43761917	Angiotensin Converting Enzyme-Mayo

CPT Code(s)

82164	Angiotensin I - converting enzyme (ACE)

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Anti - dsDNA Antibody

Order Synonym(s)	Associated DTA(s)
Anti - dsDNA Antibody	DNA IgG Ab
DNA Ab Double stranded IgG	DNA IgG Ab Interp
DNA Antibody (Double-stranded) IgG	

CDM Code(s)

43735080	Anti - dsDNA Antibody
43835080	Anti - dsDNA Antibody

CPT Code(s)

86225	Deoxyribonucleic acid (DNA) antibody; native or double stran

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.50	ML

Prep Agent(s)

Anti-Streptolysin O Antibody

Order Synonym(s)
ASO
ASO Titer
ASTO
Anti-Streptolysin O Antibody
Antistreptolysin O Titer

Associated DTA(s)
ASO Screen
ASO Titer

CDM Code(s)

43735011	ASO TITER
43835011	ASO TITER (ASTO)

CPT Code(s)

86060	Antistreptolysin 0; titer

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 24 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Antimicrobial Suscep, Rapid Grow Mycobac

Order Synonym(s)
AFB, Rapid Grow Susceptibility-Mayo
Antimicrobial Suscep, Rapid Grow Mycobac-Mayo
Rapid Grower Susceptibility AFB-MAY
Susceptibility, AFB, Rapid Grower-Mayo

Associated DTA(s)
Myco Susc Rslt-Mayo

CDM Code(s)

43765077	Antimicrobial Suscep, Rapid Grow Mycobac-Mayo
43865077	Antimicrobial Suscep, Rapid Grow Mycobac-Mayo

CPT Code(s)

[Continued]

87186 Antimicrobial Suscep, Rapid Grow Mycobac-Mayo

Default Collection Method(s)

Sterile Procedure
Surgical Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
ABCESS	Middlebrook TB
ASPIRATE	
BIOPSY	
BONE	
BONE MARROW	
BRONCH BRUSHINGS	
BRONCH WASH	
Blood	
CSF	
DIALYSATE	
DRAINAGE	
FECES	
FINE NEEDLE BX	
FLUID	
GASTRIC FL	
JOINT	
JOINT FL	
LESION	
LUNG BIOPSY	
LUNG NEEDLE	
LYMPH NODE	
NODE	
PELVIC FL	
PERICARD FL	
PERITONEAL FL	
PLEURAL FL	
SECRETIONS	
SINUS	
SPUTUM	
THORACENT FL	
THROAT	
TISSUE	
Urine	
WOUND	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

Antithrombin III Assay

Order Synonym(s)
AT3 Assay
Antithrombin III Assay

Associated DTA(s)
AntiThrombin III Assay

CDM Code(s)

43711120	ANTI-THROMBIN III
43811120	ANTI-THROMBIN III

CPT Code(s)

85300	ANTI-THROMBIN III

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

AntiThyroglobulin Antibody

Order Synonym(s)
AntiThyroglobulin Antibody
Quantitative Thyroglobulin Antibody
Thyroglobulin Ab
Thyroglobulin Antibody
Thyroid Antithyroglobulin Antibody

Associated DTA(s)
AntiThyroglobulin AB

CDM Code(s)

43761330	ANTITHYROGLOBULIN AB
43861330	ANTITHYROGLOBULIN AB

CPT Code(s)

86800	Thyroglobulin antibody

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Li and Na Heparin, EDTA acceptable. Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

AntiThyroid Peroxidase Antibody

Order Synonym(s)	Associated DTA(s)
ATPA	AntiThyroid Perox Ab
ATPO	
AntiThyroid Peroxidase Antibody	
Antithyroid Antibody	
TPA Thyroid Antibody	
TPO Thyroid Antibody	
Thyroid Antimicrosomal Antibody	

CDM Code(s)

43753204	ATPO
43853204	ATPO

CPT Code(s)

86376	Microsomal antibodies (eg, thyroid or liver-kidney), each

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Li and Na Heparin, EDTA acceptable. Stability:Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from Cells

Collection Class(es)

[Continued]

Chem Auto

Minimum Volume **Minimum Volume Unit**

0.50 ML

Prep Agent(s)

AP Cytogenetics

Order Synonym(s)

AP Cytogenetics

Associated DTA(s)

AP Cytogenetics

CDM Code(s)

43707139 AP Cytogenetics

43807139 AP Cytogenetics

CPT Code(s)

88237 Tissue culture for neoplastic disorders; bone marrow, blood

Default Collection Method(s)

Sterile Procedure

Venous Draw

Service Resource(s)

MCCG Other Ref Lab

Specimen Type(s)

BONE MARROW

Blood

CSF

Other Source

PLEURAL FL

Specimen Container Instruction(s)

Clean Container

Grn-Sodium Hep

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume **Minimum Volume Unit**

3.00 ML

Prep Agent(s)

AP FISH

Order Synonym(s)

AP FISH

Associated DTA(s)

FISH Results

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

AP Specimen

Sterile Procedure

Venous Draw

Service Resource(s)

[Continued]

MCCG Other Ref Lab

Specimen Type(s)	Specimen Container Instruction(s)
BONE MARROW	Clean Container
Blood	Grn-Sodium Hep
LYMPH NODE	PB or unstain sect slide
Other Source	
Parrafin Block	

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML
3.00	ML

Prep Agent(s)

AP Flow Blood

Order Synonym(s)	Associated DTA(s)
AP Flow Blood	AP Flow Blood

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Other Ref Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Grn-Sodium Hep

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

AP Flow-Marrow

Order Synonym(s)	Associated DTA(s)
AP Flow-Marrow	AP Flow Marrow

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

[Continued]

Sterile Procedure

Service Resource(s)

MCCG Other Ref Lab

Specimen Type(s)	Specimen Container Instruction(s)
BONE MARROW	RPMI

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Apolipoprotein E Genotyping-Mayo

Order Synonym(s)	Associated DTA(s)
Apolipoprotein E Genotype Mayo	Apo E Geno Amnd-Mayo
Apolipoprotein E Genotyping-Mayo	Apo E Geno Ctns-Mayo
Mayo-Apolipoprotein E Genotyping, B	Apo E Geno Mthd-Mayo
	Apo E Geno OrdDt-Mayo
	Apo E Geno Rel-Mayo
	Apo E Geno Rev-Mayo
	Apo E Geno Rslt-Mayo
	Apo E Geno Src-Mayo
	ApoE Geno Extraction Performed?-Mayo
	ApoE Geno Interp-Mayo
	ApoE Geno Spec ID-Mayo
	ApoE Geno Spec-Mayo

CDM Code(s)

43764841	Apolipoprotein E Genotyping-Mayo
43765107	Apolipoprotein E Genotyping-Mayo
43864841	Apolipoprotein E Genotyping-Mayo
43865107	Apolipoprotein E Genotyping-Mayo

CPT Code(s)

81401	MOLECULAR PATHOLOGY PROCEDURE LEVEL 2

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

3.00 ML

Prep Agent(s)

APT

Order Synonym(s)
APT
APT Level

Associated DTA(s)
APT Test

CDM Code(s)
43735197 APT
43835197 APT

CPT Code(s)
83033 APT

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
EMESIS
FECES

Specimen Container Instruction(s)
Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume **Minimum Volume Unit**
0.50 ML

Prep Agent(s)

Arginine Vasopressin-Mayo

Order Synonym(s)
ADH-Mayo
Antidiuretic Hormone Mayo
Antidiuretic Hormone-Mayo
Arginine Vasopressin-Mayo
Mayo-Arginine Vasopressin, P

Associated DTA(s)
Arginine Vaso-Mayo

CDM Code(s)
43764164 Arginine Vasopressin-Mayo
43864164 Arginine Vasopressin-Mayo

CPT Code(s)
84588 Arginine Vasopressin-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood | Lavender

Specimen Handling Instruction(s)
Transport on ice
Specimen Stability
Specimen needs to be sent on ice
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Arsenic 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Arsenic-Mayo
Arsenic 24 Hour Urine-Mayo
Arsenic Random Urine-Mayo
Arsenic Urine, 24 Hr Mayo
Mayo-Arsenic, U
Urine 24 Hr Arsenic-Mayo
Urine Random Arsenic-Mayo

Associated DTA(s)
Hrs Arsenic-Mayo
TV Arsenic-Mayo
U24 Arsenic-Mayo
Ur Arsenic-Mayo

CDM Code(s)

43761046	Arsenic 24 Hour Urine-Mayo
43861046	Arsenic 24 Hour Urine-Mayo

CPT Code(s)

82175	Arsenic 24 Hour Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
PreTest dietary restrictions
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Arterial Blood Gas with Cooximetry

Order Synonym(s)

Associated DTA(s)

[Continued]

ABG with Cooximetry
Arterial Blood Gas with Cooximetry

Barometric Press
Base Excess
Carboxyhemo Art
FIO2
HCO3 Art
Methemoglobin Art
O2 Content Art
O2 Hgb Art
O2SAT Art
PCO2 Art
PCO2 Temp Corr
PO2 Art
PO2 Temp Corr
Patient Temp
Total Hgb Art
pH Art
pH Temp Corr

CDM Code(s)

43756005	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i
43856005	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

CPT Code(s)

82803	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
Arterial Draw
Service Resource(s)
MCCG GEM 4000
MCCG Omni Blood Gas
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Syringe
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

ARUP Miscellaneous Order

Order Synonym(s)
ARUP Miscellaneous Order
Associated DTA(s)
ARUP Misc Test
ARUP Test Ordered
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)

[Continued]

MCCG ARUP Reference Lab

Specimen Type(s)
Mixed Specimens

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

ARUP Other Lab Test

Order Synonym(s)
ARUP Other Lab Test

Associated DTA(s)
Other Lab Test
Otr Ref Lab Result
Spec Type - Other Lab Test

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
Mixed Specimens

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Arylsulfatase A, Leukocytes-Mayo

Order Synonym(s)
Arylsulfatase A, Leukocytes-Mayo
Arysulfatase A Leukocytes Mayo
Mayo-Arylsulfatase A, Leukocytes

Associated DTA(s)
ARS-A Leuko-Mayo

CDM Code(s)

43764165	Arylsulfatase A, Leukocytes-Mayo
43864165	Arylsulfatase A, Leukocytes-Mayo

CPT Code(s)

82657	Arylsulfatase A, Leukocytes-Mayo

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Yellow ACD

Specimen Handling Instruction(s)

Call Lab prior to collection

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Arysulfatase A 24 Hour Urine-Mayo

Order Synonym(s)

Arysulfatase A 24 Hour Urine-Mayo
Arysulfatase A Urine, 24 Hr Mayo
Mayo-Arylsulfatase A, U

Associated DTA(s)

U ARS-A-Mayo

CDM Code(s)

43764166	Arysulfatase A 24 Hour Urine-Mayo
43864166	Arysulfatase A 24 Hour Urine-Mayo

CPT Code(s)

84311	Arysulfatase A 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Refrigerate during collection

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Aspartate Aminotransferase

Order Synonym(s)

AST/SGOT
Aspartate Aminotransferase
GOT

Associated DTA(s)

AST/GOT Lvl

[Continued]

SGOT

CDM Code(s)

43750230	Aspartate Aminotransferase
43850230	Aspartate Aminotransferase

CPT Code(s)

84450	Transferase; aspartate amino (AST) (SGOT)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Aspergillus Antigen-Mayo

Order Synonym(s)

Aspergillus Ag Mayo
Aspergillus Antigen-Mayo
Aspergillus galactomannan Antigen-Mayo
Galactomannan Ag (Aspergillus)-Mayo
Mayo-Aspergillus Ag, S

Associated DTA(s)

Aspergillus Ag-Mayo

CDM Code(s)

43764167	Aspergillus Antigen-Mayo
43864167	Aspergillus Antigen-Mayo

CPT Code(s)

87305	Aspergillus Antigen-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Don't open or share tube

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Aspergillus Fumigatus Antibody IgG-Mayo

Order Synonym(s)
Aspergillus Fumigatus Ab IgG Mayo
Aspergillus Fumigatus Antibody IgG-Mayo
Mayo-Aspergillus fumigatus, IgG Ab, S

Associated DTA(s)
A fumigatus IgG-Mayo

CDM Code(s)

43764168	Aspergillus Fumigatus Antibody IgG-Mayo
43864168	Aspergillus Fumigatus Antibody IgG-Mayo

CPT Code(s)

86606	Aspergillus Fumigatus Antibody IgG-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Aspergillus precipitins by ID-ARUP

Order Synonym(s)
Aspergillus Ab by Immuno Diffusion-ARUP
Aspergillus precipitins by ID-ARUP
Aspergillus precipitins by Id-ARUP

Associated DTA(s)
Aspergillus Ab by ID

CDM Code(s)

[Continued]

43761511 Aspergillus precipitins by ID
43861511 Aspergillus precipitins by ID

CPT Code(s)
86606 Antibody; Aspergillus

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Autoimmune Lymphoprolif Syndrome Panel-M

Order Synonym(s)
ALPS Panel Mayo
ALPS Panel-Mayo
Autoimmune Lymphoprolif Syndrome Panel-Mayo
Double Negative T-Cell Panel-May
Double Negative T-Cell Panel-Mayo
Mayo-ALPS Panel

Associated DTA(s)
%Alpha/Beta DNT-Mayo
%DNT Cells-Mayo
ALPS Pnl Interp-Mayo
Abs Lymph Cnt-Mayo
Alpha/Beta DNT-Mayo

CDM Code(s)
43764173 Autoimmune Lymphoprolif Syndrome Panel-Mayo
43864173 Autoimmune Lymphoprolif Syndrome Panel-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

[Continued]

Automated Diff

Order Synonym(s)
Automated Diff

Associated DTA(s)
Auto Baso
Auto Eos
Auto Lymph
Auto Mono
Auto PMN

CDM Code(s)
43710001 Automated Diff
43810001 Automated Diff

CPT Code(s)
85025 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG LH 39
MCCG LH 42

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 24 hrs

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

B-Cell Immunodeficiency Panel-ARUP

Order Synonym(s)
B-Cell Immunodeficiency Panel-ARUP

Associated DTA(s)
% CD19
% HLA-DR
% Sig IgA
% Sig IgD
% Sig IgG
% Sig IgM
% Sig Total

CDM Code(s)
43764173 B-Cell-ARUP
43864173 B-Cell-ARUP

CPT Code(s)

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Room Temp

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

B-Type Natriuretic Peptide

Order Synonym(s)	Associated DTA(s)
B-Type Natriuretic Peptide	BNP
BNP	

CDM Code(s)

43753097	B-Type Natriuretic Peptide
43853097	B-Type Natriuretic Peptide

CPT Code(s)

83880	Natriuretic peptide

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bacterial Susceptibility

Order Synonym(s)	Associated DTA(s)

[Continued]

Bacterial Susceptibility
Susceptibility
Susceptibility Bacterial

SUSCEPTIBILITY

CDM Code(s)

43830148 Bacterial Susceptibility (only)

CPT Code(s)

87186 Bacterial Susceptibility (only)

Default Collection Method(s)

Aspirate
Biopsy
Clean Container
Micro Swab
Scrapings
Sterile Procedure
Surgical Procedure
Venous Draw
Washing

Service Resource(s)

MCCG Micro Man

Specimen Type(s)

ABDOMINAL FL

Specimen Container Instruction(s)

Slide

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Micro

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Barbiturate Confirmation by TLC

Order Synonym(s)

Barbiturate Confirmation by TLC

Associated DTA(s)

Barb by TLC Confirmation

CDM Code(s)

43752195 Barbiturate Confirmation by TLC
43852195 Barbiturate Confirmation by TLC

CPT Code(s)

80102 Drug confirmation, each procedure

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Barbiturate Quantitative

Order Synonym(s)
Barbituate Quantiative Level
Barbiturate Quantitative
Qnt Stat Barbiturate
Stat Barbiturate Quantitative

Associated DTA(s)
Barb Cutoff
Barbiturate Qnt
Coll Date (Barb)

CDM Code(s)

43752072	Barbiturate Quantitative
43852072	Barbiturate Quantitative

CPT Code(s)

80102	Barbiturate Quantitative

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Bartonella Antibody Panel CSF by IFA-May

Order Synonym(s)
Bartonella Antibody Panel CSF by IFA-Mayo
CSF Bartonella Antibody Panel-Mayo
CSF Cat Scratch Fever Antibody-Mayo
Cat Scratch Fever Ab Panel CSF by IFA Mayo
Cat Scratch Fever Antibody CSF-Mayo
Mayo-Bartonella Antibody Panel, IFA CSF

Associated DTA(s)
B hens IgG CSF-Mayo
B hens IgM CSF-Mayo
B quin IgG CSF-Mayo
B quin IgM CSF-Mayo

CDM Code(s)

43764184	Bartonella Antibody Panel CSF by IFA-Mayo
43864184	Bartonella Antibody Panel CSF by IFA-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
CSF
Specimen Container Instruction(s)
Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
0.50 ML
Prep Agent(s)

Bartonella Antibody Panel IgG and IgM-Ma

Order Synonym(s)
Bartonella Antibody Panel IgG and IgM-Mayo
Cat Scratch Fever Ab Panel Blood Mayo
Cat Scratch Fever Antibody-Mayo
Mayo-Bartonella Ab Panel, IgG & IgM
Associated DTA(s)
B henselae IgG-Mayo
B henselae IgM-Mayo
B quintana IgG-Mayo
B quintana IgM-Mayo
CDM Code(s)
43764189 Bartonella Antibody Panel IgG and IgM-Mayo
43864189 Bartonella Antibody Panel IgG and IgM-Mayo
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Bartonella by Rapid PCR Tissue Only-Mayo

Order Synonym(s)
Bartonella by Rapid PCR Tissue Only-Mayo
Associated DTA(s)
Barton PCR Info-Mayo

[Continued]

Cat Scrach Fever PCR Tissue Only-Mayo
Cat Scratch Fever PCR Tissue Only Mayo
Cat Scratch Fever PCR Tissue Only-Mayo
Mayo-Bartonella by Rapid PCR Tissue Only
Barton PCR Rslt-Mayo
Barton PCR Src-Mayo
Barton PCR Stat-Mayo

CDM Code(s)

43764848 Bartonella by Rapid PCR-Mayo
43864848 Bartonella by Rapid PCR-Mayo

CPT Code(s)

87798 Infectious agent detection by nucleic acid (DNA or RNA), not

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

TISSUE

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Tissue Block

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB ABO/Rh

Order Synonym(s)

ABO/Rh
BB ABO/Rh
BB Blood Type
Blood Bank ABO/Rh
Blood Type

Associated DTA(s)

A1 Cells
ABO/Rh Interp
Anti-A
Anti-B
Anti-D4
Anti-D5
B Cells
Gal/Tube?
MC/RHC

CDM Code(s)

41300613 BB ABO/Rh

CPT Code(s)

86900 Blood typing; ABO

Default Collection Method(s)

Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

[Continued]

zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB ABO/Rh <4 months

Order Synonym(s)
ABO/Rh <4 months
BB ABO/Rh <4 months
Blood Bank ABO/Rh < 4 months

Associated DTA(s)
ABO/Rh <4 Months Interp
Anti-A
Anti-B
Anti-D4
Anti-D5
Gal/Tube?
MC/RHC
Mother's ABO/Rh
Mother's MRN
Mothers Name

CDM Code(s)

41300613	BB ABO/Rh <4 months

CPT Code(s)

86900	BB ABO/Rh <4 months

Default Collection Method(s)
Sterile Container
Umbilical Draw
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
BLD, CORD
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Blood Bank

Minimum Volume **Minimum Volume Unit**

1.00 ML

Prep Agent(s)

BB ABO/Rh Retype

Order Synonym(s)

BB ABO/Rh Retype

Associated DTA(s)

A1 Cells
ABO/Rh Retype Interp
Anti-A
Anti-B
Anti-D4
Anti-D5
B Cells
Gal/Tube?
MC/RHC

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)

Blood
Intrauterine

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume **Minimum Volume Unit**

1.00 ML

Prep Agent(s)

BB Absorption Antibody (bill only)

Order Synonym(s)

BB Absorption Antibody (bill only)

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

[Continued]

Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BB Antibody Identification

Order Synonym(s)
BB Antibody Identification

Associated DTA(s)
Ab Source
Antibody ID Interp

CDM Code(s)
CPT Code(s)
86870 Ab Source
Default Collection Method(s)
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo
Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

BB Antibody Screen

Order Synonym(s)
Antibody Screen
BB Antibody Screen
BB Indirect Coombs
Blood Bank Antibody Screen
Blood Bank Indirect Coombs
Indirect Coombs

Associated DTA(s)
Ab Screen Interp
GAL 1
GAL 2
GAL 3
GEL 1
GEL 2
GEL 3

CDM Code(s)

[Continued]

41300583 BB Antibody Screen

CPT Code(s)

86850 Antibody screen, RBC, each serum technique

Default Collection Method(s)

Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Antibody Screen Prewarm

Order Synonym(s)	Associated DTA(s)
BB Antibody Screen Prewarm	Prewarm Screen Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit

[Continued]

1.00	ML

Prep Agent(s)

BB Antibody Screen Tube

Order Synonym(s)
BB Antibody Screen Tube

Associated DTA(s)
Antibody Screen Tube Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Antibody Titer

Order Synonym(s)
BB Antibody Titer

Associated DTA(s)
1:1
1:1024
1:128
1:16
1:2
1:256
1:32
1:4
1:512
1:64
1:8
>1:1024
Ab Titer Interp

[Continued]

Ab Titered

CDM Code(s)

41300589	BB Antibody Titer
41300589	Ab Titer Interp

CPT Code(s)

86886	BB Antibody Titer
86886	Ab Titer Interp

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Antigen Typing Patient

Order Synonym(s)

A1 Antigen Typing (LifeLink)
BB A1 Antigen Typing (LifeLink)
BB Antigen Typing Patient
RBC Phenotype

Associated DTA(s)

37 C
AHG
Ag Interp
Antigen
CC
IS
RT
SP

CDM Code(s)

41300750	BB Antigen Typing Patient
41300769	Ag Interp
41300750	Antigen

CPT Code(s)

86905	Blood typing; RBC antigens, other than ABO or Rh (D), each
86904	Ag Interp

[Continued]

86905 Blood typing; RBC antigens, other than ABO or Rh (D), each

Default Collection Method(s)
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Antigen Typing Unit

Order Synonym(s)
BB Antigen Typing Unit

Associated DTA(s)
37 C
AHG
Antigen
Antigen Unit Interp
CC
IS
RT
SP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

BB Antigen Typing w/patient serum (bill

Order Synonym(s) **Associated DTA(s)**
BB Antigen Typing w/patient serum (bill only)
CDM Code(s)
41300769 BB Antigen Typing w/patient serum (bill only)
CPT Code(s)
86904 Blood typing; antigen screening for compatible unit using pa
Default Collection Method(s)
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BB Antigen Typing w/reagents (bill Only)

Order Synonym(s) **Associated DTA(s)**
BB Antigen Typing w/reagents (bill Only)
CDM Code(s)
41300750 BB Antigen Typing w/reagents (bill Only)
CPT Code(s)
86905 Blood typing; RBC antigens, other than ABO or Rh (D), each
Default Collection Method(s)
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BB ARC Crossmatch

Order Synonym(s) **Associated DTA(s)**
BB ARC Crossmatch ARC Crossmatch
CDM Code(s)

[Continued]

41300668 ARC Crossmatch

CPT Code(s)

86922 Compatibility test each unit; antiglobulin technique

Default Collection Method(s)

Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)

Blood
Intrauterine

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Autologous Donation (bill only)

Order Synonym(s)

BB Autologous Donation (bill only)

Associated DTA(s)

Autologous Unit Number
Blood Volume Drawn

CDM Code(s)

41300595 BB Autologous Donation

CPT Code(s)

86890 BB Autologous Donation

Default Collection Method(s)

Autologous Draw
Product/Tissue
Sterile Container

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB AWB Unit Confirmation

Order Synonym(s)
BB AWB Unit Confirmation

Associated DTA(s)
A1 Cells
AWB Unit Interp
Anti-A
Anti-B
Anti-D4
Anti-D5
B Cells
MC/RHC

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB AWB Weak D

Order Synonym(s)
BB AWB Weak D

Associated DTA(s)
AWB Weak D Interp
D37
DAHG

[Continued]

DC37
DCAHG
DCC
DCCC

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Clerical Check

Order Synonym(s)	Associated DTA(s)
BB Clerical Check	Clerical Check

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Coombs Crossmatch

Order Synonym(s)
BB Coombs Crossmatch

Associated DTA(s)
37 C
AHG
CC
Coombs XM Interp
GEL
IS
NEO

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Cord Blood Hold

Order Synonym(s)
BB Cord Blood Hold
Blood Bank Cord Blood Hold
Cord Blood Hold

Associated DTA(s)
Mother's ABO/Rh
Mother's MRN
Mothers Name

CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Product/Tissue
Sterile Container
Umbilical Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s)
Cord Blood
Intrauterine
TISSUE
Specimen Container Instruction(s)
Pink EDTA
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

BB Crossmatch

Order Synonym(s)
BB Crossmatch
Associated DTA(s)
BB Crossmatch
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo
Specimen Type(s)
Blood
Intrauterine
Specimen Container Instruction(s)
Pink EDTA
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

[Continued]

BB Cryopoor Fresh Frozen Plasma

Order Synonym(s)
BB (Non-CPOE) Cryopoor Plasma
BB Cryopoor Fresh Frozen Plasma
BB EC Cryopoor Plasma
Blood Bank Cryopoor Fresh Frozen Plasma
Cryopoor Fresh Frozen Plasma

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Venous Draw

Service Resource(s)
MCCG BB Products

Specimen Type(s)
Blood
TISSUE

Specimen Container Instruction(s)
Bone and Tissue
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Cryoprecipitate

Order Synonym(s)
BB (Non-CPOE) Cryoprecipitate
BB Cryoprecipitate
BB EC Cryoprecipitate
Blood Bank Cryoprecipitate
Cryoprecipitate

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Venous Draw

Service Resource(s)
MCCG BB Products

Specimen Type(s)
Blood
TISSUE

Specimen Container Instruction(s)
Bone and Tissue
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT C3d

Order Synonym(s)
BB DAT C3d

Associated DTA(s)
AHG
CC
DAT C3 Interp

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT C3d Posttranfusion

Order Synonym(s)
BB DAT C3d Posttranfusion

Associated DTA(s)
AHG
CC
DAT C3d Posttransfusion Interp

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container

[Continued]

Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT C3d Pretransfusion

Order Synonym(s)

BB DAT C3d Pretransfusion

Associated DTA(s)

AHG
CC
DAT C3d Pretransfusion Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

BB DAT IgG

Order Synonym(s)
BB DAT IgG

Associated DTA(s)
AHG
CC
DAT IgG Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT IgG Posttransfusion

Order Synonym(s)
BB DAT IgG Posttransfusion

Associated DTA(s)
AHG
CC
DAT IgG Posttransfusion Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

[Continued]

Intrauterine
TISSUE

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT IgG Pretransfusion

Order Synonym(s)
BB DAT IgG Pretransfusion

Associated DTA(s)
AHG
CC
DAT IgG Pretransfusion Interp

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT Poly

Order Synonym(s)
BB DAT
BB DAT Poly
BB Direct Coombs

Associated DTA(s)
AHG
CC
DAT Poly Interp

[Continued]

Blood Bank Direct Coombs
DAT
Direct Coombs
zzDAT Polybrene

CDM Code(s)

41300592 BB DAT Poly

CPT Code(s)

86880 BB DAT Poly

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT Poly Posttransfusion

Order Synonym(s)

BB DAT Poly Posttransfusion

Associated DTA(s)

AHG
CC
DAT Poly Posttransfusion Interp

CDM Code(s)

41300592 BB DAT Poly Posttransfusion

CPT Code(s)

86880 BB DAT Poly Posttransfusion

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB DAT Poly Pretransfusion

Order Synonym(s)

BB DAT Poly Pretransfusion

Associated DTA(s)

AHG
CC
DAT Poly Pretransfusion Interp

CDM Code(s)

41300592	BB DAT Poly Pretransfusion

CPT Code(s)

86880	BB DAT Poly Pretransfusion

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Direct Antiglobulin Test < 4 Months

Order Synonym(s)

Associated DTA(s)

[Continued]

BB Direct Antiglobulin Test < 4 Months
BB Direct Coombs < 4 months
BB Direct Coombs < 4 mths
Blood Bank Direct Coombs < 4 month
Blood Bank Direct Coombs < 4 months
DAT < 4 months
Dat < 4 months
Direct Coombs < 4 months

AHG
CC
DAT < 4 Months Interp

CDM Code(s)

41300592 BB Direct Antiglobulin Test < 4 Months

CPT Code(s)

86880 BB Direct Antiglobulin Test < 4 Months

Default Collection Method(s)

Product/Tissue
Sterile Container
Umbilical Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Elution

Order Synonym(s)

BB Elution

Associated DTA(s)

Elution Result

CDM Code(s)

41300700 BB Elution

CPT Code(s)

86860 BB Elution

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open

[Continued]

MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Elution Antibody Identification

Order Synonym(s)
BB Elution Antibody Identification

Associated DTA(s)
Elution Antibody Interp

CDM Code(s)

41300586	Elution Antibody Interp

CPT Code(s)

86870	Elution Antibody Interp

Default Collection Method(s)
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Enzyme Panel (bill only)

Order Synonym(s)

Associated DTA(s)

[Continued]

BB Enzyme Panel (bill only) Enzyme Panel Interp

CDM Code(s)

41300754 BB Enzyme Panel (bill only)

CPT Code(s)

86971 BB Enzyme Panel (bill only)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG BB Manual Testing

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Fetal Maternal Screen

Order Synonym(s)

BB Fetal Maternal Screen

Associated DTA(s)

FMSC Neg Control
FMSC Patient
FMSC Pos Control
FMSC QC Exp Date
FMSC QC Lot #
Fetomaternal Screen Interp

CDM Code(s)

41300635 BB Fetal Maternal Screen

CPT Code(s)

86900 BB Fetal Maternal Screen

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)

Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Fetal Workup:Intrauterine

Order Synonym(s)
BB Fetal Workup:Intrauterine

Associated DTA(s)
ABO/Rh Fetal Interp
Anti-A
Anti-B
Anti-D4
Anti-D5
Gal/Tube?
MC/RHC

CDM Code(s)

41300613	BB Fetal Workup:Intrauterine

CPT Code(s)

86900	BB Fetal Workup:Intrauterine

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Fresh Frozen Plasma

Order Synonym(s)
BB (Non-CPOE) Plasma
BB EC Plasma

Associated DTA(s)

[Continued]

BB Fresh Frozen Plasma
Blood Bank Fresh Frozen Plasma
FFP
Fresh Frozen Plasma

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Venous Draw

Service Resource(s)
MCCG BB Products

Specimen Type(s)
Blood
TISSUE

Specimen Container Instruction(s)
Bone and Tissue
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Lookback Notification Final Report

Order Synonym(s)
BB Lookback Notification Final Report

Associated DTA(s)
Comment
Method
Notice Sent
Supplier

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG BB Lookback

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

BB Lookback Notification Interim Report

Order Synonym(s)
BB Lookback Notification Interim Report

Associated DTA(s)
Comment
Method
Notice Sent
Supplier

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG BB Lookback
Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Market Recall & Withdrawal

Order Synonym(s)
BB Market Recall & Withdrawal

Associated DTA(s)
Comment
Method
Notice Sent
Supplier

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG BB Lookback
Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

BB Maternal Screen Comment

Order Synonym(s)
BB Maternal Screen Comment

Associated DTA(s)
Maternal ABSC

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Pathologist Antibody Review

Order Synonym(s)
BB Pathologist Antibody Review

Associated DTA(s)
Pathologist Antibody Review

CDM Code(s)
43701172 BB Pathologist Antibody Review

CPT Code(s)
86077 Blood bank physician services; difficult cross match and/or

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

[Continued]

Intrauterine
TISSUE

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Pathologist Elution Review

Order Synonym(s)	Associated DTA(s)
BB Pathologist Elution Review	Pathologist Elution Review

CDM Code(s)

43701174	BB Pathologist Elution Review

CPT Code(s)

86077	Blood bank physician services; difficult cross match and/or

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Pathologist Titer Review

Order Synonym(s)	Associated DTA(s)
BB Pathologist Titer Review	Pathologist Titer Review

CDM Code(s)

43701173	BB Pathologist Titer Review

CPT Code(s)

[Continued]

86077 Blood bank physician services; difficult cross match and/or

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Pathologist Tranfusion Reaction Revie

Order Synonym(s)	Associated DTA(s)
BB Pathologist Tranfusion Reaction Review	Pathologist Transfusion Reaction Review

CDM Code(s)

43707170 Blood bank physician services; investigation of transfusion

CPT Code(s)

86078 Blood bank physician services; investigation of transfusion

Default Collection Method(s)

Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Bank

Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

BB Plateletpheresis

Order Synonym(s)
- BB (Non-CPOE) Plateletpheresis
- BB EC Plateletpheresis
- BB Plateletpheresis
- BB Plateletphersis (equal to 6-10 platelets)
- BB Volume Reduced Plateletphersis
- Blood Bank Plateletphersis (equal to 6-10 platelets)
- Blood Bank Volume Reduced Plateletphersis
- Plateletphersis (equal to 6-10 platelets)
- Volume Reduced Plateletphersis

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Product/Tissue
- Venous Draw

Service Resource(s)
- MCCG BB Products

Specimen Type(s)
- Blood
- TISSUE

Specimen Container Instruction(s)
- Bone and Tissue
- Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Pregnant/Transfused Assessment

Order Synonym(s)
- BB Pregnant/Transfused Assessment
- Pregnant/Transfused Assessment

Associated DTA(s)
- Preg/Tx in last 3 mths?
- Verified by:

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG BB 10 Day Open
- MCCG BB Manual Testing

[Continued]

MCCG BB Products

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

BB RBCs Pediatric <4 Months

Order Synonym(s)
BB RBCs Pediatric <4 Months
Blood Bank RBCs Pediatric <4 Months
Pediatric RBCs <4 Months
RBCs Pediatric <4 Months

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Venous Draw

Service Resource(s)
MCCG BB Products

Specimen Type(s)
Blood
TISSUE

Specimen Container Instruction(s)
Bone and Tissue
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

BB Recipient Notification

Order Synonym(s)
BB Recipient Notification

Associated DTA(s)
Comment
Method
Notice Sent
Notified

CDM Code(s)

[Continued]

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG BB Lookback
Specimen Type(s) | **Specimen Container Instruction(s)**
Blood | Pink EDTA
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume | **Minimum Volume Unit**
1.00 | ML
Prep Agent(s)

BB Rh Immune Globulin (Non-Pregnant Only

Order Synonym(s) | **Associated DTA(s)**
BB Rh Immune Globulin (Non-Pregnant Only)
Blood Bank Rh Immune Globulin
Blood Bank Rh Immune Globulin (Non-Pregnant Only)
Blood Bank RhIG
Blood Bank RhIG (Non-Pregnant Only)
Rh Immune Globulin
Rh Immune Globulin (Non-Pregnant Only)
RhIG
RhIG (Non-Pregnant Only)
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Venous Draw
Service Resource(s)
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s) | **Specimen Container Instruction(s)**
Blood | Pink EDTA
TISSUE
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume | **Minimum Volume Unit**
1.00 | ML
Prep Agent(s)

[Continued]

BB Rh Immune Globulin Workup, Give Rh Im

Order Synonym(s)
- BB Rh Immune Globulin Workup, Give Rh Immune Globulin
- Blood Bank Rh Immune Globulin Workup, Give Rh Immune Globulin
- Rh Immune Globulin Workup, Give Rh Immune Globulin
- Rh Immune Globulin Workup, Give Rh Immune if indicated
- RhoGam Immune Globulin Workup, Give Rh Immune Globulin

Associated DTA(s)
- Baby MPI Indicated
- Cord Specimen Available?
- FMSC Indicated?
- RhIG Candidate Y/N
- RHIG Indication

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Product/Tissue
- Sterile Container
- Venous Draw

Service Resource(s)
- MCCG BB 10 Day Open
- MCCG BB Manual Testing
- MCCG BB Products

Specimen Type(s)
- Blood
- Intrauterine
- TISSUE

Specimen Container Instruction(s)
- Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Sickle Protocol

Order Synonym(s)
- BB Sickle Protocol

Associated DTA(s)
- Sickle Requirement

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Sterile Container
- Venous Draw

Service Resource(s)
- MCCG BB 10 Day Open
- MCCG BB Manual Testing
- MCCG BB Products
- zzMCCG BB Galileo

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood
Intrauterine

Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

BB Supplier Lookback Notification

Order Synonym(s)
BB Supplier Lookback Notification

Associated DTA(s)
Classification
Component
Notice Received
Supplier
Unit #

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG BB Lookback
Specimen Type(s)
Blood

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

BB Thaw & Pool CRYO (bill only)

Order Synonym(s)
BB Thaw & Pool CRYO (bill only)

Associated DTA(s)

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Service Resource(s)
Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BB Thaw Product (Bill Only)

Order Synonym(s) **Associated DTA(s)**
BB Thaw Product (Bill Only)
CDM Code(s)
41300600 Thaw Product Bill only
CPT Code(s)
86927 Fresh frozen plasma, thawing, each unit
Default Collection Method(s)
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BB Therapeutic Phlebotomy

Order Synonym(s) **Associated DTA(s)**
BB Therapeutic Phlebotomy — Disposition
Blood Bank Therapeutic Phlebotomy — Volume Drawn
Therapeutic Phlebotomy
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s) **Specimen Container Instruction(s)**
Blood — Pink EDTA
Intrauterine
TISSUE
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

BB Transfusion Reaction Evaluation (spec

Order Synonym(s)
BB Transfusion Reaction Evaluation (specimen)

Associated DTA(s)
Specimen Postvisual Hemolysis
Specimen Postvisual Icterus
Specimen Previsual Hemolysis
Specimen Previsual Icterus

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Transfusion Reaction Evaluation (unit

Order Synonym(s)
BB Transfusion Reaction Evaluation (unit)

Associated DTA(s)
Component
Transfusion Set Clots/ Discoloration
Transfusion Set Hemolysis
Transfusion Set Icterus
Unit Clots/ Discoloration
Unit Hemolysis
Unit Icterus
Unit Number

CDM Code(s)

CPT Code(s)

[Continued]

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Pink EDTA
Intrauterine	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Type & Crossmatch

Order Synonym(s)	Associated DTA(s)
BB (Non-CPOE) Type and Crossmatch	
BB EC Type and Crossmatch	
BB Pediatric Exchange Transfusion	
BB Type & Crossmatch	
Blood Bank Crossmatch	
Blood Bank Pediatric Exchange Transfusion	
Blood Bank RBC	
Blood Bank Red Blood Cells	
Blood Bank Type & Crossmatch	
Crossmatch	
PRBC (RBC)	
Packed Cells	
Pediatric Exchange Transfusion	
Pediatric Exchange Trasnfusion	
Preadmit Type & Crossmatch	
RBC	
Red Blood Cells	
Type & Crossmatch	

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Container
Venous Draw
Service Resource(s)

[Continued]

MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
zzMCCG BB Galileo

Specimen Type(s)
Blood
Intrauterine

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB Unit Confirmation

Order Synonym(s)
BB Unit Confirmation

Associated DTA(s)
Anti-A
Anti-A,B
Anti-B
Anti-D4
Anti-D5
MC/RHC
Unit Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw

Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products

Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

BB Weak D Antigen

Order Synonym(s)
BB Weak D Antigen

Associated DTA(s)
D37
DAHG
DC37
DCAHG
DCC
DCCC
Weak D Antigen

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Sterile Container
Venous Draw
Service Resource(s)
MCCG BB 10 Day Open
MCCG BB Manual Testing
MCCG BB Products
Specimen Type(s)
Blood
Intrauterine
TISSUE

Specimen Container Instruction(s)
Pink EDTA

Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Blood Bank

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

BB XM, Immediate Spin (bill only)

Order Synonym(s)
BB XM, Immediate Spin (bill only)

Associated DTA(s)

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Service Resource(s)
Specimen Type(s)
Specimen Container Instruction(s)
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)

[Continued]

Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

BCR/ABL FISH-US Labs

Order Synonym(s)
BCR/ABL FISH-US Labs
Associated DTA(s)
BCR/ABL FISH-US Labs
CDM Code(s)
43767510 BCR/ABL FISH
43867510 BCR/ABL FISH
CPT Code(s)
88271 BCR/ABL FISH
Default Collection Method(s)
Sterile Procedure
Venous Draw
Service Resource(s)
MCCG US Labs
Specimen Type(s)
BONE MARROW
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)
Do Not Spin-FISH
Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
3.00 ML
Prep Agent(s)

BCR/ABL PCR-US Labs

Order Synonym(s)
BCR/ABL PCR-US Labs
Associated DTA(s)
BCR/ABL PCR-Assoc Path
CDM Code(s)
43767514 BCR/ABL PCR
43765109 BCR/ABL PCR
43867514 BCR/ABL PCR
43865109 BCR/ABL PCR
CPT Code(s)
83912 BCR/ABL PCR
Default Collection Method(s)
Sterile Procedure
Venous Draw
Service Resource(s)
MCCG US Labs
Specimen Type(s)
Specimen Container Instruction(s)

[Continued]

BONE MARROW	Lavender
Blood	

Specimen Handling Instruction(s)
Do Not Spin-PCR
Specimen Stability
Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Beta 2 Microglobulin

Order Synonym(s)
B2M
Beta 2 Microglobulin
Associated DTA(s)
Beta-2 Microglobulin
CDM Code(s)

43761087	BETA-2-MICROGLOBULIN
43861087	BETA-2 MICROGLOBULIN

CPT Code(s)

82232	BETA-2 MICROGLOBULIN

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Beta 2 Microglobulin Urine

Order Synonym(s)
B2M Urine
Beta 2 Microglobulin Urine
Urine Beta 2 Microglobulin
Associated DTA(s)
U Beta-2 Microglobulin
CDM Code(s)

43761380	BETA-2 MICROGLOBULIN URINE
43861380	BETA-2 MICROGLOBULIN URINE

CPT Code(s)

[Continued]

82232 BETA-2 MICROGLOBULIN URINE

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)
Adjust pH:1-8 (use 1M NaOH)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Beta hCG Quantitative

Order Synonym(s)
BHCG Tumor marker
Beta HCG Tumor marker
Beta hCG Quantitative
HCG, Quant serum
hCG Quantitative

Associated DTA(s)
HCG Qnt

CDM Code(s)

43753019	Beta hCG Quantitative
43853019	Beta hCG Quantitative
43853017	Beta hCG Quantitative

CPT Code(s)

84702	Gonadotropin, chorionic (hCG); quantitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DPC 2500
MCCG DPC SMS
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Beta-2 Glycoprotein Ab Panel-Mayo

Order Synonym(s)
B2GP1 Antibody Panel-Mayo
B2GP1 IgG, IgA, IgM-Mayo
Beta-2 Glycoprotein Ab Panel-Mayo
Beta-2 Glycoprotein IgG, IgA, IgM-Mayo
Mayo-Beta-2 Glycoprotein Ab Panel

Associated DTA(s)
B2GP1 IgA-Mayo
B2GP1 IgG-Mayo
B2GP1 IgM-Mayo

CDM Code(s)

43767586	Beta 2 glycoprotein ab panel
43867586	Beta 2 glycoprotein ab panel

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Beta-2 Transferrin Body Fluid-Mayo

Order Synonym(s)
Beta 2 Transferrin Body Fluid Mayo
Beta-2 Transferrin Body Fluid-Mayo
Fl Beta-2 Transferrin-Mayo
Fl Tau Protein-Mayo
Mayo-Beta-2 Transferrin, BF
Tau Protein Fluid-Mayo

Associated DTA(s)
Beta-2 Trans BF-Mayo

CDM Code(s)

43764196	Beta-2 Transferrin Body Fluid-Mayo
43864196	Beta-2 Transferrin Body Fluid-Mayo

CPT Code(s)

[Continued]

86335 Beta-2 Transferrin Body Fluid-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability
Specimen stability: 8 hours if refrigerated or frozen.

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**
0.50 ML

Prep Agent(s)

Beta-Galactosidase, Leukocytes-Mayo

Order Synonym(s)
Beta Galactosidase, Leukocytes Mayo
Beta-Galactosidase, Leukocytes-Mayo
Beta-Galactosidase, WBC-Mayo
Mayo-Beta-Galactosidase, Leukocytes
WBC Beta-Galactosidase-Mayo

Associated DTA(s)
B-Galacto WBC-Mayo

CDM Code(s)
43764197 Beta-Galactosidase, Leukocytes-Mayo
43864197 Beta-Galactosidase, Leukocytes-Mayo

CPT Code(s)
82657 Beta-Galactosidase, Leukocytes-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Mon-Thur by 1pm,no holiday

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
3.00 ML

Prep Agent(s)

[Continued]

Beta-hydroxybutyrate Level (Replaces Ace

Order Synonym(s)
BHB Level (Replaces Acetone)
BHB Level (Replaces Ketones)
Beta-hydroxybutyrate Level (Replaces Acetone)

Associated DTA(s)
Beta-hydroxybutyrate Level

CDM Code(s)

43750411	Acetone or other ketone bodies, serum; quantitative
43850411	Acetone or other ketone bodies, serum; quantitative

CPT Code(s)

82010	Acetone or other ketone bodies, serum; quantitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bicarbonate Level

Order Synonym(s)
Bicarbonate Level
CO2

Associated DTA(s)
CO2 Lvl

CDM Code(s)

43750087	CO2 BICARBONATE
43850087	CO2 BICARBONATE

CPT Code(s)

82374	Carbon dioxide (bicarbonate)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bilirubin Conjugated

Order Synonym(s)
Bilirubin Conjugated
Bilirubin Direct
Conjugated Bilirubin
DBili
Direct Bilirubin

Associated DTA(s)
Conj Bili

CDM Code(s)

43750030	BILIRUBIN CONJ
43850030	BILIRUBIN CONJ

CPT Code(s)

82248	Bilirubin; direct

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bilirubin Fractionated

Order Synonym(s)

Bilirubin Fractionated
Bilirubin Total + Direct
DBili and TBili
Fractionated Bilirubin
Total + Direct Bilirubin

Associated DTA(s)

Conj Bili
Total Bili

CDM Code(s)

43750037	BILIRUBIN FRACTIONATED
43850037	BILIRUBIN FRACTIONATED

CPT Code(s)

82247	Bilirubin; total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bilirubin Neonatal

Order Synonym(s)

Associated DTA(s)

[Continued]

Bilirubin Neonatal
Neonatal Bilirubin

Conj Bili
Neonat Bili

CDM Code(s)

43750036	BILIRUBIN NEONATAL
43850036	BILIRUBIN NEONATAL

CPT Code(s)

82247	Bilirubin; total

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bilirubin Total

Order Synonym(s)
Bilirubin Total
TBili
Total Bilirubin

Associated DTA(s)
Total Bili

CDM Code(s)

43750022	BILIRUBIN TOTAL
43850022	BILIRUBIN TOTAL

CPT Code(s)

82247	Bilirubin; total

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Blastomyces Antibody CSF-Mayo

Order Synonym(s)
Blastomyces Ab CSF Mayo
Blastomyces Antibody CSF-Mayo
CSF Blastomyces-Mayo
Mayo-Blastomyces Ab, CSF

Associated DTA(s)
Blasto Ab CSF-Mayo
Blasto Im CSF-Mayo

CDM Code(s)
43762593
43862593

CPT Code(s)
?

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Blastomyces Antibody-Mayo

Order Synonym(s)
Blastomyces Ab Mayo
Blastomyces Antibody-Mayo
Mayo-Blastomyces Ab, S

Associated DTA(s)
Blasto Immuno-Mayo
Blastomyces Ab-Mayo

CDM Code(s)

43762594	Blastomyces Antibody-Mayo
43862594	Blastomyces Antibody-Mayo

CPT Code(s)

86612	Blastomyces Antibody-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Blood Gas Arterial (Lab)

Order Synonym(s)
ABG (Lab)
Arterial Blood Gas (Lab)
Blood Gas Arterial (Lab)
Blood Gas. Aterial

Associated DTA(s)
Barometric Press
Base Excess
FIO2
HCO3 Art
O2SAT Art
PCO2 Art
PCO2 Temp Corr
PO2 Art
PO2 Temp Corr
Patient Temp
pH Art
pH Temp Corr

CDM Code(s)

43756006	BLOOD GASES
43856006	BLOOD GASES

CPT Code(s)

[Continued]

82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
Arterial Draw

Service Resource(s)
MCCG GEM 4000
MCCG Omni Blood Gas

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Syringe

Specimen Handling Instruction(s)
Transport on ice

Specimen Stability

Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Blood Gas Capillary (Lab)

Order Synonym(s)
Blood Gas Capillary (Lab)
Blood Gas, Capillary
Capillary Blood Gas (Lab)

Associated DTA(s)
Barometric Press
Base Excess
FIO2
HCO3 - Capillary
O2SAT Cap
PCO2 - Capillary
PCO2 - Capillary Temp Corr.
PO2 - Capillary
PO2 - Capillary Temp Corr.
Patient Temp
pH - Capillary Temp Corr.
pH Cap

CDM Code(s)
43756008 CAPILLARY BLOOD GAS
43856008 CAPILLARY BLOOD GAS

CPT Code(s)
82803 CAPILLARY BLOOD GAS

Default Collection Method(s)
Capillary

Service Resource(s)
MCCG GEM 4000
MCCG Omni Blood Gas

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Syringe

Specimen Handling Instruction(s)
Transport on ice

Specimen Stability

[Continued]

Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Blood Gas Venous (Lab)

Order Synonym(s)
Blood Gas Venous (Lab)
Blood Gas, Venous
Venous Blood Gas (Lab)

Associated DTA(s)
Barometric Press
Base Excess
FIO2
HCO3 Venous
O2SAT Venous
PCO2 Ven Temp Corr
PCO2 Venous
PO2 Ven Temp Corr
PO2 Venous
Patient Temp
pH - Venous
pH Ven Temp Corr.

CDM Code(s)

43756006	BLOOD GASES
43856006	BLOOD GASES

CPT Code(s)

82803	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG GEM 4000
MCCG Omni Blood Gas

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Syringe

Specimen Handling Instruction(s)
Transport on ice
Specimen Stability
Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Blood Order for Oligoclonal Banding

Order Synonym(s)
Blood Order for Oligoclonal Banding

Associated DTA(s)
Bld Olig Bands

CDM Code(s)

[Continued]

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Other Ref Lab
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Transport to lab immediately
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Blood Urea Nitrogen

Order Synonym(s)
BUN
Blood Urea Nitrogen
Associated DTA(s)
BUN Lvl
CDM Code(s)
43750034 BUN (UREA NITROGEN)
43850034 BUN (UREA NITROGEN)
43850035 BUN
CPT Code(s)
84520 Urea nitrogen; quantitative
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)
Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs
Collection Class(es)
Chem Auto
Minimum Volume **Minimum Volume Unit**

[Continued]

0.10	ML

Prep Agent(s)

Bone Marrow Differential

Order Synonym(s)
Bone Marrow Differential

Associated DTA(s)
BM Band
BM Baso
BM Blast
BM Eos
BM Hairy Cell
BM Lymph
BM Mast Cell
BM Metamyelo
BM Mono
BM Myelo
BM PMN
BM Plasma Cell
BM Prolymph
BM Promyelo
BM Rubriblast
BM Rubricyte
BM Unclassified Cell

CDM Code(s)

43710108	Bone Marrow Differential
43810108	Bone Marrow Differential

CPT Code(s)

85097	Bone marrow, smear interpretation

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Man Diff

Specimen Type(s)
BONE MARROW

Specimen Container Instruction(s)
Slide

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Bordetella by Rapid PCR-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Bordetella by Rapid PCR Mayo
Bordetella by Rapid PCR-Mayo
Bordetella pertussis/parapertussis PCR
Mayo-Bordetella by Rapid PCR
NP for Bordetella PCR-Mayo
Parapertussis PCR-Mayo
Pertussis PCR-Mayo
Pertussis/Parapertussis PCR-Mayo

Bord PCR Info-Mayo
Bord PCR Result-Mayo
Bord PCR Src-Mayo
Bord PCR Status-Mayo

CDM Code(s)

43764201	Bordetella by Rapid PCR-Mayo
43864201	Bordetella by Rapid PCR-Mayo

CPT Code(s)

87801	Bordetella by Rapid PCR-Mayo

Default Collection Method(s)

Charcoal Swab
Sterile Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

NASAL ASP
NASAL WASH
NP swab in Charcoal transport

Specimen Container Instruction(s)

Charcoal swab
Sterile Container

Specimen Handling Instruction(s)

Transport to lab ASAP

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Bordetella Pertussis Antibody IgG/IgM-AR

Order Synonym(s)

Bordetella Pertussis Ab IgG/IgM-ARUP
Bordetella Pertussis Antibody IgG/IgM-ARUP
Pertussis Ab IgG/IgM-ARUP

Associated DTA(s)

B.Pertussis Ab IgG
B.Pertussis Ab IgM

CDM Code(s)

43764604	Antibody; Bordetella
43864604	Antibody; Bordetella

CPT Code(s)

86615	Antibody; Bordetella

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Bromide Level-Mayo

Order Synonym(s)	Associated DTA(s)
Bromide Level Mayo	Bromide Lvl-Mayo
Bromide Level-Mayo	Bromide mmol/L-Mayo
Mayo-Bromide, B	

CDM Code(s)

43761845	Bromide Level-Mayo
43861845	Bromide Level-Mayo

CPT Code(s)

84311	Bromide Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Brucella Antibody IgG and IgM-Mayo

Order Synonym(s)	Associated DTA(s)
Brucella Ab IgG, IgM Mayo	Brucella Ab Int-Mayo
Brucella Antibody IgG and IgM-Mayo	Brucella IgG-Mayo
Mayo-Brucella Ab, IgG & IgM, S	Brucella IgM-Mayo

CDM Code(s)

43764202	Brucella Antibody IgG and IgM-Mayo
43864202	Brucella Antibody IgG and IgM-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Brush Border Enzymes-Mayo

Order Synonym(s)
Brush Border Enzymes-Mayo
Disaccharidase Analysis-Mayo
Associated DTA(s)
Brush Border-Mayo
CDM Code(s)

43767583	BRUSH BORDER ENZYME
43867583	BRUSH BORDER ENZYME

CPT Code(s)

82657	Enzyme activity in blood cells, cultured cells, or tissue, n

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
TISSUE
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)
Freeze serum immediately
Specimen Stability
Freeze STAT
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

C-Peptide

Order Synonym(s)
Associated DTA(s)

[Continued]

C Peptide
C-Peptide

CDM Code(s)

43761340 C-PEPTIDE
43861340 C-PEPTIDE

CPT Code(s)

84681 C-PEPTIDE

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated:48 hrs Remove from Cells Li and Na Heprn, EDTA OK

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

C-Reactive Protein

Order Synonym(s)	Associated DTA(s)
C-Reactive Protein	CRP
CRP	

CDM Code(s)

43755011 C-REACTIVE PROTEIN (CRP)
43855011 C-REACTIVE PROTEIN (CRP)

CPT Code(s)

86140 C-reactive protein;

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

C-Reactive Protein High Sensitivity

Order Synonym(s)

C-Reactive Protein High Sensitivity
CRP High Sensitivity
High Sensitivity CRP

Associated DTA(s)

CRP High Sens

CDM Code(s)

43750085	C-Reactive Protein High Sensitivity
43850085	C-Reactive Protein High Sensitivity

CPT Code(s)

86141	C-reactive protein; high sensitivity (hsCRP)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

C1 Esterase Inhibitor Antigen-Mayo

Order Synonym(s)
C1 Esterase Inhibitor Ag Mayo
C1 Esterase Inhibitor Antigen-Mayo
Mayo-C1 Esterase Inhibitor Antigen, S

Associated DTA(s)
C1 Ester Inh Ag-Mayo

CDM Code(s)

43761021	C1 Esterase Inhibitor Antigen-Mayo
43861021	C1 Esterase Inhibitor Antigen-Mayo

CPT Code(s)

83520	C1 Esterase Inhibitor Antigen-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

C1 Esterase Inhibitor Functional Quant-M

Order Synonym(s)
C1 Esterase Inhibitor Functional Quant-Mayo
C1 Esterase Inhibitor Quant Mayo
Mayo-C1 Esterase Inhib, Functional

Associated DTA(s)
C1 Ester Inh Qnt-Mayo

CDM Code(s)

43764205	C1 Esterase Inhibitor Functional Quant-Mayo
43864205	C1 Esterase Inhibitor Functional Quant-Mayo

CPT Code(s)

86161	C1 Esterase Inhibitor Functional Quant-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

C1Q Complement Functional-Mayo

Order Synonym(s)
C1Q Complement Functional-Mayo
C1Q Complement Mayo
Mayo-C1Q Complement, Functional, S

Associated DTA(s)
C1Q, Functional-Mayo

CDM Code(s)

43761022	C1Q Complement Functional-Mayo
43861022	C1Q Complement Functional-Mayo

CPT Code(s)

86161	C1Q Complement Functional-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
On Ice Immed-Freeze Serum ASAP

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

C2 Complement Functional-Mayo

Order Synonym(s)
C2 Complement Functional-Mayo
C2 Complement Mayo
Mayo-C2 Complement, Functional, S

Associated DTA(s)
C2 Interp-Mayo
C2-Mayo

CDM Code(s)

43764206	C2 Complement Functional-Mayo
43864206	C2 Complement Functional-Mayo

CPT Code(s)

86161	C2 Complement Functional-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
On Ice Immed-Freeze Serum ASAP

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

C3 Complement

Order Synonym(s)
C3
C3 Complement
Complement C3

Associated DTA(s)
C3

CDM Code(s)

43755006	COMPLEMENT (C3 OR C4)
43855006	COMPLEMENT (C3 OR C4)

CPT Code(s)

86160	Complement; antigen, each component

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 6 hrs Refrigerated: 24 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

C5 Complement, Antigen-Mayo

Order Synonym(s)
C5 Complement, Antigen-Mayo
Complement C5 Mayo
Mayo-C5 Complement, Antigen, S

Associated DTA(s)
C5 Complemnt Ag-Mayo

CDM Code(s)

43764207	C5 Complement, Antigen-Mayo
43864207	C5 Complement, Antigen-Mayo

CPT Code(s)

86160	C5 Complement, Antigen-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

C8 Complement, Functional-Mayo

Order Synonym(s)
C8 Complement, Functional-Mayo
Complement C8 Mayo
Mayo-C8 Complement, Functional, S

Associated DTA(s)
C8, Functional-Mayo

CDM Code(s)

43764849	C8 Complement, Functional-Mayo
43864849	C8 Complement, Functional-Mayo

CPT Code(s)

86161	Complement; functional activity, each component

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
On Ice Immed-Freeze Serum ASAP

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

CA 125

Order Synonym(s)
CA 125
CA 125 Level
Cancer Antigen 125

Associated DTA(s)
CA 125

CDM Code(s)

43753027	CA 125
43853027	CA 125

CPT Code(s)

86304	CA 125

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CA 15-3-Mayo

Order Synonym(s)
CA 15 3 Level-Mayo
CA 15-3-Mayo

Associated DTA(s)
CA 15-3

CDM Code(s)

43753030	CA 15-3
43853030	CA 15-3

CPT Code(s)

[Continued]

86300 Immunoassay for tumor antigen, quantitative; CA 15-3 (27.29)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

CA 19-9

Order Synonym(s)	Associated DTA(s)
CA 19 9 Level	CA 19-9
CA 19-9	

CDM Code(s)

43753029	CA 19-9
43853029	CA 19-9

CPT Code(s)

86301	CA 19-9

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10 ML

Prep Agent(s)

CA 27 29

Order Synonym(s)
CA 27 29
CA 27 29 Level

Associated DTA(s)
CA 27.29-Mayo

CDM Code(s)
43762676 CA 27 29
43862676 CA 27 29

CPT Code(s)
86316 Immunoassay for tumor antigen, other antigen, quantitative (

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

Cadmium Level 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Cadmium-Mayo
Cadmium Level 24 Hour Urine-Mayo
Cadmium Random Urine-Mayo
Cadmium Urine, 24 Hr Mayo
Mayo-Cadmium, U
Urine 24 Hr Cadmium-Mayo
Urine Random Cadmium-Mayo

Associated DTA(s)
Hrs-Mayo
TV-Mayo
U24 Cadmium-Mayo
Ur Cadmium-Mayo

CDM Code(s)
43762604 Cadmium Level 24 Hour Urine-Mayo
43862604 Cadmium Level 24 Hour Urine-Mayo

CPT Code(s)
82300 Cadmium Level 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Caffeine Level-Mayo

Order Synonym(s)
Caffeine Level-Mayo
Caffeine Mayo
Mayo-Caffeine, S

Associated DTA(s)
Caffeine Lvl-Mayo

CDM Code(s)

43764208	Caffeine Level-Mayo
43864208	Caffeine Level-Mayo

CPT Code(s)

83520	Caffeine Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Calcitonin Level-Mayo

Order Synonym(s)
Calcitonin Level-Mayo
Calcitonin Mayo
Mayo-Calcitonin, S

Associated DTA(s)
Calcitonin Lvl-Mayo

CDM Code(s)

43761056	Calcitonin Level-Mayo

[Continued]

43861056 Calcitonin Level-Mayo

CPT Code(s)

82308 Calcitonin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Calcium Level 24 Hour Urine

Order Synonym(s)

24 Hour Urine Calcium Level
CA Urine, 24 Hr
Calcium Level 24 Hour Urine
Urine 24 Hour Calcium Level

Associated DTA(s)

TV Calcium
U Calcium
U24 Calcium

CDM Code(s)

43754018 CALCIUM URINE 24HR
43854018 CALCIUM URINE 24HR

CPT Code(s)

82340 Calcium; urine quantitative, timed specimen

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit

[Continued]

0.50	ML

Prep Agent(s)

-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections, 1 container for 12 hour or shorter collections)-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patien's name, ID# & Collection Time (Start & Stop) must be on all urine containers submitted.

Calcium Level Ionized

Order Synonym(s)
- CA Ionized
- Calcium Level Ionized
- Ionized Calcium Level

Associated DTA(s)
- Adj Calcium
- Ionized Calcium
- pH Ion Calcium

CDM Code(s)

43750282	IONIZED CALCIUM
43850282	IONIZED CALCIUM

CPT Code(s)

82330	Calcium; ionized

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG GEM 4000

Specimen Type(s)
- Blood

Specimen Container Instruction(s)
- Green (Li Hep)

Specimen Handling Instruction(s)
- Transport on ice

Specimen Stability
- Specimen must be on ice

Collection Class(es)
- Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Calcium Level Random Urine

Order Synonym(s)
- CA Urine, Random
- Calcium Level Random Urine
- Random Urine Calcium
- Urine Calcium Level Random

Associated DTA(s)
- U Calcium

CDM Code(s)

43754012	CALCIUM URINE RANDOM

[Continued]

43854012 CALCIUM URINE RANDOM

CPT Code(s)

82340 Calcium; urine quantitative, timed specimen

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Urine samples should be analyzed within 2 hrs of collection. Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Calcium Level Total

Order Synonym(s)

CA Level
Calcium Level Total

Associated DTA(s)

Calcium Lvl

CDM Code(s)

43750040 CALCIUM SERUM
43850040 CALCIUM SERUM
43850041 Calcium

CPT Code(s)

82310 Calcium; total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Calcium with Corrected Calcium and Album

Order Synonym(s)

Calcium with Corrected Calcium and Albumin

Associated DTA(s)

Alb Lvl
Calcium Lvl
Corr Calcium

CDM Code(s)

43750007	Calcium w Corr Ca and Alb
43850007	Calcium w Corr Ca and Alb

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Calprotectin Fecal-ARUP

Order Synonym(s)
Calprotectin Fecal ARUP
Calprotectin Fecal-ARUP
Fecal Calprotectin-ARUP

Associated DTA(s)
Calprotectin Fecal-ARUP

CDM Code(s)
43765095 Calprotectin, fecal
43865095 Calprotectin, fecal

CPT Code(s)
83993 Calprotectin, fecal

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Stool Container

Specimen Handling Instruction(s)
Feces

Specimen Stability

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Cancel Test

Order Synonym(s)
Cancel Test
Cancel Tests

Associated DTA(s)
Cancel Test

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Container

Service Resource(s)
MCCG Outreach

Specimen Type(s)
Lab Specimen

Specimen Container Instruction(s)
Varies

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Cancer Cytogenetics-US Labs

Order Synonym(s)
Cancer Cytogenetics-US Labs

Associated DTA(s)
Cancer Cytogenetics-US Labs

CDM Code(s)

43767505	Cancer Cytogenetics-US Labs
43867505	Cancer Cytogenetics-US Labs

CPT Code(s)

88237	Cancer Cytogenetics-US Labs

Default Collection Method(s)
Sterile Procedure
Venous Draw

Service Resource(s)
MCCG US Labs

Specimen Type(s)
BONE MARROW
Blood
CSF
Other Source
PLEURAL FL

Specimen Container Instruction(s)
Clean Container
Grn-Sodium Hep

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Carbamazepine Level

Order Synonym(s)
Carbamazepine Level
Tegretol Drug Level

Associated DTA(s)
Carbamazepine Lvl

CDM Code(s)

43752075	Carbamazepine Level
43852075	Carbamazepine Level

CPT Code(s)

80156	Carbamazepine Level

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults

[Continued]

MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
Enter Prep #5 in TDS:-Trough specimen is collectedI immediately (less than 30 minutes) before the first daily dose.

Carbohydrate Deficient Transferrin-Mayo

Order Synonym(s)
Carbohydrate Deficient Transferrin-Mayo

Associated DTA(s)
Carbohydrate Deficient Transferrin-Mayo

CDM Code(s)

43764896	Carbohydrate deficient transferrin
43864896	Carbohydrate deficient transferrin

CPT Code(s)

82373	Carbohydrate deficient transferrin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Carcinoembryonic Antigen

Order Synonym(s)
CEA
Carcinoembryonic Antigen

Associated DTA(s)
CEA

CDM Code(s)

43753093	CEA
43853093	CEA

CPT Code(s)

82378	Carcinoembryonic antigen (CEA)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Carcinoembryonic Antigen (CEA) CSF-Mayo

Order Synonym(s)
CEA CSF Antigen-Mayo
CEA, CSF Mayo
CSF CEA Antigen-Mayo
CSF Carcinoembryonic Antigen (CEA)-Mayo
Carcinoembryonic Antigen (CEA) CSF-Mayo
Mayo-Carcinoembryonic Ag (CEA), CSF

Associated DTA(s)
CEA CSF-Mayo

CDM Code(s)

43764209	Carcinoembryonic Antigen (CEA) CSF-Mayo
43864209	Carcinoembryonic Antigen (CEA) CSF-Mayo

CPT Code(s)

82378	Carcinoembryonic Antigen (CEA) CSF-Mayo

Default Collection Method(s)

[Continued]

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
CSF	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cardiolip Antibody Evaluation-Mayo

Order Synonym(s)	Associated DTA(s)
Anti-cardiolipin Evaluation-Mayo	Phospho IgA-Mayo
Antiphospholipid Antibody Screen-Mayo	Phospho IgG-Mayo
Cardiolip Ab Evaluation Mayo	Phospho IgM-Mayo
Cardiolip Antibody Evaluation-Mayo	
Mayo-Cardiolip Ab Eval, S	
Phospholipid Antibody Screen-Mayo	

CDM Code(s)

43762644	Cardiolip Antibody Evaluation-Mayo
43862644	Cardiolip Antibody Evaluation-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Carnitine Urine-Mayo

Order Synonym(s)	Associated DTA(s)

[Continued]

Carnitine Urine Mayo
Carnitine Urine-Mayo
Mayo-Carnitine, U
Urine Carnitine-Mayo
U AC/FC Ratio-Mayo
U Carnitine Int-Mayo
U Free Carnitne-Mayo
U Tot Carnitine-Mayo

CDM Code(s)

43764211 Carnitine Urine-Mayo
43864211 Carnitine Urine-Mayo

CPT Code(s)

82379 Carnitine Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Carnitine-Mayo

Order Synonym(s)

Carnitine Mayo
Carnitine-Mayo
Mayo-Carnitine, P/S

Associated DTA(s)

AC/FC Ratio-Mayo
Acylcarnitine-Mayo
Carnitine Free-Mayo
Carnitine Intrp-Mayo
Carnitine Total-Mayo

CDM Code(s)

43760112 Carnitine-Mayo
43860112 Carnitine-Mayo

CPT Code(s)

82379 Carnitine (total and free), quantitative, each specimen

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**

1.00 ML

Prep Agent(s)

Carotene-Mayo

Order Synonym(s)

Beta Carotene-Mayo
Carotene Mayo
Carotene-Mayo
Mayo-Carotene, S

Associated DTA(s)

Carotene-Mayo

CDM Code(s)

43762610 Carotene-Mayo
43862610 Carotene-Mayo

CPT Code(s)

82380 Carotene-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Protect from light

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**

5.00 ML

Prep Agent(s)

Cascade HGB Electrophoresis-Mayo

Order Synonym(s)

Cascade HGB Electrophoresis-Mayo

Associated DTA(s)

Hemoglobin S-Mayo
Hgb A %-Mayo
Hgb A2 %-Mayo
Hgb Agar Confrm-Mayo
Hgb F %-Mayo
Hgb Interp-Mayo
Hgb Reflx Lvl 2-Mayo
Hgb Variant 2-Mayo
Hgb Variant 3-Mayo
Hgb Variant-Mayo

CDM Code(s)

[Continued]

43764654
43864654

CPT Code(s)
83021 Hemoglobin fractionation and quantitation; chromatography (e

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Catecholamine Fractionated Free 24 Hour

Order Synonym(s)
24 Hour Urine Catecholamines Fractionated-Mayo
24 Hr Urine Catecholamines-Mayo
24 Hr Urine Dopamine-Mayo
24 Hr Urine Epinephrine-Mayo
24 Hr Urine Norepinephrine-Mayo
Catecholamine Fractionated Free 24 Hour Urine-Mayo
Catecholamine Fractionated Free Urine, 24 Hr Mayo
Dopamine 24 Hr Urine-Mayo
Epinephrine 24 Hr Urine-Mayo
Mayo-Catecholamine Fract, Free, U
Norepinephrine 24 Hr Urine-Mayo
Urine 24 Hr Catecholamines-Mayo

Associated DTA(s)
Hrs Catech Free-Mayo
TV Catech Free-Mayo
U24 Catech Free-Mayo
U24 Dopamine-Mayo
U24 Epinephrine-Mayo
U24 Norepineph-Mayo

CDM Code(s)
43761061 Catecholamine Fractionated Free 24 Hour Urine-Mayo
43861061 Catecholamine Fractionated Free 24 Hour Urine-Mayo

CPT Code(s)
82384 Catecholamines; fractionated

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
Adjust pH:2-4(use Acetic Acid)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

CBC ordered with Diff

Order Synonym(s)	Associated DTA(s)
ACC CBC with Diff	Auto NRBC
CBC ordered with Diff	CBC Comment
CBC with Diff	Diff?
CBC/Diff	HCT
	HGB
	MCH
	MCHC
	MCV
	MPV
	PLT
	RBC
	RDW
	WBC

CDM Code(s)
CPT Code(s)
85027 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ACT2
MCCG LH 39
MCCG LH 42

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 24 hrs
Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CD4 (Helper T-Cells)-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

CD4 (Helper T-Cells)-ARUP	% CD4
CD4 Helper T cells-ARUP	Abs CD4
	CD4 Interp

CDM Code(s)

43765084	CD4 (Helper T-Cells)-ARUP
43865084	CD4 (Helper T-Cells)-ARUP

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

CD4/CD8-ARUP

Order Synonym(s)	Associated DTA(s)
CD4/CD8-ARUP	% CD3
Cellular Immune Deficiency Panel	% CD4
Immune Deficiency Panel-ARUP	% CD8
Immune Deficiency Profile-ARUP	Abs CD3
Lymphocyte Enumeration Helper/Suppressor-ARUP	Abs CD4
	Abs CD8
	CD4/CD8 Interp
	CD4/CD8 Ratio

CDM Code(s)

43765080	CD4/CD8
43865080	CD4/CD8

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

ARUP Room Temp

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

CEA Fluid

Order Synonym(s)
- CEA Fluid
- Fluid CEA

Associated DTA(s)
- CEA Fluid
- CEA Fluid Type

CDM Code(s)

43753094	CEA Fluid
43853094	CEA Fluid

CPT Code(s)

82378	Carcinoembryonic antigen (CEA)

Default Collection Method(s)
- Sterile Procedure

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- FLUID

Specimen Container Instruction(s)
- FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Cell Bound Platelet Autoantibody-Mayo

Order Synonym(s)
- Anti-Platelet Direct Antibody-Mayo
- Cell Bound Platelet Autoantibody-Mayo
- Direct Platelet Antibody-Mayo
- Mayo-Cell Bound Platelet Autoantibody, B
- Platelet Direct Ab Mayo
- Platelet Direct Antibody-Mayo

Associated DTA(s)
- Cell Bnd Plt Ab-Mayo
- CellBnd Plt Cmnt-Mayo

CDM Code(s)

[Continued]

43761320 Cell Bound Platelet Autoantibody-Mayo
43861320 Cell Bound Platelet Autoantibody-Mayo

CPT Code(s)
86022 Antibody identification; platelet antibodies

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)
Mon-Thur by 1pm,no holiday

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Centromere IgG Autoantibodies

Order Synonym(s)	Associated DTA(s)
Centromere IgG Ab	Centromere IgG Ab
Centromere IgG Autoantibodies	Centromere IgG Interp

CDM Code(s)
43735089 Centromere IgG Autoantibodies
43835089 Centromere IgG Autoantibodies

CPT Code(s)
86235 Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cerebrospinal Fluid IgG Index

Order Synonym(s)	Associated DTA(s)

[Continued]

CSF IgG Index
Cerebrospinal Fluid IgG Index
IgG Index CSF

Alb CSF Imm
CSF Index
IgG CSF Imm
IgG Idx Interp CSF
Serum Alb Imm
Serum IgG Imm

CDM Code(s)

43755026	IGG INDEX CSF
43855027	CSF IGG

CPT Code(s)

82784	Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Immage 800
Specimen Type(s)
CSF
Specimen Container Instruction(s)
Gold & Ster Cont
Specimen Handling Instruction(s)
Transport to lab immediately
Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Ceruloplasmin

Order Synonym(s)
Ceruloplasmin
Ceruloplasmin Level
Associated DTA(s)
Ceruloplasmin
CDM Code(s)

43761071	CERULOPLASMIN
43861071	CERULOPLASMIN

CPT Code(s)

82390	CERULOPLASMIN

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Immage 800
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Removed from cells within 2 hrs
Collection Class(es)

[Continued]

Chem Auto

Minimum Volume **Minimum Volume Unit**
0.50 ML

Prep Agent(s)

CGD iStat BUN/Creat

Order Synonym(s)
CGD iStat BUN/Creat

Associated DTA(s)
CGD BUN/Creatinine Ratio
CGD iStat BUN
CGD iStat Creatinine
Test Performed by

CDM Code(s)
43763947 BUN/Creatinine POC Offsite

CPT Code(s)

Default Collection Method(s)
POC Specimen

Service Resource(s)
CGD POC

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
CGD

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

CGFI Comprenhensive Semen Analysis

Order Synonym(s)
CGFI Comprenhensive Semen Analysis

Associated DTA(s)
Agglutination
Concentration
Container Type
Days of Abstinence
Female Partner's Name:
Female Partners DOB:
Female partners SSN:
Final SA
Liquefaction
Morphology (Strict)
Ordering Physician

[Continued]

Other Cells
Percent Live
Progressive Motility
Progressive Motility Score
Semen Analysis Comment
Specimen Collected:
Test Performed at:
Time of Analysis
Total Motile
Viscosity - Semen
Volume Semen
pH Semen

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
OS CGFI POC
Specimen Type(s)
SEMEN
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
CGFI
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

CGFI Endocrinology Labs

Order Synonym(s)
CGFI Endocrinology Labs
Associated DTA(s)
CGFI Estradiol
CGFI FSH
CGFI LH
CGFI Progesterone
CGFI hCG (Qnt)
Test Performed at:

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
OS CGFI POC
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
CGFI

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

CGFI Intrauterine Insemination

Order Synonym(s)
CGFI Intrauterine Insemination

Associated DTA(s)
Comment - Intrauterine Insemination
Container Type
Days of Abstinence
Female Partner's Name:
Female Partners DOB:
Female partners SSN:
Method of Preparation
Ordering Physician
Post-prep Concentration
Post-prep Progressive Motility
Post-prep Progressive Motility Score
Post-prep Total Motile Cells
Post-prep Volume
Pre-prep Concentration
Pre-prep Progressive Motility
Pre-prep Progressive Motility Score
Pre-prep Total Motile Cells
Pre-prep Volume
Specimen Collected:
Test Performed at:
Time of Analysis

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
OS CGFI POC

Specimen Type(s)
SEMEN

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
CGFI

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

CGFI Post-Vasectomy Semen Analysis

Order Synonym(s)
CGFI Post-Vasectomy Semen Analysis

Associated DTA(s)
Concentration
Days of Abstinence
Liquefaction
Ordering Physician
Other Cells
Post-Vasectomy Comment
Progressive Motility
Progressive Motility Score
Specimen Collected:
Test Performed at:
Time of Analysis
Total Motile
Viscosity - Semen
Volume Semen

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
OS CGFI POC
Specimen Type(s)
SEMEN
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
CGFI

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CGFI Semen Analysis with Antisperm Antib

Order Synonym(s)
CGFI Semen Analysis with Antisperm Antibody Assay

Associated DTA(s)
ASA Comment
Agglutination
Antisperm Ab IgA
Antisperm Ab IgG
Concentration
Container Type
Days of Abstinence
Female Partner's Name:

[Continued]

Female Partners DOB:
Female partners SSN:
Final Semen Analysis with ASA
Morphology (Strict)
Ordering Physician
Other Cells
Progressive Motility
Progressive Motility Score
Specimen Collected:
Test Performed at:
Time of Analysis
Total Motile
Volume Semen
pH Semen

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
OS CGFI POC
Specimen Type(s)
SEMEN
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
CGFI

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CGFI Semen Cryopreservation

Order Synonym(s)
CGFI Semen Cryopreservation

Associated DTA(s)
Cane Code Name:
Cane Labeled:
Canister No:
Concentration
Container Type
Days of Abstinence
Female Partner's Name:
Female Partners DOB:
Female partners SSN:
Freezing Medium
Freezing Medium Lot #
Morphology (Strict)
No. Canes

[Continued]

No. Vials:
Ordering Physician
Progressive Motility
Progressive Motility Score
Semen Cryopreservation Comment
Specimen Collected:
Sperm per Vial
Tank #:
Test Performed at:
Thawing Instructions
Time of Analysis
Total Motile
Volume Semen
Volume Semen Cryo

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
OS CGFI POC
Specimen Type(s)
SEMEN
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
CGFI

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chart Number

Order Synonym(s)
Chart Number
Associated DTA(s)
Chart #
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Lab Specimen
Service Resource(s)
MCCG Outreach
Specimen Type(s)
Lab Specimen
Specimen Container Instruction(s)
No Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)

[Continued]

Offsite

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Chemical Only Urinalysis

Order Synonym(s)

Chemical Only Urinalysis

Associated DTA(s)

U Ascorbic Acid
U Bilirubin
U Blood
U Clarity
U Color
U Gluc
U Ketones
U Leuko Est
U Nitrite
U Protein
U SpGr
U Urob
U pH
UA Chem Only

CDM Code(s)

43720031 Urinalysis by dipstick
43820031 Urinalysis by dipstick

CPT Code(s)

81003 Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)

Urine

Service Resource(s)

MCCG AUW
MCCG Atlas

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Urinalysis

Minimum Volume **Minimum Volume Unit**

1.00 ML

Prep Agent(s)

Chemistry Panel 14

Order Synonym(s)

Associated DTA(s)

[Continued]

CH14
CMP
Chem 14
Chemistry Panel 14
Comprehensive Metabolic Panel

A/G Ratio
AGAP
ALT/GPT Lvl
AST/GOT Lvl
Alb Lvl
Alk Phos Lvl
BUN Lvl
Bun/Creat Ratio
CO2 Lvl
Calcium Lvl
Cl Lvl
Corr Calcium
Creat Lvl
GFR African Amer
GFR Non African Amer
Glucose Lvl
K Lvl
NA Lvl
TP Lvl
Total Bili

CDM Code(s)

43751040	Chemistry Panel 14
43851040	Chemistry Panel 14
43850045	CMP

CPT Code(s)

80053	COMPRE METAB PANEL

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Chemistry Panel 8

Order Synonym(s)
- BMP
- Basic Metabolic Panel
- CH8
- Chem 8
- Chemistry Panel 8

Associated DTA(s)
- AGAP
- BUN Lvl
- Bun/Creat Ratio
- CO2 Lvl
- Calcium Lvl
- Cl Lvl
- Creat Lvl
- GFR African Amer
- GFR Non African Amer
- Glucose Lvl
- K Lvl
- NA Lvl

CDM Code(s)

43751019	Chemistry Panel 8
43851019	Chemistry Panel 8
43851015	Basic Metabloic

CPT Code(s)

80048	Basic metabolic panel This panel must include the following:

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)
- Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chlamydia DNA Probe

Order Synonym(s)

Associated DTA(s)

[Continued]

Chlamydia Probe DNA
Chlamydia DNA Probe
Chlamydia Trachomatis Rapid DNA

Chlam DNA Interp
Chlam DNA Probe

CDM Code(s)

43735139 CHLAMYDIA DNA PROBE
43835136 Chlam Rapid DNA

CPT Code(s)

87491 Infectious agent detection by nucleic acid (DNA or RNA); Chl

Default Collection Method(s)

Micro Swab
Sterile Container

Service Resource(s)

MCCG Micro Serology

Specimen Type(s)	Specimen Container Instruction(s)
CERVIX	DNA Probe tube
PENIS	Sterile Container
URETHRA	
UTERUS	
Urine	
VAGINA	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
1.00	ML
10.00	ML

Prep Agent(s)

Chlamydia Group Antibody Screen CSF by I

Order Synonym(s)	Associated DTA(s)
CSF Chlamydia Grp Antibody-Mayo	Chlamyd IgG CSF-Mayo
Chlamydia Group Ab Screen CSF Mayo	Chlamyd IgM CSF-Mayo
Chlamydia Group Antibody Screen CSF by IFA-Mayo	Chlamyd Int CSF-Mayo
Mayo-Chlamydia Group Ab Screen,IFA (CSF)	

CDM Code(s)

43764212 Chlamydia Group Antibody Screen CSF by IFA-Mayo
43864212 Chlamydia Group Antibody Screen CSF by IFA-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
CSF	Sterile Container

Specimen Handling Instruction(s) **Specimen Stability**

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Chlamydia Pneumoniae DNA Probe-ARUP

Order Synonym(s)	Associated DTA(s)
Chlamydia Pneumoniae DNA Probe-ARUP	C. pneumo DNA Probe
Chlamydia Pneumoniae Probe DNA-ARUP	

CDM Code(s)

43735139	Chlamydia Pneumoniae DNA Probe
43835136	Chlamydia Pneumoniae DNA Probe

CPT Code(s)

87491	Infectious agent detection by nucleic acid (DNA or RNA); Chl

Default Collection Method(s)
Sterile Container

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
SPUTUM	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chlamydia Serology-Mayo

Order Synonym(s)	Associated DTA(s)
Chlamydia Serology Mayo	C pneumo IgG-Mayo
Chlamydia Serology-Mayo	C pneumo IgM-Mayo
LGV Group Antibody-Mayo	C pneumo Sero-Mayo
Mayo-Chlamydia Serology, S	C psittaci IgG-Mayo
	C psittaci IgM-Mayo
	C trach IgG-Mayo
	C trach IgM-Mayo

CDM Code(s)

43762576	Chlamydia Serology-Mayo
43862576	Chlamydia Serology-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Chlamydia trachomatis Culture-ARUP

Order Synonym(s)
Chlamydia Culture Trachomatis-ARUP
Chlamydia trachomatis Culture-ARUP
Culture Chlamydia trachomatis-ARUP
Associated DTA(s)
C. trachomatis Culture
CDM Code(s)

43761272	Chlamydia trachomatis Culture
43861272	Chlamydia trachomatis Culture

CPT Code(s)
Default Collection Method(s)
Micro Swab
Sterile Procedure
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
CERVIX
EYE
RECTUM
THROAT
URETHRA
VAGINA
Specimen Container Instruction(s)
VirTnsMed
Specimen Handling Instruction(s)
On Ice/Ship to ARUP Frozen
Specimen Stability
Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Chloride Level

Order Synonym(s)
CL Level
Chloride Level

Associated DTA(s)
Cl Lvl

CDM Code(s)

43750056	CHLORIDE SERUM
43850056	CHLORIDE SERUM

CPT Code(s)

82435	Chloride; blood

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chloride Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Chloride Level
CL Urine, 24 Hr
Chloride Level 24 Hour Urine
Cl Level 24 Hour Urine
Urine 24 Hour Chloride Level

Associated DTA(s)
TV Chloride
U Chloride
U24 Chloride

CDM Code(s)

43754029	CHLORIDE URINE 24HR
43854029	CHLORIDE URINE 24HR

CPT Code(s)

[Continued]

82436 CHLORIDE URINE 24HR

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Chloride Level Body Fluid

Order Synonym(s)

CL Body Fluid
Chloride Level Body Fluid
Cl Level Body Fluid
Fluid Chloride Level

Associated DTA(s)

Cl Body Fl Type
Fl Chloride

CDM Code(s)

43750330 FLUID CHLORIDE
43850330 FLUID CHLORIDE

CPT Code(s)

82435 FLUID CHLORIDE

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

FLUID FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chloride Level Urine Random

Order Synonym(s)

CL Urine, Random
Chloride Level Urine Random
Cl Level Urine Random
Random Urine Chloride Level
Urine Random Chloride Level

Associated DTA(s)

U Chloride

CDM Code(s)

43754022	CHLORIDE URINE RANDOM
43854022	CHLORIDE URINE RANDOM

CPT Code(s)

82438	Chloride; other source

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cholesterol Level Body Fluid

Order Synonym(s)

Cholesterol Body FLuid

Associated DTA(s)

Chol Body Fl Type

[Continued]

Cholesterol Level Body Fluid
Fluid Cholesterol Level

Fl Cholesterol

CDM Code(s)

43750375	FLUID CHOLESTEROL
43850375	FLUID CHOLESTEROL

CPT Code(s)

82465	FLUID CHOLESTEROL

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Cholesterol Total

Order Synonym(s)
Cholesterol
Cholesterol Total

Associated DTA(s)
Cholesterol Lvl

CDM Code(s)

43750067	CHOLESTEROL TOTAL
43850067	CHOLESTEROL TOTAL

CPT Code(s)

82465	Cholesterol, serum or whole blood, total

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Chromagranin A-Mayo

Order Synonym(s)

Chromagranin A Mayo
Chromagranin A-Mayo
Mayo-Chromagranin A, S

Associated DTA(s)

Chromogranin A-Mayo

CDM Code(s)

43762620	Chromogranin A-Mayo
43862620	Chromogranin A-Mayo

CPT Code(s)

86316	Chromogranin A-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Chromium 24 Hour Urine-Mayo

Order Synonym(s)

24 Hr Urine Chromium-Mayo
Chrominum Urine, 24 Hr Mayo
Chromium 24 Hour Urine-Mayo

Associated DTA(s)

Hrs Chromium-Mayo
TV Chromium-Mayo
U24 Chromium-Mayo

[Continued]

Mayo-Chromium, U
Urine 24 Hr Chromium-Mayo

CDM Code(s)

43764215	Chromium 24 Hour Urine-Mayo
43864215	Chromium 24 Hour Urine-Mayo

CPT Code(s)

82495	Chromium 24 Hour Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Chromium Serum Level-Mayo

Order Synonym(s)	Associated DTA(s)
Chrominum Serum Mayo	Chromium Lvl-Mayo
Chromium Serum Level-Mayo	
Mayo-Chromium, S	

CDM Code(s)

43762618	Chromium Serum Level-Mayo
43862618	Chromium Serum Level-Mayo

CPT Code(s)

8249559	Chromium Serum Level-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	RylPlain

Specimen Handling Instruction(s)
Pour off serum
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Chromosome Analysis Congenital-Mayo

Order Synonym(s)
Chromosome Analysis Congenital Mayo
Chromosome Analysis Congenital-Mayo
Mayo-Chromosomes, Congenital, Blood

Associated DTA(s)
Chr Cngntl Amend-Mayo
Chr Cngntl Banding Method-Mayo
Chr Cngntl Consult-Mayo
Chr Cngntl Hap Band-Mayo
Chr Cngntl Interp-Mayo
Chr Cngntl Method-Mayo
Chr Cngntl Ord Dt-Mayo
Chr Cngntl Refer-Mayo
Chr Cngntl Results-Mayo
Chr Cngntl Rpt Dt-Mayo
Chr Cngntl Source-Mayo
Chr Cngntl Spec ID-Mayo
Chr Cngntl Spec-Mayo
Chr Cngntl Tot Anal-Mayo
Chr Cngntl Tot Kary-Mayo
Clinical History Form Received?

CDM Code(s)

43765038	Chromosomes, Congenital-Mayo
43865038	Chromosomes, Congenital-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Chromosome Analysis Hematologic Malignan

Order Synonym(s)
Chromosome Analysis Hematologic Malig
Chromosome Analysis Hematologic Malignancy

Associated DTA(s)
Chromosome Study for Hema Malignancy

CDM Code(s)
CPT Code(s)

[Continued]

Default Collection Method(s)
Sterile Procedure
Venous Draw
Service Resource(s)
MCCG US Labs
Specimen Type(s)
BONE MARROW
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Chromosome Analysis, Solid Tumor Only Ad

Order Synonym(s)
Chromosome Analysis Solid Tumor Adult Only US Labs
Chromosome Analysis, Solid Tumor Only Adult-US Labs
Associated DTA(s)
Solid Tumor Chromosome Anl-US Lab
CDM Code(s)
43765035 Chromosome Analysis, Solid Tumor Adult Only-US Labs
43865035 Chromosome Analysis, Solid Tumor Adult Only-US Labs
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG US Labs
Specimen Type(s)
TISSUE
Specimen Container Instruction(s)
Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Chromosome Analysis, Solid Tumor-Mayo

Order Synonym(s)
Chromosome Analysis, Solid Tumor-Mayo
Chromosone Analysis, Solid Tumor Mayo
Associated DTA(s)
Chr Tumor Amend-Mayo
Chr Tumor Banding Method-Mayo

[Continued]

Mayo-Chromosomes, Solid Tumor	Chr Tumor Consult-Mayo
	Chr Tumor Hap Band-Mayo
	Chr Tumor Interp-Mayo
	Chr Tumor Method-Mayo
	Chr Tumor Order Dt-Mayo
	Chr Tumor Ref Rsn-Mayo
	Chr Tumor Report Dt-Mayo
	Chr Tumor Results-Mayo
	Chr Tumor Source-Mayo
	Chr Tumor Spec ID-Mayo
	Chr Tumor Spec-Mayo
	Chr Tumor Tot Anal-Mayo
	Chr Tumor Tot Karyo-Mayo

CDM Code(s)

43764217	Chromosome Analysis, Solid Tumor-Mayo
43864217	Chromosome Analysis, Solid Tumor-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

TISSUE

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Chromosomes, Amniotic Fluid-Mayo

Order Synonym(s)

Chromosomes Amniotic Fluid Mayo
Chromosomes, Amniotic Fluid-Mayo
Mayo-Chromosomes, Amniotic Fluid

Associated DTA(s)

Chr Amend AF-Mayo
Chr Band Method-Mayo
Chr Cnslt AF-Mayo
Chr HpBnd AF-Mayo
Chr Intrp AF-Mayo
Chr Meth AF-Mayo
Chr OrdDt AF-Mayo
Chr Refer AF-Mayo
Chr RptDt AF-Mayo
Chr Rslt AF-Mayo
Chr Spec AF-Mayo
Chr Spec ID AF-Mayo

[Continued]

Chr Src AF-Mayo
Chr TotAn AF-Mayo
Chr TotKa AF-Mayo

CDM Code(s)

43765041 Chromosomes, Amniotic Fluid-Mayo
43865041 Chromosomes, Amniotic Fluid-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

AMNIOTIC FL

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
25.00	ML

Prep Agent(s)

Chromosomes, Autopsy/Conception/Stillbir

Order Synonym(s)

Chromosomes Autopsy/Conception/Stillbirth Mayo
Chromosomes, Autopsy/Conception/Stillbirth-Mayo
Mayo-Chromosome, Autopsy/Concep/Stillbir

Associated DTA(s)

Chr A/C/S Amend-Mayo
Chr A/C/S Band Method-Mayo
Chr A/C/S Conslt-Mayo
Chr A/C/S HpBand-Mayo
Chr A/C/S Interp-Mayo
Chr A/C/S Method-Mayo
Chr A/C/S Order Dt-Mayo
Chr A/C/S Ref Rsn-Mayo
Chr A/C/S Results-Mayo
Chr A/C/S Rpt Dt-Mayo
Chr A/C/S Source-Mayo
Chr A/C/S Spec ID-Mayo
Chr A/C/S Spec-Mayo
Chr A/C/S Tot Anlz-Mayo
Chr A/C/S Tot Kary-Mayo

CDM Code(s)

43765045 Chromosomes, Autopsy/Conception/Stillbirth-Mayo
43865045 Chromosomes, Autopsy/Conception/Stillbirth-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
TISSUE

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Chromosomes, Chorionic Villus Samp-Mayo

Order Synonym(s)
Chromosomes Chorionic Villus Mayo
Chromosomes, Chorionic Villus Samp-Mayo
Mayo-Chromosomes, Chorionic Villus Samp

Associated DTA(s)
Chr CVS Amend-Mayo
Chr CVS Cnslt-Mayo
Chr CVS HapRes-Mayo
Chr CVS Interp-Mayo
Chr CVS Method-Mayo
Chr CVS Ord Dt-Mayo
Chr CVS RefRsn-Mayo
Chr CVS Result-Mayo
Chr CVS Rpt Dt-Mayo
Chr CVS Source-Mayo
Chr CVS Spec-Mayo
Chr CVS SpecID-Mayo
Chr CVS TotAnl-Mayo
Chr CVS TotKar-Mayo

CDM Code(s)

43765048	Chromosomes, Chorionic Villus Samp-Mayo
43865048	Chromosomes, Chorionic Villus Samp-Mayo

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Chorionic Villi Sample

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
30.00	ML

Prep Agent(s)

[Continued]

Chronic Hepatitis Panel

Order Synonym(s)
Chronic Hepatitis Panel
Hepatitis Panel Chronic

Associated DTA(s)
Chronic Hep Interp
Hep B Core Ab
Hep B Srf Ab
Hep B Srf Ag
Hep C Ab

CDM Code(s)
43753065 CHRONIC HEPATITIS PANEL
43853065 CHRONIC HEPATITIS PANEL

CPT Code(s)
86803 Hepatitis C antibody;

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cidal, Serum - Peak

Order Synonym(s)
Cidal, Peak
Cidal, Serum - Peak
Schlicter Test - Peak
Serum Cidal, Schlicter Test Peak

Associated DTA(s)
Collect Time Cidal
PK MBC
PK MIC
PK Serum Cidal Antibiotic
Time of Dose Cidal

CDM Code(s)
43730098 SERUMCIDAL EACH SPEC

CPT Code(s)

[Continued]

87197 SERUMCIDAL EACH SPECIMEN

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Cidal, Serum - Random

Order Synonym(s)
Cidal, Random
Cidal, Serum
Cidal, Serum - Random
Schlicter Test
Schlicter Test - Random

Associated DTA(s)
Collect Time Cidal
MBC RAN
MIC RAN
RAN Serum Cidal Antibiotic
Time of Dose Cidal

CDM Code(s)
43730098 Serum Cidal Random
43830098 Serum Cidal Random

CPT Code(s)
87197 Serum Cidal Random

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Cidal, Serum - Trough

Order Synonym(s)
Cidal, Serum - Trough
Cidal, Trough
Schlicter Test - Trough
Serum Cidal, Schlicter Test Trough

Associated DTA(s)
Collect Time Cidal
MBC TR
MIC TR
TR Serum Cidal Antibiotic
Time of Dose Cidal

CDM Code(s)
43730098 SERUMCIDAL EACH SPEC

CPT Code(s)
87197 SERUMCIDAL EACH SPECIMEN

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Citrate Excretion 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Citrate Excretion-Mayo
Citrate Excretion 24 Hour Urine-Mayo
Citrate Excretion Urine, 24 Hr Mayo
Mayo-Citrate Excretion, U
Urine 24 Hr Citrate Excretion-Mayo

Associated DTA(s)
Hrs Citrate-Mayo
TV Citrate-Mayo
U24 Citrate-Mayo
Ur Citrate-Mayo

CDM Code(s)
43764223 Citrate Excretion 24 Hour Urine-Mayo
43864223 Citrate Excretion 24 Hour Urine-Mayo

CPT Code(s)
82507 Citrate Excretion 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Preservative req;medication restrictions

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

CK-MB Isoenzyme

Order Synonym(s)	Associated DTA(s)
CK-MB Isoenzyme	CKMB
CKMB	
CPK-MB Isoenzyme	

CDM Code(s)

43753230	CPK-MB ISOENZYME
43853230	CPK-MB ISOENZYME
43850045	CK-MB Isoenzyme

CPT Code(s)

82553	Creatine kinase (CK), (CPK); MB fraction only

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Clearance Creatinine Urine

Order Synonym(s)	Associated DTA(s)
Clearance Creatinine Urine	Height CClr
	Hgt in cm

[Continued]

TV Crea Clr
U Creat Clr
U Creat Random
U24 Creat Result
Weight Creat Clr
Wgt in kg

CDM Code(s)

43750078	CLEARANCE CREATININE
43850078	CLEARANCE CREATININE

CPT Code(s)

82575	Creatinine; clearance

Default Collection Method(s)
Urine
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
Enter Prep # 3 in Intranet:Collect 24 hour urine in accordance with Prep #4 in Intranet.- Obtain urine containers with appropriate perservatives for test ordered.- Two containers for 24 hour collection. - Patient should be instructed to empty bladder at the start time and discard urine. Collect all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.- Include patient's height and weight as a comment at order entry time.- Patient's name, ID # and collection start and stop time must be on all urine containers submitted.

Clinical Study Order

Order Synonym(s)	Associated DTA(s)
Clinical Study Order	Clinical Study Order

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)	Specimen Container Instruction(s)

[Continued]

Blood	Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

CLL Target Gene Panel-US Labs

Order Synonym(s)

CLL Target Gene Panel-US Labs

Associated DTA(s)

CLL Target Gene-US Labs

CDM Code(s)

43767531	CLL Target Gene Panel
43867531	CLL Target Gene Panel

CPT Code(s)

88271	CLL Target Gene Panel

Default Collection Method(s)

Sterile Procedure
Venous Draw

Service Resource(s)

MCCG US Labs

Specimen Type(s)

BONE MARROW
Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Clostridium difficile Molecular Assay

Order Synonym(s)

C difficile Molecular Assay
C difficile Toxin
Clostridium difficile Molecular Assay
Stool C difficile Toxin

Associated DTA(s)

C diff Interp
C diff Toxin

CDM Code(s)

43735129	*Diftox
43835129	*Diftox

CPT Code(s)

[Continued]

87493 Infectious agent detection by nucleic acid (DNA or RNA); Clo

Default Collection Method(s)
Clean Container

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

CMV Culture-ARUP

Order Synonym(s)
CMV Culture-ARUP
Culture CMV-ARUP
Culture Cytomegalovirus-ARUP
Cytomegalovirus Culture-ARUP

Associated DTA(s)
CMV Culture Results

CDM Code(s)
43762723 CMV Culture (Non-Blood Only!)
43862723 CMV Culture (Non-Blood Only!)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure
Urine
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
BAL
Blood
THROAT
TISSUE
Urine

Specimen Container Instruction(s)
Lavender
Sterile Container
VirTnsMed

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.00	ML
4.00	ML

Prep Agent(s)
CMV Culture (Non Blood Only)If you need to order a CMV Blood Culture please select the "Other Laboratory Test" order and TYPE i
CMV Culture Blood

[Continued]

CO2 Level Body Fluid

Order Synonym(s)
CO2 Body Fluid
CO2 Level Body Fluid
Carbon Dioxide Level Body Fluid
Fluid CO2 Level

Associated DTA(s)
CO2 Body Fl Type
Fl CO2

CDM Code(s)

43750335	FLUID CO2
43850335	FLUID CO2

CPT Code(s)

82374	FLUID CO2

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Coag Consult, Von Willebrand-Mayo

Order Synonym(s)
Coag Consult Von Willebrand Mayo
Coag Consult, Von Willebrand-Mayo
Mayo-Coag Consult, von Willebrand, P

Associated DTA(s)
Coag Conslt Int-Mayo
Coag Conslt Rev-Mayo
Factor VIII-Mayo
Ristocetin-Mayo
vWF Ag-Mayo

CDM Code(s)

43764225	Coag Consult, Von Willebrand-Mayo
43864225	Coag Consult, Von Willebrand-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Cocaine Confirmation by TLC

Order Synonym(s)

Cocaine Confirmation by TLC

Associated DTA(s)

Cocaine by TLC Confirmation

CDM Code(s)

43752190	Cocaine Confirmation by TLC
43852190	TLC Confirmation Cocaine

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Cocaine Quantitative Riveredge

Order Synonym(s)

Cocaine Quantitative Level Riveredge
Cocaine Quantitative Riveredge

Associated DTA(s)

Cocaine Qnt RE

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Abbott Axy
MCCG MGC240

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Complement C1q-Mayo

Order Synonym(s)

C1q Complement-Mayo
Complement C1q Level Mayo
Complement C1q-Mayo
Mayo-Complement C1q, S

Associated DTA(s)

C1q-Mayo

CDM Code(s)

43762598	Complement C1q-Mayo
43862598	Complement C1q-Mayo

CPT Code(s)

86160	Complement C1q-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Complement C3 Body Fluid

Order Synonym(s)

C3 Body Fluid
C3 BodyFluid
Complement C3 Body Fluid
Fluid C3
Fluid Complement C3

Associated DTA(s)

C3 Body Fl Type
Fl C3

CDM Code(s)

[Continued]

43753150 FLUID COMPONENT C3 OR C4
43853150 FLUID COMPONENT C3 OR C4

CPT Code(s)
86161 FLUID COMPONENT C3 OR C4

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Complement C4

Order Synonym(s)
C4
C4 Complement
Complement C4

Associated DTA(s)
C4

CDM Code(s)
43755007 COMPLEMENT (C3 OR C4)
43855007 COMPLEMENT (C3 OR C4)

CPT Code(s)
86160 COMPLEMENT (C3 OR C4)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 6 hrs Refrigerated: 24 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Complement C4 Body Fluid

Order Synonym(s)

C4 Body Fluid
Complement C4 Body Fluid
Fluid C4
Fluid Complement C4

Associated DTA(s)

C4 Body Fl Type
Fl C4

CDM Code(s)

43753150	FLUID COMPONENT C3 OR C4
43853150	FLUID COMPONENT C3 OR C4

CPT Code(s)

86161	FLUID COMPONENT C3 OR C4

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Complement Total-Mayo

Order Synonym(s)

C50 Total Complement Mayo
CH50 Total Complement-Mayo
Complement Total-Mayo
Mayo-Complement, Total, S

Associated DTA(s)

Complement Tot-Mayo

[Continued]

Total Complement-Mayo

CDM Code(s)

43762600	Complement Total-Mayo
43862600	Complement Total-Mayo

CPT Code(s)

86162	Complement; total hemolytic (CH50)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

On Ice Immed-Freeze Serum ASAP

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Complete Blood Count

Order Synonym(s)	Associated DTA(s)
ACC Complete Blood Count	HCT
CBC	HGB
CBC w/o Diff	MCH
Complete Blood Count	MCHC
	MCV
	MPV
	PLT
	RBC
	RDW
	WBC

CDM Code(s)

43710007	BLOOD CNT HEMOGRAM & PLTS
43810007	BLOOD CNT HEMOGRAM & PLTS
43810008	Complete Blood Count

CPT Code(s)

85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ACT2
MCCG LH 39
MCCG LH 42

Specimen Type(s) **Specimen Container Instruction(s)**

[Continued]

Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 24 hrs

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Confirmation HSV 1/2 Antibody IgM, IFA w

Order Synonym(s)

Confirmation HSV 1/2 Antibody IgM, IFA with Reflex to Titer, Mayo

Associated DTA(s)

HSV 1 IgM by IFA-Mayo
HSV 2 IgM by IFA-Mayo

CDM Code(s)

43762711	HSVType 1/2 IGM Ab Mayo
43862711	HSVType 1/2 IGM Ab Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Confirmation Western Blot for Lyme Disea

Order Synonym(s)

Confirmation Western Blot for Lyme Disease Antibody, Mayo

Associated DTA(s)

B. burgdor Ab-Mayo
Lyme Ab IgG-Mayo
Lyme Ab IgM-Mayo
Lyme Conf Int-Mayo
Lyme IgG Bands-Mayo

[Continued]

Lyme IgM Bands-Mayo

CDM Code(s)

43764396 Lyme Disease Antibody Confirmation Western Blot-Mayo
43864396 Lyme Disease Antibody Confirmation Western Blot-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Cooximetry Arterial

Order Synonym(s)

-1
Arterial Cooximetry
COHB Arterial
Carbon Monoxide Arterial
Carboxyhemoglobin Arterial
Coox Arterial
Cooximetry Arterial
MEHb Arterial
Methemoglobin Arterial

Associated DTA(s)

Carboxyhemo Art
Methemoglobin Art
O2 Content Art
O2 Hgb Art
Total Hgb Art

CDM Code(s)

43756011 Cooximetry Arterial
43856011 Cooximetry Arterial

CPT Code(s)

82805 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)

Arterial Draw

Service Resource(s)

MCCG GEM 4000
MCCG Omni Blood Gas

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Syringe

Specimen Handling Instruction(s)

Transport on ice

Specimen Stability

[Continued]

Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Cooximetry Venous

Order Synonym(s)
COHb Venous
Carbon Monoxid Venous
Carboxyhemoglobin Venous
Coox Venous
Cooximetry Venous
MEHb Venous
Methemoglobin Venous
Venous Cooximetry

Associated DTA(s)
Carboxyhemo Ven
Methemo Ven
O2 Hgb Ven
Total Hgb Ven

CDM Code(s)

43756011	COOXIMETRY
43856011	COOXIMETRY

CPT Code(s)

82805	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG GEM 4000
MCCG Omni Blood Gas
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)
Transport on ice
Specimen Stability
Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Copper Level 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Copper-Mayo
Copper Level 24 Hour Urine-Mayo
Copper Urine, 24 Hr Mayo
Mayo-Copper, 24 U
Random Urine Copper-Mayo

Associated DTA(s)
Hrs Copper-Mayo
TV Copper-Mayo
U24 Copper-Mayo
Ur Copper-Mayo

[Continued]

Urine 24 Hr Copper-Mayo
Urine Random Copper-Mayo

CDM Code(s)

43762624 Copper Level 24 Hour Urine-Mayo
43862624 Copper Level 24 Hour Urine-Mayo

CPT Code(s)

82525 Copper Level 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Copper Level-Mayo

Order Synonym(s)

Copper Blood Mayo
Copper Level-Mayo
Mayo-Copper, S

Associated DTA(s)

Copper Lvl-Mayo
Coppr Lvl ug/dL-Mayo

CDM Code(s)

43761086 Copper Level-Mayo
43861086 Copper Level-Mayo

CPT Code(s)

82525 Copper Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

RylPlain

Specimen Handling Instruction(s)

Pour off serum

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Copper, Liver Tissue-Mayo

Order Synonym(s)
Copper Liver Tissue Mayo
Copper, Liver Tissue-Mayo
Mayo-Copper, Liver Ts

Associated DTA(s)
Copper Liver Ts-Mayo

CDM Code(s)

43761086	Copper, Liver Tissue-Mayo
43861086	Copper, Liver Tissue-Mayo

CPT Code(s)

82525	Copper, Liver Tissue-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
TISSUE

Specimen Container Instruction(s)
MFSV

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Cortisol 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Cortisol-Mayo
24 Hr Urine Free Cortisol-Mayo
Cortisol 24 Hour Urine-Mayo
Cortisol Urine, 24 Hr Mayo
Free Cortisol 24 Hr Urine-Mayo
Mayo-Cortisol, Free, U
Urine 24 Hr Cortisol-Mayo
Urine 24 Hr Free Cortisol-Mayo

Associated DTA(s)
Hrs Cortisol-Mayo
TV Cortisol-Mayo
U24 Cortisol-Mayo

CDM Code(s)

43761390	Cortisol 24 Hour Urine-Mayo
43861390	Cortisol 24 Hour Urine-Mayo

CPT Code(s)

82530	Cortisol; free

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
Preservative required

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Cortisol AM Level - Collect between 7 -

Order Synonym(s)
AM Cortisol Level - Collect between 7-8 am
Cortisol AM
Cortisol AM Level - Collect between 7 - 8 Am

Associated DTA(s)
Cortisol AM

CDM Code(s)

43753026	Cortisol Level Am
43853026	Cortisol Level Am

CPT Code(s)

82533	Cortisol Level Am

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Cortisol Free Serum-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Cortisol Free Serum-Mayo
Free Cortisol Serum-Mayo
Free Cortisol-Mayo

CDM Code(s)

43761391	Cortisol; free
43861391	Cortisol; free

CPT Code(s)

82530	Cortisol; free

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Do not use gel barrier tubes
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Cortisol Free Urine-Mayo

Order Synonym(s)
Cortisol Free Urine Mayo
Cortisol Free Urine-Mayo
Mayo-Cortisol, Free, Random, U
Random Urine Cortisol Free-Mayo
Urine Random Cortisol Free-Mayo
Associated DTA(s)
Hrs Cortisol-Mayo
TV Cortisol-Mayo
U Cortisl/Creat-Mayo
U Cortisol/Hr-Mayo
Ur Creatinine-Mayo

CDM Code(s)

43764235	Cortisol Free Urine-Mayo
43864235	Cortisol Free Urine-Mayo

CPT Code(s)

82530	Cortisol Free Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

5.00	ML

Prep Agent(s)

Cortisol PM Level - Collect between 4-6

Order Synonym(s)
- Cortisol PM
- Cortisol PM Level - Collect between 4-6 pm
- PM Cortisol Level - Collect between 4-6 pm

Associated DTA(s)
- Cortisol PM

CDM Code(s)

43753026	Cortisol Level PM
43853026	Cortisol Level PM

CPT Code(s)

82533	Cortisol Level PM

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)
- Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Coxsackie A Antibody Panel CSF by CF-May

Order Synonym(s)
- Coxsackie A Ab CSF Mayo
- Coxsackie A Antibody Panel CSF by CF-Mayo
- Mayo-Coxsackie A Antibody Panel,CF (CSF)

Associated DTA(s)
- Cox A 10 Ab CSF-Mayo
- Cox A 16 Ab CSF-Mayo
- Cox A 2 Ab CSF-Mayo
- Cox A 4 Ab CSF-Mayo
- Cox A 7 Ab CSF-Mayo
- Cox A 9 Ab CSF-Mayo

CDM Code(s)

[Continued]

43764236 Coxsackie A Antibody Panel CSF by CF-Mayo
43864236 Coxsackie A Antibody Panel CSF by CF-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Coxsackie A Antibody Panel-Mayo

Order Synonym(s)

Coxsackie A Ab Panel Mayo
Coxsackie A Antibody Panel-Mayo
Mayo-Coxsackie A Antibody Panel, Serum

Associated DTA(s)

Cox A Ab Type 2-Mayo
Cox A Ab Type 4-Mayo
Cox A Ab Type 7-Mayo
Cox A Ab Type 9-Mayo
Cox A Ab Type10-Mayo
Cox A Ab Type16-Mayo

CDM Code(s)

43764243 Coxsackie A Antibody Panel-Mayo
43864243 Coxsackie A Antibody Panel-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

[Continued]

Coxsackie B Antibody Panel CSF by CF-May

Order Synonym(s)
Coxsackie B Ab CSF Mayo
Coxsackie B Antibody Panel CSF by CF-Mayo
Mayo-Coxsackie B Antibody Panel,CF (CSF)

Associated DTA(s)
Cox B 1 Ab CSF-Mayo
Cox B 2 Ab CSF-Mayo
Cox B 3 Ab CSF-Mayo
Cox B 4 Ab CSF-Mayo
Cox B 5 Ab CSF-Mayo
Cox B 6 Ab CSF-Mayo

CDM Code(s)

43764250	Coxsackie B Antibody Panel CSF by CF-Mayo
43864250	Coxsackie B Antibody Panel CSF by CF-Mayo

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Coxsackie B Antibody Panel-Mayo

Order Synonym(s)
Coxsackie B Ab Panel Mayo
Coxsackie B Antibody Panel-Mayo
Mayo-Coxsackie B Antibody Panel, Serum

Associated DTA(s)
Cox B Ab Type 1-Mayo
Cox B Ab Type 2-Mayo
Cox B Ab Type 3-Mayo
Cox B Ab Type 4-Mayo
Cox B Ab Type 5-Mayo
Cox B Ab Type 6-Mayo

CDM Code(s)

43764257	Coxsackie B Antibody Panel-Mayo
43864257	Coxsackie B Antibody Panel-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

CPK

Order Synonym(s)

CK
CPK
CPK, Total
Creatine Kinase

Associated DTA(s)

CPK

CDM Code(s)

43750092	CPK
43850092	CPK
43850093	CPK

CPT Code(s)

82550	Creatine kinase (CK), (CPK); total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 4 hrs Refrigerated: 12 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Creatinine Level

Order Synonym(s)
Creatinine
Creatinine Level
Creatinine Level with GFR

Associated DTA(s)
Creat Lvl
GFR African Amer
GFR Non African Amer

CDM Code(s)

43750104	CREATININE SERUM
43850104	CREATININE SERUM
43850105	Creatinine with GFR

CPT Code(s)

82565	Creatinine; blood

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Creatinine Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Creatinine Level
Creatinine Level 24 Hour Urine
Creatinine Urine, 24 Hr
Urine 24 Hour Creatinine Level

Associated DTA(s)
TV Creatinine
U Creat Random
U24 Creat

CDM Code(s)

43754042	CREATININE URINE 24HR
43854042	CREATININE URINE 24HR

CPT Code(s)

[Continued]

82570 CREATININE URINE 24HR

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Creatinine Level Body Fluid

Order Synonym(s)
Creatinine Body Fluid
Creatinine Level Body Fluid
Fluid Creatinine Level

Associated DTA(s)
Creat Body Fl Type
Fl Creatinine

CDM Code(s)
43750350 FLUID CREATININE
43850350 FLUID CREATININE

CPT Code(s)
82570 Creatinine; other source

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Creatinine Level Urine Random

Order Synonym(s)	Associated DTA(s)
Creatinine Level Urine Random	U Creat Random
Creatinine Urine Random	
Random Urine Creatinine Level	
Urine Creatinine Random Level	
Urine Random Creatinine Level	

CDM Code(s)

43754038	CREATININE URINE RANDOM
43854038	URINE CREATININE

CPT Code(s)

82570	CREATININE URINE RANDOM

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Urine samples should be analyzed within 2 Hrs of collection.Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cryoglobulin, Serum and Plasma-Mayo

Order Synonym(s)	Associated DTA(s)
Cryofibrinogen/Cryoglobulin-Mayo	Cryofibrinogen-Mayo

[Continued]

Cryoglobulin Serum, Plasma Mayo
Cryoglobulin, Serum and Plasma-Mayo
Mayo-Cryoglobulin, S and P

Cryoglobulin-Mayo

CDM Code(s)

43764618 Cryoglobulin, Serum and Plasma-Mayo
43864618 Cryoglobulin, Serum and Plasma-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

2R(ng)1L

Specimen Handling Instruction(s)

Transport on heel warmer immediately

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
16.00	ML

Prep Agent(s)

Cryptococcal Antigen

Order Synonym(s)

Cryptococcal Ag
Cryptococcal Antigen

Associated DTA(s)

Crypto Ag Screen, Serum
Crypto Titer, Serum

CDM Code(s)

43735021 Cryptococcal Antigen
43835021 Cryptococcal Antigen

CPT Code(s)

86403 Particle agglutination; screen, each antibody

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 72 hrs Separate ASAP

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Cryptococcal Antigen CSF

Order Synonym(s)
CSF Cryptococcal Antigen
Cryptococcal Ag CSF
Cryptococcal Antigen CSF

Associated DTA(s)
Crypto Ag Screen CSF
Crypto Titer, CSF

CDM Code(s)

43735021	CSF Crypto Ag
43835021	CSF Crypto Ag

CPT Code(s)

86403	Particle agglutination; screen, each antibody

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days Separate ASAP

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Crystal Exam Body Fluid

Order Synonym(s)
Crystal Exam Body Fluid
Crystals, Body FLuid
Fluid Crystals

Associated DTA(s)
Crystal Fl Type
Fl Crystals

CDM Code(s)

43720049	Crystal Exam Body Fluid
43820049	Crystal Exam Body Fluid

CPT Code(s)

89060	Crystal identification by light microscopy with or without p

Default Collection Method(s)
Sterile Procedure

Service Resource(s)

[Continued]

MCCG Fluids

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CSF AFP

Order Synonym(s)
AFP CSF
Alpha-Fetoprotein CSF
CSF AFP
CSF Alpha-Fetoprotein

Associated DTA(s)
CSF AFP

CDM Code(s)

43753036	Alpha Fetoprotein, CSF
43853036	Alpha Fetoprotein, CSF

CPT Code(s)

84999	Unlisted chemistry procedure

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CSF Cell Count

Order Synonym(s)

Associated DTA(s)

[Continued]

CSF Cell Count
CSF Cell Count.with Diff if indicated
CSF Count
Cell Count CSF
Spinal Fluid Cell Count

CSF Color
CSF Comment
CSF RBC
CSF RBC Count
CSF RBC Result Method?
CSF Tube #
CSF Turbidity
CSF WBC
CSF WBC Count
CSF WBC Result Method?
Xanthochromia

CDM Code(s)

43710011	CELL COUNT + DIFF CSF
43810011	CELL COUNT + DIFF CSF
43810012	CSF Cell Count

CPT Code(s)

89051	Cell count, miscellaneous body fluids (eg, cerebrospinal flu

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Fluids
Specimen Type(s)
CSF
Specimen Container Instruction(s)
Sterile Container
Specimen Handling Instruction(s)
Transport to lab immediately
Specimen Stability

Stability: Ambient/Room Temp: less than2 hrs If greater than 2 hrs add comment FLD2HR
Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
Print and place on the patients chart or in the Requisition Book.Spinal Fluid cell counts must be sent to the Lab immediately.Please call ext 2503 for Lab pickup.

CSF HCG

Order Synonym(s)
CSF HCG
HCG CSF
Associated DTA(s)
CSF HCG
CDM Code(s)

43753020	HCG CSF
43853020	HCG CSF

CPT Code(s)

[Continued]

84702 Gonadotropin, chorionic (hCG); quantitative

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

CSF Protein 14-3-3 and Tau Protein

Order Synonym(s)
CSF CJD Protein
CSF Protein 14-3-3 and Tau Protein

Associated DTA(s)
14-3-3 Protein

CDM Code(s)
43767580 Protein 14-3-3
43867580 Protein 14-3-3

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)
Freeze specimen immediately

Specimen Stability

Collection Class(es)
Prion Froze

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

[Continued]

CSF Tube #4 To be Held

Order Synonym(s)
CSF Tube #4 To be Held

Associated DTA(s)
Hold Tube # 4 CSF

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Fluids

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Culture AFB Blood

Order Synonym(s)
AFB Blood Culture
Blood Culture, Acid Fast (AFB)
Blood Culture, Mycobacterium
C Blood (AFB)
C Blood AFB
Culture AFB Blood
Culture, Blood Mycobacterium
Mycobacterium Blood Culture
TB Blood Culture

Associated DTA(s)
C BLOOD (AFB)

CDM Code(s)

43730020	Blood Culture (AFB)
43830020	Blood Culture (AFB)

CPT Code(s)

87116	Culture, tubercle or other acid-fast bacilli (eg, TB, AFB, m

Default Collection Method(s)
Sterile Procedure

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume	Minimum Volume Unit

Prep Agent(s)

[Continued]

Culture Anaerobic

Order Synonym(s)
Anaerobic Culture
C Anaerobic
Culture Anaerobic

Associated DTA(s)
C ANAEROBIC

CDM Code(s)

43730056	Anaerobic Culture
43830056	Anaerobic Culture

CPT Code(s)

87075	Culture, bacterial; any source, except blood, anaerobic with

Default Collection Method(s)
Aspirate
Biopsy
Micro Swab
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture and Smear AFB

Order Synonym(s)
AFB Culture and Smear
AFB Stain & Culture
C AFB & Smr
C AFB (Culture and Smear)
Culture and Smear AFB
Culture and Smear, AFB
Mycobacterial Culture and Smear
Mycobacterial Stain & Culture
TB Culture and Smear

Associated DTA(s)
C AFB

CDM Code(s)

43730014	AFB Culture and Smear
43830014	AFB Culture and Smear

CPT Code(s)

	AFB Culture and Smear

Default Collection Method(s)
Aspirate
Biopsy

[Continued]

Clean Container
Micro Swab
Sterile Procedure
Washing

Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Beta Strep Screen

Order Synonym(s)
Beta Strep Screen Culture
C Strep Screen
Culture Beta Strep Screen
Culture, Strep
GBS Culture
Strep Culture

Associated DTA(s)
C STREP SCREEN

CDM Code(s)

43730103	Beta Strep Screen Culture
43830103	Beta Strep Screen Culture

CPT Code(s)

87070	Beta Strep Screen Culture

Default Collection Method(s)
Micro Swab

Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Feces for E Coli

Order Synonym(s)
C E coli 0157:H7
C Feces for E coli 0157:H7
Culture Feces for E Coli
Culture, Feces for Hemorrhagic E coli
Feces Culture for E Coli
Stool for E coli 0157:H7

Associated DTA(s)
C E COLI

CDM Code(s)

[Continued]

43730037 Feces Culture (E coli 0157:H7)
43830037 Feces Culture (E coli 0157:H7)

CPT Code(s)
87046 Culture, bacterial; stool, aerobic, additional pathogens, is

Default Collection Method(s)
Clean Container

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture Feces for Vibrio

Order Synonym(s)
C Feces, Vibrio
C Vibrio
Culture Feces for Vibrio
Feces Culture for Vibrio
Feces for Vibrio Culture
Stool for Vibrio Culture

Associated DTA(s)
C VIBRIO

CDM Code(s)
43730038 Feces Culture (Vibrio)
43830038 Feces Culture (Vibrio)

CPT Code(s)
87046 Culture, bacterial; stool, aerobic, additional pathogens, is

Default Collection Method(s)
Clean Container

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture Feces for Yersinia

Order Synonym(s)
C Feces, Yersinia
C Yersinia
Culture Feces for Yersinia
Feces Culture for Yersnia
Feces for Yersinia Culture

Associated DTA(s)
C YERSINIA

[Continued]

Stool for Yersinia Culture
Yersinia Stool Culture

CDM Code(s)

43730039	Feces Culture (Yersinia)
43830039	Feces Culture (Yersinia)

CPT Code(s)

87046	Culture, bacterial; stool, aerobic, additional pathogens, is

Default Collection Method(s)
Clean Container
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Feces Routine

Order Synonym(s) **Associated DTA(s)**
Bacterial Culture Feces — C FECES
C Feces
Campylobacter Culture
Culture Bacterial Feces
Culture Feces Routine
Enteric Pathogen Culture
Feces Culture
Salmonella Culture
Shigella Culture
Stool Culture

CDM Code(s)

43730034	Feces Culture (Routine)
43830034	Feces Culture (Routine)

CPT Code(s)

	Feces Culture (Routine)

Default Collection Method(s)
Clean Container
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Fungal

Order Synonym(s) **Associated DTA(s)**

[Continued]

C Fungal	C FUNGAL
Culture Fungal	
Fungal Culture	
Fungus Culture	

CDM Code(s)

43730006	Fungal Culture
43830006	Fungal Culture

CPT Code(s)

87103	Fungal Culture

Default Collection Method(s)

Aspirate
Biopsy
Clean Container
Clippings
Micro Swab
Scrapings
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture Fungal Blood

Order Synonym(s)	**Associated DTA(s)**
Blood Culture, Fungal	C BLOOD (FUNGUS)
C Blood (Fungal)	
C Blood, Fungal	
Culture Fungal Blood	
Fungal Blood Culture	

CDM Code(s)

43730028	Blood Culture (Fungal)
43830028	Blood Culture (Fungal)

CPT Code(s)

87103	Culture, fungi (mold or yeast) isolation, with presumptive i

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

[Continued]

Prep Agent(s)

Culture GC

Order Synonym(s)
C GC
Culture GC
GC Culture

Associated DTA(s)
C GC

CDM Code(s)

43730011	GC Culture
43830011	GC Culture

CPT Code(s)

87070	GC Culture

Default Collection Method(s)
Micro Swab
Sterile Procedure

Service Resource(s)
MCCG Micro Man

Specimen Type(s)
EYE
THROAT

Specimen Container Instruction(s)
Jembec Plate

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Micro

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Culture Herpes Simplex

Order Synonym(s)
C Herpes
C Herpes Simplex
Culture Herpes Simplex
Herpes Culture
Herpes Simplex Culture

Associated DTA(s)
C HERPES
HSV Culture Interp

CDM Code(s)

43730065	Herpes Simplex Culture
43830065	Herpes Simplex Culture

CPT Code(s)

87255	Virus isolation; including identification by non-immunologic

Default Collection Method(s)
Micro Swab
Sterile Container

[Continued]

Sterile Procedure

Service Resource(s)

MCCG Micro Serology

Specimen Type(s)

CERVIX
EYE
Fluid - Not CSF
LESION
NARES
PENIS
RECTUM
SPUTUM
THROAT
UTERUS
VAGINA
WOUND

Specimen Container Instruction(s)

Sputum Kit
Sterile Container
Vir/Chl vial

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Culture Misc. Routine

Order Synonym(s)

Bacterial Culture CSF
C Routine
Culture Misc. Routine
Culture, Aerobic-Routine Miscellaneous
Culture, Routine Miscellaneous
Routine Culture

Associated DTA(s)

C MISC

CDM Code(s)

43730062	Miscellaneous Culture
43830062	Miscellaneous Culture

CPT Code(s)

87070	Culture, bacterial; any other source except urine, blood or

Default Collection Method(s)

Aspirate
Biopsy
Clean Container
Micro Swab
Scrapings
Sterile Procedure
Washing

Service Resource(s)

[Continued]

Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture MRSA

Order Synonym(s) **Associated DTA(s)**
C MRSA MRSA Screen
Culture MRSA
MRSA Screen
CDM Code(s)
43730101 Culture, MRSA Screen
43830101 Culture, MRSA Screen
CPT Code(s)
87070 Culture, bacterial; any other source except urine, blood or
Default Collection Method(s)
Micro Swab
Service Resource(s)
MCCG Micro Man
Specimen Type(s) **Specimen Container Instruction(s)**
NARES Swab/Culturette
RECTUM
WOUND
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Micro
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Culture Quantitative BAL

Order Synonym(s) **Associated DTA(s)**
BAL Quantitatve Culture C QUANT BAL
C Quant BAL
Culture Quantitative BAL
Quantitative BAL Culture
CDM Code(s)
43730047 C Quant BAL
43830047 C Quant BAL
CPT Code(s)

[Continued]

87071 Culture, bacterial; quantitative, aerobic with isolation and

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Referred for ID, Fungus-Mayo

Order Synonym(s) **Associated DTA(s)**
Culture Referred for ID, Fungus-Mayo Fungus ID-Mayo
Fungus ID-Mayo
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s) **Specimen Container Instruction(s)**
Other Source Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Culture Routine Blood

Order Synonym(s) **Associated DTA(s)**
Aerobic, Routine Blood Culture C BLOOD (ROUTINE)
Blood Culture
Blood Culture Routine
C Blood (Routine)
Culture Routine Blood
Routine Blood Culture
CDM Code(s)
43730026 Blood Culture (Routine)
43830026 Blood Culture (Routine)
CPT Code(s)

[Continued]

87040 Culture, bacterial; blood, aerobic, with isolation and presu

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture Sputum

Order Synonym(s) **Associated DTA(s)**

C Sputum C SPUTUM

Culture Sputum

Sputum Culture

CDM Code(s)

43730041 Sputum Culture

43830041 Sputum Culture

CPT Code(s)

87070 Culture, bacterial; any other source except urine, blood or

Default Collection Method(s)

Aspirate

Sterile Procedure

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Culture Throat/NP

Order Synonym(s) **Associated DTA(s)**

C Throat NP C THROAT

C Throat/NP

Culture Throat/NP

Culture, Routine Throat

NP Culture

Nasopharynx Culture

Throat Culture

CDM Code(s)

43730046 Throat/Nasophaynx Culture

43830046 Throat/Nasophaynx Culture

CPT Code(s)

[Continued]

87070 Throat/Nasophaynx Culture
Default Collection Method(s)
Micro Swab
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Urine

Order Synonym(s) **Associated DTA(s)**
C Urine C URINE
Culture Urine
Urine C & S
Urine Culture
CDM Code(s)
43730051 Urine Culture
43830051 Urine Culture
CPT Code(s)
87086 Culture, bacterial; quantitative colony count, urine
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture Urine Screen

Order Synonym(s) **Associated DTA(s)**
C Urine Screen C URINE SCREEN
Culture Urine Screen
Urine Culture Screen
Urine Screen (No Sensitivity)
CDM Code(s)
43730003 Urine Screen Culture (No Sensitivity)
43830003 Urine Screen Culture (No Sensitivity)
CPT Code(s)
87081 Culture, presumptive, pathogenic organisms, screening only;
Default Collection Method(s)

[Continued]

Sterile Procedure
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Culture VRE

Order Synonym(s) **Associated DTA(s)**
C VRE C VRE
Culture VRE
VRE Culture
Vancomycin Resistant Enterococcus
CDM Code(s)
43730040 VRE Culture
43830040 VRE Culture
CPT Code(s)
87081 VRE Culture
Default Collection Method(s)
Clean Container
Micro Swab
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Cyclic Citrullinated Peptide Antibody

Order Synonym(s) **Associated DTA(s)**
Anti-CCP CCP Ab
CCP Ab
CCP Antibody
Cyclic Citrullinated Peptide Antibody
CDM Code(s)
43753085 Cyclic citrullinated peptide (CCP), antibody
43853085 Cyclic citrullinated peptide (CCP), antibody
CPT Code(s)
86200 Cyclic citrullinated peptide (CCP), antibody
Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cyclospora Exam

Order Synonym(s)
Cyclospora
Cyclospora Exam
SM Cyclospora
Smear, Cyclospora

Associated DTA(s)
CYCLOSPORA EXAM

CDM Code(s)

43730187	Cyclospora Exam
43830187	Cyclospora Exam

CPT Code(s)

88312	Cyclospora Exam

Default Collection Method(s)
Clean Container

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume	Minimum Volume Unit

Prep Agent(s)

Cyclosporine Level-Mayo

Order Synonym(s)
Cyclosporine Level Mayo
Cyclosporine Level-Mayo
Mayo-Cyclosporine, B
Neoral Level-Mayo

Associated DTA(s)
Cyclospor Dose-Mayo
Cyclospor Ds Dt-Mayo
Cyclospor Ds Tm-Mayo
Cyclospor Lvl-Mayo

CDM Code(s)

43761480	Cyclosporine Level-Mayo
43861480	Cyclosporine Level-Mayo

CPT Code(s)

[Continued]

80158 Cyclosporine

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Cystatin C-Mayo

Order Synonym(s)
Cystatin 3-Mayo
Cystatin C- Mayo
Cystatin C-Mayo
Gamma-trace-Mayo
Neuroendocrine Basic Polypeptide-Mayo
Post Gamma-Globulin-Mayo

Associated DTA(s)
Cystatin C-Mayo

CDM Code(s)
43767592 Cystatin C
43867592 Cystatin C

CPT Code(s)
82610 Cystatin C

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Cystic Fibrosis Dx and Carrier Detect-Ma

Order Synonym(s)
- CF Gene Mutation-Mayo
- Cystic Fibrosis Dx and Carrier Detect-Mayo
- Cystic Fribosis Mayo
- Mayo-Cystic Fibrosis Dx & Carrier Detect

Associated DTA(s)
- Clinical History Form Received?
- Cys Fibro Amend-Mayo
- Cys Fibro Intrp-Mayo
- Cys Fibro Meth-Mayo
- Cys Fibro OrdDt-Mayo
- Cys Fibro RelDt-Mayo
- Cys Fibro RevBy-Mayo
- Cys Fibro Rslt-Mayo
- Cys Fibro Rsn-Mayo
- Cys Fibro Spec-Mayo
- Cys Fibro SpecID-Mayo
- Cys Fibro Src-Mayo
- Extraction Performed?

CDM Code(s)

43764264	Cystic Fibrosis Dx and Carrier Detect-Mayo
43765100	Cystic Fibrosis Dx and Carrier Detect-Mayo
43864264	Cystic Fibrosis Dx and Carrier Detect-Mayo
43865100	Cystic Fibrosis Dx and Carrier Detect-Mayo

CPT Code(s)

81220	CFTR (cystic fibrosis transmembrane conductance regulator) (

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- Blood

Specimen Container Instruction(s)
- Lavender

Specimen Handling Instruction(s)
- Do Not Spin

Specimen Stability

Collection Class(es)
- Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Cystinuria Profile Quant 24 Hour Urine-M

Order Synonym(s)
- 24 Hr Urine Cystinuria Profile-Mayo
- Cystinuria Profile Quant 24 Hour Urine-Mayo
- Cystinuria Profile Quant Urine, 24 Hr Mayo
- Mayo-Cystinuria Profile, QN, 24 hour
- Urine 24 Hr Cystinuria Profile-Mayo

Associated DTA(s)
- Amendment Cystine-Mayo
- Hrs Cystine-Mayo
- Method Cystine-Mayo
- Order Date Cystine-Mayo
- Release Date-Mayo Cystine
- Reviewed by-Mayo Cystine

[Continued]

Source Cystine-Mayo
Specimen Cystine-Mayo
Specimen ID Cystine-Mayo
TV Cystine-Mayo
U24 Arginine-Mayo
U24 Cyst mg/24h-Mayo
U24 Cystine-Mayo
U24 Lysine-Mayo
U24 Ornithine-Mayo

CDM Code(s)

43764274 Cystinuria Profile Quant 24 Hour Urine-Mayo
43864274 Cystinuria Profile Quant 24 Hour Urine-Mayo

CPT Code(s)

82136 Cystinuria Profile Quant 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Preservative req; refrig while collect

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Cystinuria Profile Quantitative Random-M

Order Synonym(s)	Associated DTA(s)
Cystinuria Profile Quant Urine, Random Mayo	Revd by-Cystinuria Panel Qnt Ran Ur
Cystinuria Profile Quantitative Random-Mayo	U Arginine Qnt-Mayo
Mayo-Cystinuria Profile, QN, random	U Cystine Qnt-Mayo
Urine Random Cystinuria Profile-Mayo	U Lysine Qnt-Mayo
	U Ornithine Qnt-Mayo

CDM Code(s)

43764275 Cystinuria Profile Quantitative Random-Mayo
43864275 Cystinuria Profile Quantitative Random-Mayo

CPT Code(s)

82136 Cystinuria Profile Quantitative Random-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s) **Specimen Container Instruction(s)**

[Continued]

Urine	Tube/Cup

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Cytomegalovirus by Rapid PCR (Non-Blood

Order Synonym(s)

CMV PCR (Non-Blood Only!) Mayo
CMV by PCR (Non-Blood Only!)-Mayo
Cytomegalovirus by Rapid PCR (Non-Blood Only!)-Mayo
Mayo-Cytomegalovirus by Rapid PCR (Non-Blood Only!)

Associated DTA(s)

CMV PCR Result-Mayo
CMV PCR Sp Info-Mayo
CMV PCR Src-Mayo
CMV PCR Status-Mayo

CDM Code(s)

43762124	Cytomegalovirus by Rapid PCR-Mayo
43862124	Cytomegalovirus by Rapid PCR-Mayo

CPT Code(s)

87496	Infectious agent detection by nucleic acid (DNA or RNA); cyt

Default Collection Method(s)

Clean Container
Sterile Container
Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF
FLUID
NASAL WASH
SPUTUM
TISSUE
Urine

Specimen Container Instruction(s)

FLD
Sterile Container
Urine cup-clean
VirTnsMed

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
1.50	ML

Prep Agent(s)

[Continued]

Cytomegalovirus DNA Quant by Rapid PCR-M

Order Synonym(s)
CMV DNA Qnt by PCR-Mayo
CMV DNA Quant PCR Mayo
CMV PCR Quant Real-Time
Cytomegalovirus DNA Quant by Rapid PCR-Mayo
Cytomegalovirus PCR Blood
Mayo-CMV DNA QN by Rapid PCR, P

Associated DTA(s)
CMV Copies/mL-Mayo
CMV DNA PCR-Mayo
CMV Lower Lvl-Mayo
CMV Upper Lvl-Mayo

CDM Code(s)

43762126	Cytomegalovirus DNA Quant by Rapid PCR-Mayo
43862126	Cytomegalovirus DNA Quant by Rapid PCR-Mayo

CPT Code(s)

87497	Infectious agent detection by nucleic acid (DNA or RNA); cyt

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Spin-Freeze Plasma immediately

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Cytomegalovirus IgG Antibody

Order Synonym(s)
CMV Antibody IgG
CMV IgG Ab
Cytomegalovirus IgG Antibody

Associated DTA(s)
CMV IgG
CMV IgG Interp

CDM Code(s)

43755315	Cytomegalovirus IgG Antibody
43855315	Cytomegalovirus IgG Antibody

CPT Code(s)

86644	Antibody; cytomegalovirus (CMV)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Vidas

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cytomegalovirus IgM Antibody

Order Synonym(s)

CMV Antibody IgM
CMV IgM Ab
Cytomegalovirus IgM Antibody

Associated DTA(s)

CMV IgM
CMV IgM Interp

CDM Code(s)

43755320	Cytomegalovirus IgM Antibody
43855320	Cytomegalovirus IgM Antibody

CPT Code(s)

86645	Antibody; cytomegalovirus (CMV), IgM

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Vidas

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Cytoplasmic Neutrophilic Antibody-Mayo

Order Synonym(s)

ANCA-Mayo
Cytoplasmic Neutrophilic Ab Mayo
Cytoplasmic Neutrophilic Antibody-Mayo
Mayo-Cytoplasmic Neutrophilic Ab, S

Associated DTA(s)

cANCA-Mayo
pANCA-Mayo

[Continued]

cANCA-Mayo
pANCA-Mayo

CDM Code(s)

43761054	Cytoplasmic Neutrophilic Antibody-Mayo
43861054	Cytoplasmic Neutrophilic Antibody-Mayo

CPT Code(s)

86256	Cytoplasmic Neutrophilic Antibody-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML
2.00	ML

Prep Agent(s)

Default Client

Order Synonym(s)	Associated DTA(s)
Default Client	Provider's Fax Number
	Provider's Name
	Provider's Phone Number

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Lab Specimen
Service Resource(s)
MCCG Outreach

Specimen Type(s)	Specimen Container Instruction(s)
Lab Specimen	Default Client

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
No Container

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Delta O.D. at 450

Order Synonym(s)
DOD at 450
Delta O.D. at 450

Associated DTA(s)
Amn Fl pH
DOD 450
DOD Color
DOD Creat
DOD INT
DOD Turbidity
Hemastick
Sed Color
Sed Turbidity
Supernate Color
Supernate Turbidity

CDM Code(s)

43756016	DELTA O.D.
43856016	DELTA O.D.

CPT Code(s)

82143	DELTA O.D.

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Deoxycorticosteroids-Mayo

Order Synonym(s)
11-Deoxycortisol-Mayo
Deoxycorticosteroids Mayo
Deoxycorticosteroids-Mayo
Mayo-Deoxycorticosteroids

Associated DTA(s)
Deoxycort AM-Mayo
Deoxycort Lvl-Mayo
Deoxycort PM-Mayo

CDM Code(s)

43761401	Deoxycorticosteroids Plasma-Mayo
43861401	Deoxycorticosteroids Plasma-Mayo

CPT Code(s)

82634	Deoxycorticosteroids Plasma-Mayo

Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Desipramine Level-Mayo

Order Synonym(s)
Desipramine Level Mayo
Desipramine Level-Mayo
Mayo-Desipramine, P
Associated DTA(s)
Desipramine Lvl-Mayo
CDM Code(s)

43761945	Desipramine Level-Mayo
43861945	Desipramine Level-Mayo

CPT Code(s)

80160	Desipramine Level-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

DHEA Sulfate

Order Synonym(s)
DHEA Sulfate
DHEAS
Associated DTA(s)
DHEA Sulfate
CDM Code(s)

[Continued]

43753250 DHEA-S04
43853250 DHEA-S04

CPT Code(s)
82627 Dehydroepiandrosterone-sulfate (DHEA-S)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 8 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

DHEA-Mayo

Order Synonym(s)
DHEA-Mayo
Dehydroepiandrosterone-Mayo
Mayo-Dehydroepiandrosterone, S

Associated DTA(s)
DHEA ng/dL-Mayo
DHEA-Mayo

CDM Code(s)
43764276 DHEA-Mayo
43864276 DHEA-Mayo

CPT Code(s)
82626 DHEA-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

2.00 ML

Prep Agent(s)

Diff Manual

Order Synonym(s)

Diff Manual
Manual Diff

Associated DTA(s)

Acan
Aniso
Atyl Lymph
Band
Baso
Baso Stip
Blast
Dacryo
Diff Comment
Dohle Bodies
Echino
Eosin
Giant PLT
H-J Bodies
Hypo
Lymph
Macro
Meta
Micro
Monocyte
Myelo
NRBC
Other
Oval
PMN
Papp Bodies
Plasma Cell
Plt Est
Poik
Poly
Promyelo
RBC Morph
Rouleaux
Schisto
Sickle Cell
Smudge Cells
Sphero
Stomatocyte
Targ Cell
Toxic Gran

CDM Code(s)

[Continued]

43710014 Diff Manual
43810014 Diff Manual

CPT Code(s)
85007 Diff Manual

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Diff

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 24 hrs

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Differential Body Fluid

Order Synonym(s)
Differential Body Fluid
Fluid Differential

Associated DTA(s)
Fl Baso
Fl Eos
Fl Lymph
Fl Meso
Fl Mono
Fl NRBC
Fl Other Cell
Fl PMN
Fl Plasma

CDM Code(s)
43710011 Differential Body Fluid
43810011 Differential Body Fluid

CPT Code(s)
89051 Cell count, miscellaneous body fluids (eg, cerebrospinal flu

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Fluids

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability:Ambient/Room Temp: less than 2 hrs If greater than2 hrs add comment FLD2HR

Collection Class(es)

Hemo Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Differential CSF

Order Synonym(s)

CSF Differential
Differential CSF

Associated DTA(s)

CSF Baso
CSF Eos
CSF Lymph
CSF Mono
CSF NRBC
CSF Other Cell
CSF PMN

CDM Code(s)

43710011	CELL COUNT + DIFF CSF
43810011	CELL COUNT + DIFF CSF

CPT Code(s)

89051	Cell count, miscellaneous body fluids (eg, cerebrospinal flu

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Fluids

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Transport to lab immediately

Specimen Stability

Stability: Ambient/Room Temp: less than 2 hrs If greater than 2 hrs add comment FLD2HR

Collection Class(es)

Hemo Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Digoxin Level

Order Synonym(s)

Digoxin
Digoxin Level

Associated DTA(s)

Digoxin Lvl

[Continued]

Lanoxin Level

CDM Code(s)

43752022	Digoxin Level
43852022	Digoxin Level
43852023	Digoxin Level

CPT Code(s)

80162	Digoxin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Draw specimen at least 6 - 8 hours after drug administration.

Dihydrotestosterone (DHT)-Mayo

Order Synonym(s)

DHT Mayo
Dihydrotestosterone (DHT)-Mayo
Mayo-Dihydrotestosterone, S

Associated DTA(s)

DHT-Mayo

CDM Code(s)

43764850	Dihydrotestosterone (DHT)-Mayo
43864850	Dihydrotestosterone (DHT)-Mayo

CPT Code(s)

82651	Dihydrotestosterone (DHT)

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Dihydroxyvitamin D 1,25 Level-Mayo

Order Synonym(s)	Associated DTA(s)
Dihydroxyvitamin D 1,25 Level-Mayo	Vitamin D 1,25-Mayo
Dihydroxyvitamin D, 1,25 Level	

CDM Code(s)

43761281	Dihydroxyvitamin D 1,25 Level-Mayo
43861281	Dihydroxyvitamin D 1,25 Level-Mayo

CPT Code(s)

82652	Dihydroxyvitamin D 1,25 Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.50	ML

Prep Agent(s)

Dihyrdotestosterone-ARUP

Order Synonym(s)	Associated DTA(s)
5-a-dihydrotestosterone-ARUP	5-a-Dihydrotestosterone-ARUP
Dihyrdotestosterone-ARUP	

CDM Code(s)

[Continued]

43767605 Dihydrotestosterone
43867605 Dihydrotestosterone

CPT Code(s)
82651 Dihydrotestosterone (DHT)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Seperate serum ASAP

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Diptheria Toxoid IgG Antibody-Mayo

Order Synonym(s)
Diphteria Toxoid IgG Ab Mayo
Diptheria Toxoid IgG Antibody-Mayo

Associated DTA(s)
Diptheria Toxoid IgG Ab

CDM Code(s)
43761334 Diptheria Toxoid IgG Antibody-Mayo
43861334 Diptheria Toxoid IgG Antibody-Mayo

CPT Code(s)
86648 Antibody; Diphtheria

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Direct LDL Cholesterol

Order Synonym(s)
Direct LDL Cholesterol
Direct LDL Cholesterol Level
LDL Cholesterol Direct

Associated DTA(s)
Direct LDL Chol

CDM Code(s)

43750069	Direct LDL Cholesterol
43850069	Direct LDL Cholesterol

CPT Code(s)

83721	Lipoprotein, direct measurement; LDL cholesterol

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 5 days

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

DNA Extraction-Mayo

Order Synonym(s)
DNA Extraction-Mayo
DNA Extraxtion Mayo
Mayo-DNA Extraction

Associated DTA(s)
DNA Ext Amend-Mayo
DNA Ext Cmnt-Mayo
DNA Ext Ord Dt-Mayo
DNA Ext Rel Dt-Mayo
DNA Ext Rev By-Mayo
DNA Ext Source-Mayo
DNA Ext Spec ID-Mayo
DNA Ext Spec-Mayo

CDM Code(s)

[Continued]

43764278 DNA Extraction-Mayo
43864278 DNA Extraction-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Drug Screen Other

Order Synonym(s)
Drug Screen Other

Associated DTA(s)
ODRUG

CDM Code(s)
43752033 Drug Screen Other
43852033 Drug Screen Other

CPT Code(s)
m-80104 Drug Screen Other

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Med TLC

Specimen Type(s)
Other Source

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
15.00	ML

Prep Agent(s)

Drug Screen Urine Comprehensive

Order Synonym(s)
Drug Screen Urine Comprehensive

Associated DTA(s)
U Comp Drug Comment

[Continued]

U Drug Screen Chromatography
U Drug Screen Immunoassay

CDM Code(s)
43752055 Drug Screen Part 2
43852055 Drug Screen Part 2
CPT Code(s)
80100 Drug screen, qualitative; multiple drug classes chromatograp
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Med TLC
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)
Do not order unless Medical Drug Screen 7 with Validation has beenresulted and specific doctor's order is written.

Dummy Test

Order Synonym(s)
Dummy Test
Associated DTA(s)
Dummy Test
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)

[Continued]

Chem Auto

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

EAP Drug Screen,Urine

Order Synonym(s)
EAP Drug Screen,Urine

Associated DTA(s)
EAP Drug Screen
EAP INT

CDM Code(s)
43752147 DRUG SCREEN + THC EAP
43852147 DRUG SCREEN EAP

CPT Code(s)
80100 DRUG SCREEN + THC EAP

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Hit 911

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume **Minimum Volume Unit**
10.00 ML

Prep Agent(s)

EBV Antibody IgG, IgM, and EBNA-Mayo

Order Synonym(s)
EBV Ab IgG, IgM EBNA Mayo
EBV Antibody IgG, IgM, and EBNA-Mayo
Epstein Barr Virus IgG,IgM and EBNA-Mayo
Mayo-EBV Ab, IgG, IgM, and EBNA, S

Associated DTA(s)
EBV Ab Interp-Mayo
EBV Nuclear Ag-Mayo
EBV VCA IgG-Mayo
EBV VCA IgM-Mayo

CDM Code(s)
43764284 EBV Antibody IgG, IgM, and EBNA-Mayo
43864284 EBV Antibody IgG, IgM, and EBNA-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

EC Thyroid Profile

Order Synonym(s)

EC Thyroid Profile

Associated DTA(s)

EC FTI
EC T4
EC TUP

CDM Code(s)

43753114	EC Thyroid Profile
43853114	EC Thyroid Profile

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
0.50	ML

Prep Agent(s)

Ehrlichia chaffeensis (HME) Antibody IgG

Order Synonym(s)

Associated DTA(s)

[Continued]

Ehrlichia chaffeensis (HME) Antibody IgG-Mayo E chaffeen IgG-Mayo
Ehrlichia chaffeensis Ab IgG Mayo
HME Antibody, IgG-Mayo
Human Monocytic Ehrlichiosis Antibody, IgG-Mayo
Mayo-Ehrlichia chaffeensis (HME) Ab, IgG

CDM Code(s)

43761203 Ehrlichia chaffeensis (HME) Antibody IgG-Mayo
43861203 Ehrlichia chaffeensis (HME) Antibody IgG-Mayo

CPT Code(s)

86666 Ehrlichia chaffeensis (HME) Antibody IgG-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Elastase (Pancreatic Elastase 1)-Mayo

Order Synonym(s)	Associated DTA(s)
Elastase (Pancreatic Elastase 1)-Mayo	Elastase-Mayo
Elastase (Pancreatic Elastase) Mayo	
Mayo-Elastase (Pancreatic Elastase 1)	
Pancreatic Elastase-Mayo	

CDM Code(s)

43764288 Elastase (Pancreatic Elastase 1)-Mayo
43864288 Elastase (Pancreatic Elastase 1)-Mayo

CPT Code(s)

83519 Elastase (Pancreatic Elastase 1)-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Electrolyte Panel

Order Synonym(s)	Associated DTA(s)
Electrolyte Panel	AGAP
Electrolytes	CO2 Lvl
Lytes	Cl Lvl
	K Lvl
	NA Lvl

CDM Code(s)

43750110	ELECTROLYTES
43850110	ELECTROLYTES

CPT Code(s)

80051	Electrolyte panel This panel must include the following: Car

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Electrolyte Panel Random Urine

Order Synonym(s)	Associated DTA(s)
Electolyte Urine Random	U Chloride
Electrolyte Panel Random Urine	U Potassium

[Continued]

Lytes Random Urine
Lytes RandomUrine
Urine Electrolytes

U Sodium Rand

CDM Code(s)

43750110	Electrolyte Panel Random Urine
43750109	Electrolyte Panel Random Urine
43850110	Electrolyte Panel Random Urine
43850109	Electrolyte Panel Random Urine

CPT Code(s)

80051	Electrolyte panel This panel must include the following: Car

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Stability Urine samples should be analyzed within 2 Hrs of collection. If it is a timed collection specimen should be refrigerated until t

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Electron Microscopy-Mayo

Order Synonym(s)

Electron Microscopy Mayo
Electron Microscopy-Mayo
Mayo-Electron Microscopy

Associated DTA(s)

Addend Comment-Mayo
EM Accn Nbr Ts-Mayo
EM Ad Path Ts-Mayo
EM Addend Ts-Mayo
EM Auto Diag Ts-Mayo
EM AutopsyDt Ts-Mayo
EM Clin Hist Ts-Mayo
EM Comment Ts-Mayo
EM Dth Dt/TM Ts-Mayo
EM Dth Place Ts-Mayo
EM Fnl Diag Ts-Mayo
EM Material Ts-Mayo

[Continued]

EM MicroDesc Ts-Mayo
EM PRF Ts-Mayo
EM Ref Addr Ts-Mayo
EM Ref Path Ts-Mayo
EM Rev Desc Ts-Mayo
EM SP Sign Ts-Mayo
EM Sign Path Ts-Mayo
EM Spec Proc Ts-Mayo
EM Spec Ts-Mayo
EM Ts Desc Ts-Mayo

CDM Code(s)

43764289	Electron Microscopy-Mayo
43864289	Electron Microscopy-Mayo

CPT Code(s)

88348	Electron Microscopy-Mayo

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
TISSUE
Specimen Container Instruction(s)
Gluteraldehyde
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Employment Alcohol Urine

Order Synonym(s)
Employment Alcohol Urine
Employment Ethanol Urine
Urine Employment Alcohol
Associated DTA(s)
U Employ Alc
U Employ Alc Comment
CDM Code(s)

43752184	URINE ALCOHOL
43852184	URINE ALCOHOL

CPT Code(s)

82055	Alcohol (ethanol); any specimen except breath

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Hit 911
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Employment Blood Alcohol

Order Synonym(s)
Alcohol Employment Blood
Employment Alcohol Blood
Employment Blood Alcohol

Associated DTA(s)
EBA

CDM Code(s)

43752008	WHOLE BLOOD ALCOHOL
43852008	WHOLE BLOOD ALCOHOL

CPT Code(s)

82055	Alcohol (ethanol); any specimen except breath

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Hit 911

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Employment Drug Screen 10

Order Synonym(s)
Employment Drug Screen 10
Employment Drug Scrn 10

Associated DTA(s)
Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Employment Drug 10 Comment
Methadone Lvl
Opiates
Oxycodone Qual
PCP

[Continued]

Propoxyphene Qual
THC

CDM Code(s)

43752026	Employment Drug Screen 10
43852026	Employment Drug Screen 10

CPT Code(s)

80101	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Hit 911

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Employment Drug Screen 5

Order Synonym(s)	Associated DTA(s)
Employment Drug Screen 5	Amphetamines
Employment Drug Scrn 5	Cocaine
Urine Employment Drug Screen 5	Employ Drug 5 Comment
	Opiates
	PCP
	THC

CDM Code(s)

43752031	Employment Drug Screen 5
43852031	Employment Drug Screen 5

CPT Code(s)

80101	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Hit 911

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit

[Continued]

10.00 ML

Prep Agent(s)

Employment Drug Screen 6

Order Synonym(s)
Employment Drug Screen 6
Employment Drug Scrn 6
Urine Employment Drug Screen 6

Associated DTA(s)
Amphetamines
Barbiturate
Cocaine
Employ Drug 6 Comment
Opiates
PCP
THC

CDM Code(s)

43752030	Employment Drug Screen 6
43852030	Employment Drug Screen 6

CPT Code(s)

80101	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Hit 911

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Employment Drug Screen 7

Order Synonym(s)
Employment Drug Screen 7
Employment Drug Scrn 7
Urine Employment Drug Screen 7

Associated DTA(s)
Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Employee Drug 7 Comment
Opiates
PCP
THC

CDM Code(s)
43752029

[Continued]

43852029

CPT Code(s)

80101 Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Hit 911

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Encainide (Enkaid) Level-Mayo

Order Synonym(s)

Encainide (Enkaid) Level-Mayo
Enkaid Level Mayo
Enkaid Level-Mayo
Mayo-ENCAINIDE (ENKAID)

Associated DTA(s)

0-Demethylen Lvl-Mayo
3-Methoxy-Ode-Mayo
Encainide Lvl-Mayo

CDM Code(s)

43761932 Encainide (Enkaid) Level-Mayo
43891932 Encainide (Enkaid) Level-Mayo

CPT Code(s)

82492 Encainide (Enkaid) Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Endomysial Antibody IgA-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Endomysial Ab IgA Mayo
Endomysial Antibody IgA-Mayo
Mayo-Endomysial Abs, S (IgA)

Endomysial IgA-Mayo

CDM Code(s)

43762778 Endomysial Antibody IgA-Mayo
43862778 Endomysial Antibody IgA-Mayo

CPT Code(s)

86256 Fluorescent noninfectious agent antibody; titer, each antibo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Entamoeba histolytica Antibody-Mayo

Order Synonym(s)

E.histolytica Ab-Mayo
Entamoeba histolytica Ab Mayo
Entamoeba histolytica Antibody-Mayo
Mayo-E. Histolytica Ab, S

Associated DTA(s)

E histolytic Ab-Mayo

CDM Code(s)

43761462 Entamoeba histolytica Antibody-Mayo
43861462 Entamoeba histolytica Antibody-Mayo

CPT Code(s)

87337 Entamoeba histolytica Antibody-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Enterovirus by Rapid PCR-Mayo

Order Synonym(s)
- Enterovirus PCR Mayo
- Enterovirus by Rapid PCR-Mayo
- Mayo-Enterovirus by Rapid PCR

Associated DTA(s)
- Entero Info CSF-Mayo
- Entero Rslt CSF-Mayo
- Entero Src CSF-Mayo
- Entero Stat CSF-Mayo

CDM Code(s)

43760116	Enterovirus CSF by Rapid PCR-Mayo
43860116	Enterovirus CSF by Rapid PCR-Mayo

CPT Code(s)

87798	Infectious agent detection by nucleic acid (DNA or RNA), not

Default Collection Method(s)
- Micro Swab
- Sterile Procedure

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- BAL
- BRONCH WASH
- CSF
- FLUID
- NASAL ASP
- RECTUM
- SPUTUM
- TRACH ASP

Specimen Container Instruction(s)
- Micro Media
- Sterile Container

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)
- Mayo Refrig Roch Send Outs
- Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML
1.50	ML

Prep Agent(s)

Enterovirus RNA Qualitative by RT PCR-Ma

Order Synonym(s)

Associated DTA(s)

[Continued]

Enterovirus RNA Qual PCR Mayo
Enterovirus RNA Qualitative by RT PCR-Mayo
Mayo-ENTEROVIRUS RNA, QUALITATIVE,RT-PCR
Ent RT-PCR Src-Mayo
Entero RT-PCR-Mayo

CDM Code(s)

43764290	Enterovirus RNA Qualitative by RT PCR-Mayo
43864290	Enterovirus RNA Qualitative by RT PCR-Mayo

CPT Code(s)

87798	Enterovirus RNA Qualitative by RT PCR-Mayo

Default Collection Method(s)
Clean Container
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
RECTAL SWAB	Stool Container
STOOL	VirTnsMed
THROAT	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Eosinophil Body Fluid

Order Synonym(s)	Associated DTA(s)
Eosinophil Body Fluid	Eosin Body Fl Type
Eosinophil Body Fluid Count	Fl Eosin
Fluid Eosinophil	

CDM Code(s)

43710089	Eosinophil Body Fluid
43810089	Eosinophil Body Fluid

CPT Code(s)

89190	Eosinophil Body Fluid

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Fluids

Specimen Type(s)	Specimen Container Instruction(s)
FLUID	FLD

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.20	ML

Prep Agent(s)

Eosinophil Count

Order Synonym(s)
Absolute Eosinophil Count
Eosinophil Blood
Eosinophil Count
Total Eosinophil Count

Associated DTA(s)
Eosin Blood

CDM Code(s)

43710022	EOSINOPHIL COUNT
43810022	EOSINOPHIL COUNT

CPT Code(s)

85048	Blood count; leukocyte (WBC), automated

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Eosinophil Smear Fecal

Order Synonym(s)
Eosinophil Smear Fecal
Eosinophil Smear, Fecal
Fecal Eosinophil Smear
Stool for Eosinophil
Stool for Esoinophil

Associated DTA(s)
Eosin Stool

CDM Code(s)

43710022	Eosinophil Smear Fecal
43810022	Eosinophil Smear Fecal

CPT Code(s)

85048	Blood count; leukocyte (WBC), automated

Default Collection Method(s)

[Continued]

Capillary

Service Resource(s)

MCCG Man UA

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Urinalysis

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Eosinophil Smear Nasal

Order Synonym(s)

Eosinophil Smear Nasal
Eosinophil Smear, Nasal
Nasal Eosinophils

Associated DTA(s)

Eosin Nasal

CDM Code(s)

43710092	Eosinophil Smear Nasal
43810092	Eosinophil Smear Nasal

CPT Code(s)

89190	Eosinophil Smear Nasal

Default Collection Method(s)

Micro Swab

Service Resource(s)

MCCG Man UA

Specimen Type(s)

NASAL

Specimen Container Instruction(s)

Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Urinalysis

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Eosinophil Smear Sputum

Order Synonym(s)

Eosinophil Smear Sputum
Eosinophil Smear, Sputum
Sputum Eosinophil Smear

Associated DTA(s)

Eosin Sputum

CDM Code(s)

[Continued]

43710022 SPUTUM EOSINOPHILS
43810022 SPUTUM EOSINOPHILS

CPT Code(s)
85048 Blood count; leukocyte (WBC), automated

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Man UA

Specimen Type(s)
SPUTUM

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Eosinophil Urine

Order Synonym(s)
Eosinophil Urine
Eosinophil, Urine
Urine Eosinophil

Associated DTA(s)
Eosin Urine

CDM Code(s)
43710022 Eosinophil Urine
43810022 Eosinophil Urine

CPT Code(s)
85048 Blood count; leukocyte (WBC), automated

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Man UA

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Epstein Barr Virus CSF by Rapid PCR-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

CSF EBV by PCR-Mayo
CSF Epstein Barr Virus by PCR-Mayo
EBV CSF PCR Mayo
EBV CSF by PCR-Mayo
Epstein Barr Virus CSF by Rapid PCR-Mayo
Mayo-Epstein Barr Virus by Rapid PCR
EBV Result CSF-Mayo
EBV SP Info CSF-Mayo
EBV Src CSF-Mayo
EBV Status CSF-Mayo

CDM Code(s)

43764291 Epstein Barr Virus CSF by Rapid PCR-Mayo
43864291 Epstein Barr Virus CSF by Rapid PCR-Mayo

CPT Code(s)

87798 Epstein Barr Virus CSF by Rapid PCR-Mayo

Default Collection Method(s)

Sterile Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Epstein-Barr Virus Antibody IgG, Early A

Order Synonym(s)

EBV Ab IgG, Early Ag Mayo
EBV Antibody IgG, Early Ag-Mayo
Epstein-Barr Virus Antibody IgG, Early Ag-Mayo
Mayo-Epstein-Barr Virus IgG Ab, Early Ag

Associated DTA(s)

EBV IgG/EarlyAg-Mayo

CDM Code(s)

43762758 Epstein-Barr Virus Antibody IgG, Early Ag-Mayo
43862758 Epstein-Barr Virus Antibody IgG, Early Ag-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Erythropoietin Level-Mayo

Order Synonym(s)
EPO Level-Mayo
Epogen Level-Mayo
Erthropoeitin Level Mayo
Erythropoietin Level-Mayo
Mayo-Erythropoietin (EPO), S
Associated DTA(s)
Erythro Lvl-Mayo
CDM Code(s)
43762725 Erythropoietin Level-Mayo
43862725 Erythropoietin Level-Mayo
CPT Code(s)
82668 Erythropoietin
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Estradiol Level

Order Synonym(s)
Estradiol
Estradiol Level
Associated DTA(s)
Estradiol Lvl
CDM Code(s)
43753201 ESTRADIOL
43853201 ESTRADIOL
CPT Code(s)
82670 Estradiol
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Estradiol Pediatric-ARUP

Order Synonym(s)	Associated DTA(s)
Estradiol Pediatric-ARUP	Estradiol, Ped- ARUP
Pediatric Estradiol-ARUP	

CDM Code(s)

43767603	Estradiol Child Male Postmenp
43867603	Estradiol Child Male Postmenp

CPT Code(s)

82670	Estradiol

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Seperate serum ASAP

Specimen Stability

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit
1.30	ML

Prep Agent(s)

Estriol Unconjugated-Mayo

Order Synonym(s)	Associated DTA(s)

[Continued]

E3 Unconjugated-Mayo
Estriol Unconjugated Mayo
Estriol Unconjugated-Mayo
Mayo-Estriol, Unconjugated, S
Unconjugated Estriol-Mayo

Estriol Unconj-Mayo

CDM Code(s)

43761850	Estriol Unconjugated-Mayo
43861850	Estriol Unconjugated-Mayo

CPT Code(s)

82677	Estriol

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Estrone Pediatric-ARUP

Order Synonym(s)	Associated DTA(s)
Estrone Pediatric-ARUP	Estrone, Ped-ARUP
Pediatric Estrone-ARUP	

CDM Code(s)

43767602	Estrone
43867602	Estrone

CPT Code(s)

82679	Estrone

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Seperate serum ASAP
Specimen Stability
Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit

[Continued]

1.30 ML

Prep Agent(s)

Estrone-Mayo

Order Synonym(s)
E1-Mayo
Estrone Mayo
Estrone-Mayo
Mayo-Estrone, S

Associated DTA(s)
Estrone-Mayo

CDM Code(s)

43764292	Estrone-Mayo
43864292	Estrone-Mayo

CPT Code(s)

82679	Estrone-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.50	ML

Prep Agent(s)

Ethosuximide-Mayo

Order Synonym(s)
Ethosuximide Mayo
Ethosuximide-Mayo
Mayo-Ethosuximide, P
Zarontin-Mayo

Associated DTA(s)
Ethosux Lvl-Mayo

CDM Code(s)

43764624	Ethosuximide-Mayo
43864624	Ethosuximide-Mayo

CPT Code(s)

80168	Ethosuximide-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Ethylene Glycol Level

Order Synonym(s)
Ethylene Glycol
Ethylene Glycol Level

Associated DTA(s)
Ethylene Glycol Lvl

CDM Code(s)

43752300	Ethylene Glycol Level
43852300	Ethylene Glycol Level

CPT Code(s)

82693	Ethylene glycol

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Med GC

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Factor II Assay-Mayo

Order Synonym(s)
Factor II Activity-Mayo
Factor II Assay Mayo
Factor II Assay-Mayo
Mayo-Coag Factor II Assay, P

Associated DTA(s)
Factor II-Mayo

CDM Code(s)

[Continued]

43764293 Factor II Assay-Mayo
43864293 Factor II Assay-Mayo

CPT Code(s)
85210 Factor II Assay-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Factor IX Assay

Order Synonym(s)
Factor IX
Factor IX Assay

Associated DTA(s)
Factor IX Lvl

CDM Code(s)
43711011 FACTOR 9
43811011 FACTOR 9

CPT Code(s)
85250 Clotting; factor IX (PTC or Christmas)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Factor V Assay-Mayo

Order Synonym(s)
Factor V Activity-Mayo
Factor V Assay Mayo
Factor V Assay-Mayo
Mayo-Coag Factor V Assay, P

Associated DTA(s)
Factor V Cmnt-Mayo
Factor V-Mayo

CDM Code(s)

43764295	Factor V Assay-Mayo
43864295	Factor V Assay-Mayo

CPT Code(s)

85220	Factor V Assay-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Factor V Leiden (R506Q) Mutation-Mayo

Order Synonym(s)
Factor V Leiden (R506Q) Mutation-Mayo
Factor V Leiden Mutation R506Q Mayo
Mayo-Factor V Leiden (R506Q) Mutation, B
R506Q Mutation-Mayo

Associated DTA(s)
Fac V Leid Amnd-Mayo
Fac V Leid Int-Mayo
Fac V Leid Mthd-Mayo
Fac V Leid OrdDt-Mayo
Fac V Leid Rel-Mayo
Fac V Leid Rev-Mayo
Fac V Leid Rslt-Mayo
Fac V Leid Rsn-Mayo
Fac V Leid Spec-Mayo
Fac V Leid SpecID-Mayo
Fac V Leid Src-Mayo

CDM Code(s)

43764625	Factor V Leiden (R506Q) Mutation-Mayo
43765103	Factor V Leiden (R506Q) Mutation-Mayo
43864625	Factor V Leiden (R506Q) Mutation-Mayo
43865103	Factor V Leiden (R506Q) Mutation-Mayo

CPT Code(s)

[Continued]

81241 F5 (coagulation Factor V) (eg, hereditary hypercoagulability

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Fill tube to top. Do not spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Factor VIII Assay

Order Synonym(s)
Factor 8 Assay
Factor VIII
Factor VIII Assay

Associated DTA(s)
Factor VIII Lvl

CDM Code(s)
43711012 FACTOR ASSAY
43811012 FACTOR ASSAY

CPT Code(s)
85240 Clotting; factor VIII (AHG), one stage

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Factor XI Assay-Mayo

Order Synonym(s)
Factor XI Assay Mayo
Factor XI Assay-Mayo
Mayo-Coag Factor XI Assay, P

Associated DTA(s)
Factor XI-Mayo

CDM Code(s)

43764300	Factor XI Assay-Mayo
43864300	Factor XI Assay-Mayo

CPT Code(s)

85270	Factor XI Assay-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Factor XII Assay-Mayo

Order Synonym(s)
Factor XII Assay Mayo
Factor XII Assay-Mayo
Mayo-Coag Factor XII Assay, P

Associated DTA(s)
Factor XII-Mayo

CDM Code(s)

43764305	Factor XII Assay-Mayo
43864305	Factor XII Assay-Mayo

CPT Code(s)

85230	Factor XII Assay-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**

2.00 ML

Prep Agent(s)

Fatty Acid Profile, Comprehensive-Mayo

Order Synonym(s)

Fatty Acid Profile, Comprehensive-Mayo

Associated DTA(s)

Fatty Acid Comprehensive Profile-Mayo

CDM Code(s)

43764894 Fatty Acid Profile Comp Mayo

43864894 Fatty Acid Profile Comp Mayo

CPT Code(s)

82544 Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**

2.00 ML

Prep Agent(s)

Fatty Acid Profile, Mitochondrial-Mayo

Order Synonym(s)

Fatty Acid Profile, Mitochondrial-Mayo

Associated DTA(s)

Fatty Acid Profile, Mitochondrial-Mayo

CDM Code(s)

43764895 Fatty Acid Prof Mitoch Mayo

43864895 Fatty Acid Prof Mitoch Mayo

CPT Code(s)

82544 Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Fatty Acid Profile, Peroxisomal-Mayo

Order Synonym(s)
Fatty Acid Profile Peroxisomal Mayo
Fatty Acid Profile, Peroxisomal-Mayo
Mayo-Fatty Acid Profile, Peroxisomal, S
Very Long Chain Fatty Acids-Mayo

Associated DTA(s)
C22:0-Mayo
C24:0-Mayo
C24:0/C22:0-Mayo
C26:0-Mayo
C26:0/C22:0-Mayo
Fatty Acid Cmnt-Mayo
Phytanic Acid-Mayo
Pris/Phyt Ratio-Mayo
Pristanic Acid-Mayo

CDM Code(s)

43764306	Fatty Acid Profile, Peroxisomal-Mayo
43864306	Fatty Acid Profile, Peroxisomal-Mayo

CPT Code(s)

82726	Fatty Acid Profile, Peroxisomal-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Fecal Chloride, Random or 24 Hour-Mayo

Order Synonym(s)
Chloride Fecal, Random or 24 Hour-Mayo
Fecal Chloride, Random or 24 Hour-Mayo

Associated DTA(s)
Chloride Fecal-Mayo

CDM Code(s)

43765057	Fecal Chloride

[Continued]

43865057 Fecal Chloride

CPT Code(s)

82438 Fecal Chloride

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Stool Cont

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Fecal Electroloytes, Random or 24 Hour-M

Order Synonym(s)

Electrolytes Fecal, Random or 24 Hour-Mayo
Fecal Electroloytes, Random or 24 Hour-Mayo

Associated DTA(s)

Electrolytes Fecal-Mayo

CDM Code(s)

43765056 Fecal Electrolytes
43865056 Fecal Electrolytes

CPT Code(s)

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Stool Cont

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Fecal Fat Quantitative with Total Volume

Order Synonym(s)

Fecal Fat Quantitative with Total Volume

Associated DTA(s)

Fecal Fat

[Continued]

Fecal Lipid Quant with Total Volume — Fecal Wt.
Fecal Lipid Quantitative 24 Hour
Fecal Lipid Quantitative 48 Hour
Fecal Lipid Quantitative 72 Hour
Fecal Lipid Quantitative with Total Volume
Quantitative 24 Hour Fecal Fat
Quantitative 48 Hour Fecal Fat
Quantitative 72 Hour Fecal Fat
Quantitative Fecal Fat with Total Volume
Stool for Fat Quantitative 24 Hour
Stool for Fat Quantitative 48 Hour
Stool for Fat Quantitative 72 Hour
Stool for Fat Quantitative with Total Volume

CDM Code(s)

43761101 FECAL FAT QUANT
43861101 FECAL FAT QUANT

CPT Code(s)

82710 Fat or lipids, feces; quantitative

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Stool Container 24 hr

Specimen Handling Instruction(s)

Specimen Stability

48 Hour stool collection required.

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

-Normal Fat Diet (80 - 120 grams/day) for 3 days prior to the start of the collection.-Begin a 72 hour stool collection and continue a Normal Fat Diet for the entire period.-Patient must be instructed on the importance of collecting all stools for the 72 hour period.-Medication alert: No laxatives for three days.

Fecal Fat Screen

Order Synonym(s)

Fat Screen
Fecal Fat Qualitative
Fecal Fat Screen

Associated DTA(s)

Fat Screen

[Continued]

Fecal Fat Screen Qual
Stool for Fat

CDM Code(s)

43730183	FAT ESTIMATE FECES
43830183	FecFat Ql

CPT Code(s)

89125	Fat stain, feces, urine, or respiratory secretions

Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)	Specimen Container Instruction(s)
FECES	Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability
Random Stool collection
Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Fecal K Random or 24 Hr-Mayo

Order Synonym(s)	Associated DTA(s)
Fecal K Random or 24 Hr-Mayo	Potassium Fecal-Mayo
Fecal Potassium-Mayo	
Potassium Fecal-Mayo	

CDM Code(s)

43765058	Fecal Potassium
43865058	Fecal Potassium

CPT Code(s)

84999	Fecal Potassium

Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
FECES	Stool Cont

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

20.00 ML

Prep Agent(s)

Fecal Magnesium, Random or 24 Hour-Mayo

Order Synonym(s)
Fecal Magnesium, Random or 24 Hour-Mayo
Magnesium Fecal, Random or 24 Hour-Mayo

Associated DTA(s)
Magnesium Fecal-Mayo

CDM Code(s)
43765059 Fecal Magnesium
43865059 Fecal Magnesium

CPT Code(s)
83735 Fecal Magnesium

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Stool Cont

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Fecal Osmolality-Mayo

Order Synonym(s)
Fecal Osmolality-Mayo
Osmolality Fecal-Mayo

Associated DTA(s)
Osmolality Fecal-Mayo

CDM Code(s)
43765090 Fecal Osmolality-Mayo
43865090 Fecal Osmolality-Mayo

CPT Code(s)
84999 Unlisted chemistry procedure

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Stool Cont

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Fecal pH

Order Synonym(s)
Fecal pH
Fecal pH Level
Stool pH
pH Fecal
pH Stool

Associated DTA(s)
pH Fecal

CDM Code(s)

43730173	PH FECES
43830173	Stool pH

CPT Code(s)

83986	pH, body fluid, except blood

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Fecal Reducing Substance

Order Synonym(s)
Fecal Reducing Substance
Fecal Reducing Substance Level
Reducing Substance Stool
Stool Reducing Substance

Associated DTA(s)
Fecal Red Sub Interp
Fecal Reduc Subst

CDM Code(s)

43730163	REDUCING-SUBSTANCE FECES
43830163	Stool Red Sub

CPT Code(s)

81005	Urinalysis; qualitative or semiquantitative, except immunoas

Default Collection Method(s)

[Continued]

Clean Container

Service Resource(s)

MCCG Misc Micro Bench

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Fecal Sodium, Random or 24 Hour-Mayo

Order Synonym(s)

Fecal Sodium, Random or 24 Hour-Mayo
Sodium Fecal, Random or 24 Hour-Mayo

Associated DTA(s)

Sodium Fecal-Mayo

CDM Code(s)

43765060	Fecal Sodium
43865060	Fecal Sodium

CPT Code(s)

84302	Fecal Sodium

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Stool Cont

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Fentanyl Level (Forensic) Urine

Order Synonym(s)

Fentanyl Level (Forensic) Urine

Associated DTA(s)

U Fentanyl For

CDM Code(s)

43761913	Fentanyl Level (Forensic) Urine-Mayo
43861913	Fentanyl Level (Forensic) Urine-Mayo

CPT Code(s)

[Continued]

83925 Fentanyl Level (Forensic) Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Ferritin Level

Order Synonym(s)
Ferritin Level

Associated DTA(s)
Ferritin

CDM Code(s)
43753041 FERRITIN
43853041 FERRITIN

CPT Code(s)
82728 Ferritin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Fetal Fibronectin Special Swab

Order Synonym(s)
Fetal Fibronectin Special Swab
Fetal Fibronectin Swab
Fibronectin Fetal Special Swab

Associated DTA(s)
Fetal Fibronect

CDM Code(s)

43756110	Fetal Fibronectin Special Swab
43856110	Fetal Fibronectin Special Swab

CPT Code(s)

82731	Fetal fibronectin, cervicovaginal secretions, semi-quantitat

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
Special Swab

Specimen Container Instruction(s)
Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Fibrinogen

Order Synonym(s)
Fibrinogen
Fibrinogen Level

Associated DTA(s)
Fibrinogen

CDM Code(s)

43711017	FIBRINOGEN
43811017	FIBRINOGEN

CPT Code(s)

85384	Fibrinogen; activity

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 4 hrs
Collection Class(es)
Coag
Minimum Volume **Minimum Volume Unit**
0.50 ML
Prep Agent(s)

Flow Cytometry

Order Synonym(s)
AP Flow Cytometry
Flow Cytometry
Associated DTA(s)
Flow Cytometry
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Other Ref Lab
MCCG US Labs
Specimen Type(s)
CSF
LYMPH NODE
Other Source
PLEURAL FL
TISSUE
Specimen Container Instruction(s)
Clean Container
RPMI
Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
3.00 ML
Prep Agent(s)

Flow Cytometry Blood to CHOA

Order Synonym(s)
Flow Cytometry Blood to CHOA
Associated DTA(s)
Flow Cytometry Blood - CHOA
CDM Code(s)
43707146 Flow cytometry, cell surface, cytoplasmic, or nuclear marker
43807146 Flow cytometry, cell surface, cytoplasmic, or nuclear marker
CPT Code(s)
88184 Flow cytometry, cell surface, cytoplasmic, or nuclear marker
Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG Other Ref Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)
Do not spin;keep at room temp

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Flow Cytometry Bone Marrow to CHOA

Order Synonym(s)
Flow Cytometry Bone Marrow to CHOA

Associated DTA(s)
Flow Cytometry Bone Marrow - CHOA

CDM Code(s)

43707146	Flow cytometry, cell surface, cytoplasmic, or nuclear marker
43807146	Flow cytometry, cell surface, cytoplasmic, or nuclear marker

CPT Code(s)

88184	Flow cytometry, cell surface, cytoplasmic, or nuclear marker

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
BONE MARROW

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)
Keep at Room Temperature

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Fluconazole Level-Mayo

Order Synonym(s)
Fluconazole Level Mayo
Fluconazole Level-Mayo
Mayo-Fluconazole, S

Associated DTA(s)
Fluconazole Lvl-Mayo

CDM Code(s)

43764307	Fluconazole Level-Mayo
43864307	Fluconazole Level-Mayo

CPT Code(s)

[Continued]

80299 Fluconazole Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Fluid Cell Count

Order Synonym(s)
Cell Count Body Fluid
Fluid Cell Count
Fluid Cell Count Total

Associated DTA(s)
Cell Cnt Body Fld Type
Color
Fl RBC
Fl RBC Count
Fl WBC
Fl WBC Count
Fluid Comment
RBC Result Method?
Tube #
Turbidity
WBC Result Method?

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Fluids

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: less than 2 hrs, greater than 2 hrs add comment FLD2HR

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Print and place on patients chart or in the Requisition book.Fluid cell counts must be sent to the Lab immediately.Please call ext 2503 for Lab pickup.

Fluid Mucin

Order Synonym(s)
Fluid Mucin
Fluid Mucin Level
Mucin Clot Body Fluid

Associated DTA(s)
Fluid Mucin

CDM Code(s)

43730158	MUCIN
43830158	MUCIN

CPT Code(s)

83872	MUCIN

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
SYNOVIAL FL

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Folate Level

Order Synonym(s)
Folate Level
Folic Acid
Folic Acid Level

Associated DTA(s)
Folate

CDM Code(s)

43753051	Folate Level
43853051	Folate Level

CPT Code(s)

82746	Folic acid; serum

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Follicle Stimulating Hormone Level

Order Synonym(s)
FSH
FSH Level
Follicle Stimulating Hormone Level

Associated DTA(s)
FSH

CDM Code(s)

43753162	FSH
43853162	FSH

CPT Code(s)

83001	Gonadotropin; follicle stimulating hormone (FSH)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Chem Auto

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Fragile X Syndrome, Molecular Analysis-M

Order Synonym(s)

Fragile X Syndrome molecular Analysis Mayo
Fragile X Syndrome, Molecular Analysis-Mayo
Mayo-Fragile X Syndrome, Mol. Analysis

Associated DTA(s)

Frag X Amend-Mayo
Frag X Interp-Mayo
Frag X Method-Mayo
Frag X Ord Date-Mayo
Frag X Ref Rsn-Mayo
Frag X Rel Date-Mayo
Frag X Result-Mayo
Frag X Rev By-Mayo
Frag X Source-Mayo
Frag X Spec ID-Mayo
Frag X Spec-Mayo

CDM Code(s)

43764308	Fragile X Syndrome, Molecular Analysis-Mayo
43765101	Fragile X Syndrome, Molecular Analysis-Mayo
43864308	Fragile X Syndrome, Molecular Analysis-Mayo
43865101	Fragile X Syndrome, Molecular Analysis-Mayo

CPT Code(s)

82143	Amniotic fluid scan (spectrophotometric)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume **Minimum Volume Unit**

2.00 ML

Prep Agent(s)

Free Insulin-Mayo

Order Synonym(s)

Free Insulin Mayo
Free Insulin-Mayo

Associated DTA(s)

Insulin Lvl Fr-Mayo

[Continued]

Insulin Free-Mayo
Mayo-Free Insulin, S

CDM Code(s)

43761356	Free Insulin-Mayo
43861356	Free Insulin-Mayo

CPT Code(s)

83527	Insulin; free

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Free T3

Order Synonym(s)
Free T3
Free Triiodothyronine
T3, Free
Triiodothyronine Free
Associated DTA(s)
Free T3
CDM Code(s)

43753009	Free T3
43853009	Free T3

CPT Code(s)

84481	Triiodothyronine T3; free

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950
Specimen Type(s)
*Outreach Gold
Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood — Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Fructosamine-Mayo

Order Synonym(s)

Fructosamine Mayo
Fructosamine-Mayo
Mayo-Fructosamine, S

Associated DTA(s)

Fructosamine-Mayo

CDM Code(s)

43762792	Fructosamine-Mayo
43862792	Fructosamine-Mayo

CPT Code(s)

82985	Glycated protein

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Fungal Ab Survey-Mayo

Order Synonym(s)

Fungal Ab Survey Mayo
Fungal Ab Survey-Mayo
Fungus Antibody Survey-Mayo
Mayo-Fungal Ab Survey, S

Associated DTA(s)

Blasto Immuno-Mayo
Blastomyces Ab-Mayo
Cocci Comp Fix-Mayo
Cocci IgG-Mayo
Cocci IgM-Mayo
Cryptococcal Ag-Mayo

[Continued]

Fungus Antibody Survey Interp-Mayo
Histo Ab Scr-Mayo

CDM Code(s)
43764637
43864637
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Please draw 2 gold top tubes.
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Fungal Antibody Survey CSF-Mayo

Order Synonym(s)
CSF Fungus Antibody Survey-Mayo
Fungal Ab Survey CSF Mayo
Fungal Antibody Survey CSF-Mayo
Fungus Antibody Survey CSF-Mayo
Mayo-Fungal Ab Survey, CSF

Associated DTA(s)
Blasto Ab CSF-Mayo
Blasto Im CSF-Mayo
Cocci Ab CSF-Mayo
Cocci IgG CSF-Mayo
Cocci IgM CSF-Mayo
Crypto Ag CSF-Mayo
Fungus Antibody Survey CSF Interp-Mayo
Histo Ab CSF-Mayo
Histo Immuno CSF-Mayo
Histo Mycel CSF-Mayo
Histo Yeast CSF-Mayo

CDM Code(s)

43764318	Fungal Antibody Survey CSF-Mayo
43864318	Fungal Antibody Survey CSF-Mayo

CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Specimen Container Instruction(s)

[Continued]

CSF	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.50	ML

Prep Agent(s)

Gabapentin Level-Mayo

Order Synonym(s)
Gabapentin Level-Mayo
Gabapentin Mayo
Mayo-Gabapentin, P/S
Neurontin Level-Mayo

Associated DTA(s)
Gabapentin Lvl-Mayo

CDM Code(s)

43762830	GABA Pentin Level-Mayo
43862830	GABA Pentin Level-Mayo

CPT Code(s)

80299	Quantitation of drug, not elsewhere specified

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

GAD65 Antibody Assay-ARUP

Order Synonym(s)
ARUP-GAD65 Antibody Assay
Anti-GAD-ARUP
GAD65 Antibody Assay-ARUP
Glutamic Acid Decarboxylase Ab-ARUP

Associated DTA(s)
GAD65 Ab Assay-ARUP

CDM Code(s)

43764329	GAD65 Antibody Assay-ARUP

[Continued]

43864329 GAD65 Antibody Assay-ARUP

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

GAD65 Antibody CSF-Mayo

Order Synonym(s)	Associated DTA(s)
CSF GAD65 Antibody-Mayo	GAD65 Ab CSF-Mayo
CSF Glutamic Acid Decarboxylase Ab-Mayo	
GAD65 Ab CSF Mayo	
GAD65 Antibody CSF-Mayo	
Glutamic Acid Decarboxylase Ab CSF-Mayo	
Mayo-GAD65 Ab Assay, CSF	

CDM Code(s)

43764328 GAD65 Antibody CSF-Mayo

43864328 GAD65 Antibody CSF-Mayo

CPT Code(s)

86341 GAD65 Antibody CSF-Mayo

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
CSF	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Gal-1-Phos Uridyl Transferase Phenotype-

Order Synonym(s)
Gal 1 Phos Uridyl Transferase Phenotype Mayo
Gal-1-Phos Uridyl Transferase Phenotype-Mayo
Mayo-Gal-1-Phos Urdyltrns Phenotype,RBC

Associated DTA(s)
Gal-1-Phos Pheno-Mayo

CDM Code(s)

43764330	Gal-1-Phos Uridyl Transferase Phenotype-Mayo
43864330	Gal-1-Phos Uridyl Transferase Phenotype-Mayo

CPT Code(s)

82775	Galactose-1-phosphate uridyl transferase; quantitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Gal-1-Phos Uridyl Transferase Quant-Mayo

Order Synonym(s)
GALT Follow-up Newborn Screen-Mayo
GALT-Mayo
Gal-1-Phos Uridyl Transferase Quant-Mayo
Mayo-Gal-1-P Uridyltransferase, RBC

Associated DTA(s)
G-1-PUT Qnt Cmnt-Mayo
G-1-PUT Qnt-Mayo

CDM Code(s)

43764330	Gal-1-Phos Uridyl Transferase Quant-Mayo.
43864330	Gal-1-Phos Uridyl Transferase Quant-Mayo

CPT Code(s)

82775	Gal-1-Phos Uridyl Transferase Quant-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
5.00 ML
Prep Agent(s)

Galactocerebrosidase, WBC-Mayo

Order Synonym(s)
Galactocerebrosidase, WBC-Mayo
Galactosylcer B Galactosid WBC Mayo
Galactosylcer B-Galactosid, WBC-Mayo
Mayo-Galactosylcer B-Galactosid, WBC
Associated DTA(s)
Galac B-Gal WBC-Mayo
CDM Code(s)
43764334 Galactosylcer B-Galactosid, WBC-Mayo
43864334 Galactosylcer B-Galactosid, WBC-Mayo
CPT Code(s)
82658 Galactosylcer B-Galactosid, WBC-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Yellow ACD
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
7.00 ML
Prep Agent(s)

Galactose Quantitative Urine-Mayo

Order Synonym(s)
Galactose Quant Urine mayo
Galactose Quantitative Urine-Mayo
Mayo-Galactose, QN, U
Urine Galactose Qnt-Mayo
Associated DTA(s)
U Galactose Qnt-Mayo
CDM Code(s)
43764331 Galactose Quantitative Urine-Mayo
43864331 Galactose Quantitative Urine-Mayo
CPT Code(s)
82760 Galactose Quantitative Urine-Mayo
Default Collection Method(s)

[Continued]

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Galactose-1-Phosphate, RBC-Mayo

Order Synonym(s)	Associated DTA(s)
Galactose 1 Phosphate RBC Mayo	Gal-1-Phos Conv-Mayo
Galactose-1-Phosphate, RBC-Mayo	Gal-1-Phos RBC-Mayo
Mayo-Galactose-1-Phosphate, RBC	

CDM Code(s)

43764332	Galactose-1-Phosphate, RBC-Mayo
43864332	Galactose-1-Phosphate, RBC-Mayo

CPT Code(s)

84378	Galactose-1-Phosphate, RBC-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Grn-Sodium Hep

Specimen Handling Instruction(s)

Call Lab prior to collection

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Galactosemia Gene Analysis-Mayo

Order Synonym(s)	Associated DTA(s)
Galactosemia Gene Analysis Mayo	Galact Amend-Mayo
Galactosemia Gene Analysis-Mayo	Galact Interp-Mayo
Mayo-Galactosemia Gene Analysis	Galact Method-Mayo

[Continued]

Galact Order Dt-Mayo
Galact Ref Rsn-Mayo
Galact Rel Date-Mayo
Galact Result-Mayo
Galact Rev By-Mayo
Galact Source-Mayo
Galact Spec ID-Mayo
Galact Spec-Mayo

CDM Code(s)

43764851	Galactosemia Gene Analysis-Mayo
43765108	Galactosemia Gene Analysis-Mayo
43864851	Galactosemia Gene Analysis-Mayo
43865108	Galactosemia Gene Analysis-Mayo

CPT Code(s)

81401	MOLECULAR PATHOLOGY PROCEDURE LEVEL 2

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Gamma Glutamyl Transpeptidase

Order Synonym(s)
GGT
Gamma GT
Gamma Glutamyl Transpeptidase
Associated DTA(s)
GGT
CDM Code(s)

43750121	GAMMA GT
43850121	GAMMA GT

CPT Code(s)

82977	Glutamyltransferase, gamma (GGT)

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults

[Continued]

MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Gastric Drug Screen

Order Synonym(s)
Drug Screen Gastric Contents
Gastric Drug Screen
Gastric Drug Screening

Associated DTA(s)
Gastric Drug Screen

CDM Code(s)

43752033	COMP DRUG SCREEN
43852033	COMP DRUG SCREEN

CPT Code(s)

m-80105	COMP DRUG SCREEN

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Med TLC

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Gastrin Level-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Gastrin Level-Mayo
Gastrin Mayo
Mayo-Gastrin, S

Gastrin-Mayo

CDM Code(s)

43762832	Gastrin Level-Mayo
43862832	Gastrin Level-Mayo

CPT Code(s)

82941	Gastrin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

GC/Chlamydia DNA Probe

Order Synonym(s)
GC/Chlamydia
GC/Chlamydia DNA Prb
GC/Chlamydia DNA Probe

Associated DTA(s)
Chlam DNA Probe
Chlam/GC DNA Interp
GC DNA Probe

CDM Code(s)

43735138	GC/Chlamydia DNA Probe
43835138	GC/Chlamydia DNA Probe

CPT Code(s)

87491	Infectious agent detection by nucleic acid (DNA or RNA); Chl

Default Collection Method(s)
Micro Swab
Sterile Container

Service Resource(s)
MCCG Micro Serology

Specimen Type(s)
CERVIX
PENIS
URETHRA
UTERUS
Urine
VAGINA

Specimen Container Instruction(s)
DNA Probe tube
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
1.00	ML
10.00	ML

Prep Agent(s)

Generic Orderable-Mayo

Order Synonym(s)
Generic Orderable-Mayo
Mayo-Generic Orderable

Associated DTA(s)
GOKEY
Generic Orderable-Mayo

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Mayo Review

Specimen Container Instruction(s)
No Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Gentamicin Level Peak

Order Synonym(s)
Gentamicin Level Peak
Gentamicin Peak
Peak Gentamicin Level

Associated DTA(s)
Gent Pk
Time Gent Given

CDM Code(s)

43752043	Gentamicin Level Peak
43852043	Gentamicin Level Peak

CPT Code(s)

80170	Gentamicin

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Architect
MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability Ambient/Room Temp: 8 hrs Refrigerated: 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Peak levels should be collected 15 - 30 minutes after an infusion or 30 - 60 minutes after an IM administration.

Gentamicin Level Random

Order Synonym(s)	Associated DTA(s)
Gentamicin Level Random	Gent Random
Gentamycin Random	Time Gent Given
Random Gentamicin Level	

CDM Code(s)

43752043	Gentamicin Level Random
43852043	Gentamicin Level Random

CPT Code(s)

80170	Gentamicin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s) **Specimen Container Instruction(s)**

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Gentamicin Level Trough

Order Synonym(s)

Gentamicin Level Trough
Gentamicin Trough
Trough Gentamicin Level

Associated DTA(s)

Gent Tr
Time Gent Given

CDM Code(s)

43752043	Gentamicin Level Trough
43852043	Gentamicin Level Trough

CPT Code(s)

80170	Gentamicin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10 ML

Prep Agent(s)

Trough specimens should be collected within 30 minutes of the next scheduled dose.

Giardia /Cryptosporidium Antigen

Order Synonym(s)
- Crypto /Giardia Ag
- Cryptosporidium Antigen
- Giardia /Crypto Ag
- Giardia /Cryptosporidium Antigen
- Giardia lamblia Antigen
- Giardia/Crypto Ag

Associated DTA(s)
- Cryptosporidium Ag
- Giardia Ag
- Internal QC
- NOTE

CDM Code(s)

43730104	GIASP
43830104	GIASP

CPT Code(s)

87329	Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)
- Clean Container

Service Resource(s)
- MCCG Micro Serology

Specimen Type(s)
- FECES

Specimen Container Instruction(s)
- Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Serology

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Gliadin Antibody Evaluation IgA and IgG-

Order Synonym(s)
- Anti-Gliadin Ab IgA and IgG-Mayo
- Gliadin Ab Evaluation Ig A, Ig G Mayo
- Gliadin Antibody Evaluation IgA and IgG-Mayo
- Mayo-Gliadin Ab Evaluation, S

Associated DTA(s)
- Gliadin IgA-Mayo
- Gliadin IgG-Mayo

CDM Code(s)
- 43761534
- 43861534

CPT Code(s)

[Continued]

83516 Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

Gliadin Antibody IgA-Mayo

Order Synonym(s)
Anti-Gliadin IgA-Mayo
Gliadin Ab IgA Mayo
Gliadin Antibody IgA-Mayo
Mayo-Gliadin IgA, S

Associated DTA(s)
Gliadin IgA-Mayo

CDM Code(s)
43764335 Gliadin Antibody IgA-Mayo
43864335 Gliadin Antibody IgA-Mayo

CPT Code(s)
83516 Gliadin Antibody IgA-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

Gliadin Antibody IgG-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Anti-Gliadin IgG-Mayo
Gliadin Ab IgG Mayo
Gliadin Antibody IgG-Mayo
Mayo-Gliadin IgG, S

Associated DTA(s)
Gliadin IgG-Mayo

CDM Code(s)

43764336	Gliadin Antibody IgG-Mayo
43864336	Gliadin Antibody IgG-Mayo

CPT Code(s)

83516	Gliadin Antibody IgG-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Glomerular Basement Membrane Antibody Ig

Order Synonym(s)
Anti-GBM IgG Ab-Mayo
GBM Ab
GBM IgG Ab-Mayo
Glomerular Basement Membrane Antibody IgG-Mayo
Mayo-Glomerular Basement Membrane IgG Ab

Associated DTA(s)
GBM Ab-Mayo

CDM Code(s)

43762834	Glomerular Basement Membrane Antibody IgG-Mayo
43862834	Glomerular Basement Membrane Antibody IgG-Mayo

CPT Code(s)

83520	Immunoassay, analyte, quantitative; not otherwise specified

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Glucagon Level-Mayo

Order Synonym(s)
Glucagon Level Mayo
Glucagon Level-Mayo
Mayo-Glucagon, P
Associated DTA(s)
Glucagon Lvl-Mayo
CDM Code(s)
43764337 Glucagon Level-Mayo
43864337 Glucagon Level-Mayo
CPT Code(s)
82943 Glucagon
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)
Call Lab prior to collection
Specimen Stability
Collection Class(es)
Mayo On Ice Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

Glucose 2 Hour Post Prandial

Order Synonym(s)
2 Hour Post Prandial Glucose
Glucose 2 Hour Post Prandial
Glucose 2 Hr PP
Associated DTA(s)
2 Hr Gluc Post Prandial
CDM Code(s)
43750126 GLUCOSE BLOOD
43850126 GLUCOSE BLOOD
CPT Code(s)
82947 Glucose; quantitative, blood (except reagent strip)
Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)
-Fasting for 8 hours prior to test (water permitted).-Patient eats a test meal containing about 100 grams of carbohydrates (may take Glucola).-Notify lab at time test meal is ingested.-Specimen is drawn 2 hours after test meal.

Glucose Cerebrospinal Fluid

Order Synonym(s)
CSF Glucose
Glucose CSF
Glucose Cerebrospinal Fluid

Associated DTA(s)
Glucose CSF

CDM Code(s)
43750132 GLUCOSE CSF
43850132 GLUCOSE CSF

CPT Code(s)
82945 Glucose, body fluid, other than blood

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume **Minimum Volume Unit**

[Continued]

0.50	ML

Prep Agent(s)

Glucose Level

Order Synonym(s)
- Blood Sugar Level
- FBS
- Glucose
- Glucose Level
- Random Glucose Level

Associated DTA(s)
- Glucose Lvl

CDM Code(s)

43750126	GLUCOSE BLOOD
43850126	GLUCOSE BLOOD
43850127	Glucose Level

CPT Code(s)

82947	Glucose; quantitative, blood (except reagent strip)

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)
- Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
- Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Glucose Level Body Fluid

Order Synonym(s)
- Fluid Glucose Level

Associated DTA(s)
- Gluc Body Fl Type

[Continued]

Glucose Body Fluid — Glucose Fl
Glucose Level Body Fluid

CDM Code(s)

43750340	FLUID GLUCOSE
43850340	FLUID GLUCOSE

CPT Code(s)

82945	Glucose, body fluid, other than blood

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s) — **Specimen Container Instruction(s)**
FLUID — FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Glucose Level Urine Random

Order Synonym(s) — **Associated DTA(s)**
Glucose Level Urine Random — U Gluc Rand
Glucose Urine, Random
Random Urine Glucose Level
Urine Random Glucose Level

CDM Code(s)

43750340	GLUCOSE URINE QUANT
43850340	GLUCOSE URINE QUANT

CPT Code(s)

82945	Glucose, body fluid, other than blood

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s) — **Specimen Container Instruction(s)**

[Continued]

Urine — Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Glucose-6-PD Quantitative-Mayo

Order Synonym(s)

G6PD Quant Mayo
G6PD-Mayo
Glucose-6-PD Quantitative-Mayo
Mayo-G-6-PD, QN, RBC

Associated DTA(s)

G-6-PD Quant-Mayo

CDM Code(s)

43762812	Glucose-6-PD Quantitative-Mayo
43862812	Glucose-6-PD Quantitative-Mayo

CPT Code(s)

82955	Glucose-6-phosphate dehydrogenase (G6PD); quantitative

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Yellow ACD

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Alternate Tube Type: Lavendar

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Glycated Hemoglobin

Order Synonym(s)

Glycated Hemoglobin
Glycated Hgb
Hemoglobin A1C

Associated DTA(s)

%HGA1C

[Continued]

Hgb A1C

CDM Code(s)

43750305 GLYCATED HGB
43850305 GLYCATED HGB

CPT Code(s)

83036 Hemoglobin; glycosylated (A1C)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Tosoh

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 7 days

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Glycomark-ARUP

Order Synonym(s)	Associated DTA(s)
Anhydoglucitol 1,5 AD-ARUP	1,5 Anhydroglucitol Quant -ARUP
Glycomark-ARUP	

CDM Code(s)

43767609 Glycomark
43867609 Glycomark

CPT Code(s)

84378 Sugars (mono-, di-, and oligosaccharides); single quantitati

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit

[Continued]

1.00 ML

Prep Agent(s)

Gram Stain

Order Synonym(s)
Gram Stain
Gram Stn
Sm Gram
Urine Gram Stain

Associated DTA(s)
Gram Stain

CDM Code(s)

43730066	Gram Stain
43830066	Gram Stain

CPT Code(s)

87205	Smear, primary source with interpretation; Gram or Giemsa st

Default Collection Method(s)
Aspirate
Biopsy
Clean Container
Micro Swab
Scrapings
Sterile Container
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Group A Streptococcus Antigen Screen

Order Synonym(s)
Group A Streptococcus Antigen Screen
Strep Group A Screen

Associated DTA(s)
A Strep Ag

CDM Code(s)

43735122	DIRECT GRP A STREP ANTIGEN
43835122	DIRECT GRP A STREP ANTIGEN

CPT Code(s)

87430	DIRECT GRP A STREP ANTIGEN

Default Collection Method(s)
Micro Swab

Service Resource(s)
MCCG Man UA

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

THROAT Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Growth Hormone-Mayo

Order Synonym(s)

Growth Hormone May
Growth Hormone-Mayo
Mayo-Growth Hormone, S

Associated DTA(s)

Growth Hormone-Mayo

CDM Code(s)

43761126	Growth Hormone-Mayo
43861126	Growth Hormone-Mayo

CPT Code(s)

83003	Growth hormone, human (HGH) (somatotropin)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

H.pylori Breath Analysis - Physician Col

Order Synonym(s)

H.pylori Breath Anal-Physican Coll
H.pylori Breath Analysis - Physician Collection

Associated DTA(s)

Delta over Baseline
H Pylori Breath

CDM Code(s)

43753071	H.pylori Breath Anal & Phys Coll
43853071	H.pylori Breath Anal & Phys Coll

CPT Code(s)

[Continued]

83013 Helicobacter pylori; breath test analysis for urease activit

Default Collection Method(s)
Sterile Container

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
Breath

Specimen Container Instruction(s)
Breath Kit

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

H.pylori Breath Analysis and Collection

Order Synonym(s)
H pylori Breath Analysis and Collection
H. Pylori Breath Anal and Collection
H. Pylori Breath Analysis and Collection
H.pylori Breath Analysis and Collection
Urease Breath Analysis and Collection

Associated DTA(s)
Delta over Baseline
H Pylori Breath

CDM Code(s)
43753074 H.pylori Breath Analysis & Collection
43853074 H.pylori Breath Analysis & Collection

CPT Code(s)
83013 Helicobacter pylori; breath test analysis for urease activit

Default Collection Method(s)
Sterile Container

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
Breath

Specimen Container Instruction(s)
Breath Kit

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Haptoglobin

Order Synonym(s)

Associated DTA(s)

[Continued]

Haptoglobin
Haptoglobin Level

Haptoglobin Lvl

CDM Code(s)

43756036	HAPTOGLOBIN
43856036	HAPTOGLOBIN

CPT Code(s)

83010	Haptoglobin; quantitative

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

HDL Cholesterol

Order Synonym(s)

Cholesterol HDL
HDL
HDL Cholesterol

Associated DTA(s)

HDL Cholesterol

CDM Code(s)

43750159	HDL CHOLESTEROL
43850159	HDL CHOLESTEROL

CPT Code(s)

83718	Lipoprotein, direct measurement; high density cholesterol (H

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Heavy Metal Screen 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Heavy Metal Screen-Mayo
Heavy Metal Screen 24 Hour Urine-Mayo
Heavy Metal Screen Urine, 24 Hr Mayo
Mayo-Heavy Metals Scrn, U
Urine 24 Hr Heavy Metal Screen-Mayo

Associated DTA(s)
Heavy Metal, 24 Hour Urine
Hrs-Mayo
TV-Mayo
U24 Arsenic-Mayo
U24 Cadmium-Mayo
U24 Lead-Mayo
U24 Merc-Mayo

CDM Code(s)

43762848	Heavy Metal Screen 24 Hour Urine-Mayo
43862848	Heavy Metal Screen 24 Hour Urine-Mayo

CPT Code(s)

83015	Heavy metal (eg, arsenic, barium, beryllium, bismuth, antimo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
PreTest dietary restrictions

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

[Continued]

Heavy Metals,Blood-Mayo

Order Synonym(s)
Heavy Metals,Blood-Mayo
Mayo-Heavy Metals, Blood

Associated DTA(s)
Hvy Metals, Blood-Mayo

CDM Code(s)

43762686	Heavy Metals, Blood-Mayo
43862686	Heavy Metals, Blood-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
RoylEDTA

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Helicobacter Pylori Antibody IgA-Mayo

Order Synonym(s)
H pylori IgA Antibody-Mayo
H.pylori IgA Antibody-Mayo
Helicobacter Pylori Ab IgA Mayo
Helicobacter Pylori Antibody IgA-Mayo
Mayo-Helicobacter pylori Ab, IgA, S

Associated DTA(s)
H pylori IgA-Mayo

CDM Code(s)

43761347	Helicobacter Pylori Antibody IgA-Mayo
43861347	Helicobacter Pylori Antibody IgA-Mayo

CPT Code(s)

86677	Antibody; Helicobacter pylori

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.20	ML

Prep Agent(s)

Helicobacter pylori Antibody IgM-Mayo

Order Synonym(s)
H pylori IgM Antibody-Mayo
H.pylori IgM Antibody-Mayo
Helicobacter Pylori Ab IgM Mayo
Helicobacter pylori Antibody IgM-Mayo
Mayo-Helicobacter pylori Ab, IgM, S

Associated DTA(s)
H pylori IgM-Mayo

CDM Code(s)

43764866	Helicobacter pylori Antibody IgM-Mayo
43864866	Helicobacter pylori Antibody IgM-Mayo

CPT Code(s)

86677	Antibody; Helicobacter pylori

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Helicobacter pylori Antigen Stool-Mayo

Order Synonym(s)
H.pylori Antigen Stool-Mayo
Helicobacter Pylori Ag Stool Mayo
Helicobacter pylori Antigen Stool-Mayo
Mayo-Helicobacter pylori Ag, F
Stool for H.pylori Antigen-Mayo

Associated DTA(s)
H pylori Ag Stl-Mayo

CDM Code(s)

43760234	Helicobacter pylori Antigen Stool-Mayo

[Continued]

43860234 Helicobacter pylori Antigen Stool-Mayo

CPT Code(s)

87338 Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

STOOL

Specimen Container Instruction(s)

Stool Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Helicobacter pylori IgG Antibody

Order Synonym(s)

H pylori IgG
H pylori IgG Antibody
H. pylori IgG Ab
H.pylori IgG
Helicobacter pylori IgG Antibody

Associated DTA(s)

Helicobacter pylori IgG

CDM Code(s)

43735190 Helicobacter pylori IgG Antibody
43835190 Helicobacter pylori IgG Antibody

CPT Code(s)

86677 Antibody; Helicobacter pylori

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench
MCCG Vidas

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Lavender and Green (Li Heparin), acceptable. Stability: Ambient/Room Temp: same day Refrigerated: 72 hrs Frozen: 6 mnths Remo

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Hemochromatosis HFE Gene Analysis-Mayo

Order Synonym(s)
- HFE Hemochromatosis Gene Analysis-Mayo
- Hemochromatosis HFE Gene Analysis Mayo
- Hemochromatosis HFE Gene Analysis-Mayo
- Mayo-Hemochromatosis HFE Gene Analysis,B

Associated DTA(s)
- HFE Amendment-Mayo
- HFE Interp-Mayo
- HFE Method-Mayo
- HFE Order Date-Mayo
- HFE Release Dt-Mayo
- HFE Result-Mayo
- HFE Reviewed By-Mayo
- HFE Source-Mayo
- HFE Spec ID-Mayo
- HFE Spec-Mayo

CDM Code(s)
- 43764648
- 43765104
- 43864648
- 43865104

CPT Code(s)

81256	HFE (hemochromatosis) (eg, hereditary hemochromatosis) gene

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- Blood

Specimen Container Instruction(s)
- Lavender

Specimen Handling Instruction(s)
- Do Not Spin

Specimen Stability

Collection Class(es)
- Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Hemoglobin A1c with Estimated Average Gl

Order Synonym(s)
- Glycated Hemoglobin with Estimated Average Glucose
- Glycated Hgb w/Est Ave Glucose
- Glycated Hgb with Est Ave Glucose
- Hemoglobin A1c with Estimated Average Glucose
- Hgb A1C with Est Ave Glucose

Associated DTA(s)
- %HGA1C
- eAG

CDM Code(s)

[Continued]

43750306 HbA1c with eAG
43850306 HbA1c with eAG

CPT Code(s)
83036 Hemoglobin; glycosylated (A1C)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Tosoh

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 7 days

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Hemoglobin A2 & F Quantitation

Order Synonym(s)
Hemoglobin A2 & F Quantitation
Hgb A2 & F Quantitation

Associated DTA(s)
Hemoglobin F
Hemoglobin A2

CDM Code(s)
43755068 Hemoglobin A2 & F Quantitation
43855068 Hemoglobin A2 & F Quantitation

CPT Code(s)
83020 Hemoglobin fractionation and quantitation; electrophoresis (

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Hemoglobin A2 Quantitative

Order Synonym(s)
Hemoglobin A2 Quant
Hemoglobin A2 Quantitative
Hgb A2 Quantitative
Quantitative Hgb A2

Associated DTA(s)
Hemoglobin A2

CDM Code(s)

43755064	Hemoglobin A2 Quantitative
43855064	Hemoglobin A2 Quantitative

CPT Code(s)

83020	Hemoglobin fractionation and quantitation; electrophoresis (

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Hemoglobin and Hematocrit

Order Synonym(s)
H & H
H&H
HH
Hemoglobin and Hematocrit
Hgb/Hct

Associated DTA(s)
HCT
HGB

CDM Code(s)

43710037	HEMOGLOBIN & HEMATOCRIT
43810037	HEMOGLOBIN & HEMATOCRIT

CPT Code(s)

85018	Blood count; hemoglobin (Hgb)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ACT2
MCCG LH 39
MCCG LH 42

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Hemoglobin F Quantitative

Order Synonym(s)	Associated DTA(s)
Hemoglobin F Quant	Hemoglobin F
Hemoglobin F Quantitative	
Hgb F Quantitative	
Quantitative Hemoglobin F	

CDM Code(s)

43755066	Hemoglobin F Quantitative
43855066	Hemoglobin F Quantitative

CPT Code(s)

83020	Hemoglobin fractionation and quantitation; electrophoresis (

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Electrophoresis

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Hemoglobin S Quantitative

Order Synonym(s)	Associated DTA(s)
% Hemoglobin S	Hgb A Qnt
Hemoglobin S %	Hgb S Qnt
Hemoglobin S Quant	
Hemoglobin S Quantitative	
Hemoglobin S Semi-quant	
Hgb S %	

CDM Code(s)

[Continued]

43755060 Hemoglobin S - Quantitative
43855060 Hemoglobin S - Quantitative

CPT Code(s)
83020 Hemoglobin fractionation and quantitation; electrophoresis (

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Hemoglobin Variant Screen

Order Synonym(s)	Associated DTA(s)
Electrophoresis Quantitative Hemoglobin	Hemoglobin F
HGB Electrophoresis Cascade	Hemoglobin A
Hemoglobin Electrophoresis	Hemoglobin A2
Hemoglobin Electrophoresis Quantitative	Hemoglobin C
Hemoglobin Variant Screen	Hemoglobin S
Hemoglobin Variant Screen Test	Hemoglobin Variant Interp
Quantitative Hemoglobin Variant Screen	

CDM Code(s)
43755062 Hemoglobin Variant Screen
43855062 Hemoglobin Variant Screen

CPT Code(s)
83020 Hemoglobin fractionation and quantitation; electrophoresis (

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Hemoglobin, Unstable-Mayo

Order Synonym(s)
Hemoglobin Unstable Mayo
Hemoglobin, Unstable-Mayo
Mayo-Hemoglobin, Unstable, B
Unstable Hemoglobin-Mayo

Associated DTA(s)
Unstable Hgb-Mayo

CDM Code(s)

43764341	Hemoglobin, Unstable-Mayo
43864341	Hemoglobin, Unstable-Mayo

CPT Code(s)

83068	Hemoglobin, Unstable-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Heparin Assay Quantitative

Order Synonym(s)
Anti Factor Xa Level
Factor Xa Inhibitor
Heparin Assay Quant
Heparin Assay Quantitative
Lovenox Level
Low Molecular Weight Heparin

Associated DTA(s)
Heparin Lvl

CDM Code(s)

43711058	Heparin Assay Quantitative
43811058	Heparin Assay Quantitative

CPT Code(s)

85520	Heparin Assay Quantitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx

[Continued]

MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Heparin Induced Thrombocytopenia Associa

Order Synonym(s)
Anti-PF4
HIT Profile
Heparin Associated Antibody
Heparin Autoantibodies
Heparin Induced Thrombocytopenia Assoc
Heparin Induced Thrombocytopenia Associated Antibody
PF4 Antibody
Platelet Factor 4 Antibody
Thrombocytopenia Heparin Induced

Associated DTA(s)
Cutoff OD
Heparin PF4 Ab
OD of Patient
Patient % Neutralization

CDM Code(s)

43753073	Heparin Induced Thrombocytopenia Associated Antibody
43853073	Heparin Induced Thrombocytopenia Associated Antibody

CPT Code(s)

86022	Antibody identification; platelet antibodies

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Elisa

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Refrigerated:less than 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.50	ML

Prep Agent(s)

Hepatitis A Antibody IgM

Order Synonym(s)
Hepatitis A Ab IgM
Hepatitis A Antibody IgM

Associated DTA(s)
Hep A IgM Ab

CDM Code(s)

43753001	Hepatitis A Antibody IgM
43853001	Hepatitis A Antibody IgM

CPT Code(s)

86709	Hepatitis A antibody (HAAb); IgM antibody

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

Hepatitis A Virus Antibodies, Total-ARUP

Order Synonym(s)
HAV Ab Total-ARUP
Hep A Ab Total-ARUP
Hepatitis A Total Antibodies-ARUP
Hepatitis A Virus Antibodies, Total-ARUP

Associated DTA(s)
Hepatitis A Total Ab

CDM Code(s)

43762183	Hepatitis A antibody (HAAb); total

[Continued]

43862183 Hepatitis A antibody (HAAb); total

CPT Code(s)

86708 Hepatitis A antibody (HAAb); total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Transport to lab ASAP

Specimen Stability

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Hepatitis B Core Antibody IgM

Order Synonym(s)

Hepatitis B Core Ab IgM
Hepatitis B Core Antibody IgM

Associated DTA(s)

Hep B Core IgM Ab

CDM Code(s)

43753063 HEPATITIS B CORE AB IGM
43853063 HEPATITIS B CORE IGM AB

CPT Code(s)

86705 HEPATITIS B CORE AB IGM

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

[Continued]

Hepatitis B Surface Antibody

Order Synonym(s)
Hepatitis B Surf Ab
Hepatitis B Surface Antibody

Associated DTA(s)
Hep B Srf Ab

CDM Code(s)

43753059	HEPATITIS B SURFACE AB
43753059	HEPATITIS B SURFACE AB
43853056	HEPATITIS B SURFACE AB

CPT Code(s)

86706	HEPATITIS B SURFACE AB

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Gold-Asperg Ag

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

Hepatitis B Surface Antigen

Order Synonym(s)
Hepatitis B Surf Ag
Hepatitis B Surface Antigen

Associated DTA(s)
Hep B Srf Ag

CDM Code(s)

43753006	Hepatitis B Surface Antigen
43853006	Hepatitis B Surface Antigen

CPT Code(s)

87340	Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

Hepatitis B Virus Core Total Antibody

Order Synonym(s)	Associated DTA(s)
Hepatitis B Core Total Ab	Hep B Core Ab
Hepatitis B Virus Core Total Antibody	

CDM Code(s)

43753061	HEPATITIS B CORE ANTIBODY
43853061	HEPATITIS B CORE ANTIBODY

CPT Code(s)

86704	Hepatitis B core antibody (HBcAb); total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10	ML
1.00	ML

Prep Agent(s)

Hepatitis B Virus DNA Ultra Quant Real T

Order Synonym(s)
- Hepatitis B DNA Ultra Quant Real Time-ARUP
- Hepatitis B Viral Load-ARUP
- Hepatitis B Virus DNA Ultra Quant Real Time PCR-ARUP

Associated DTA(s)
- HBV DNA PCR Interp
- Hep B Virus DNA Qnt PCR IU-ARUP
- Hep B Virus DNA Qnt PCR-ARUP

CDM Code(s)

43762144	Hepatitis B Virus DNA Ultra Quant Real Time PCR
43862144	Hepatitis B Virus DNA Ultra Quant Real Time PCR

CPT Code(s)

87517	Infectious agent detection by nucleic acid (DNA or RNA); hep

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG ARUP Reference Lab

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- ARUP Frozen

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Hepatitis Be Antibody-Mayo

Order Synonym(s)
- Hepatitis Be Ab Mayo
- Hepatitis Be Antibody-Mayo
- Mayo-Hepatitis Be Ab, S

Associated DTA(s)
- Hep Be Ab-Mayo

CDM Code(s)

43762844	Hepatitis Be Antibody-Mayo
43862844	Hepatitis Be Antibody-Mayo

CPT Code(s)

86707	Hepatitis Be antibody (HBeAb)

Default Collection Method(s)
- Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Hepatitis Be Antigen-Mayo

Order Synonym(s)
Hepatitis Be Ag Mayo
Hepatitis Be Antigen-Mayo
Mayo-Hepatitis Be Ag (HBeAg), S

Associated DTA(s)
Hep Be Ag-Mayo

CDM Code(s)

43762842	Hepatitis Be Antigen-Mayo
43862842	Hepatitis Be Antigen-Mayo

CPT Code(s)

87350	Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Hepatitis C Antibody

Order Synonym(s)
HCV Ab
HCV Antibody
Hepatitis C Ab

Associated DTA(s)
Hep C Ab

[Continued]

Hepatitis C Antibody

CDM Code(s)

43753067	HEPATITIS C ANTIBODY
43853067	HEPATITIS C ANTIBODY

CPT Code(s)

86803	Hepatitis C antibody;

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

Hepatitis C PCR Quant reflex to Genotype

Order Synonym(s)	Associated DTA(s)
HCV PCR Quant reflex to Genotype-ARUP	EER Hep C RNA Qnt RT-PCR Rflx
Hepatitis C PCR Quant reflex to Genotype-ARUP	Hep C RNA Qnt IU Component
Hepatitis C Viral Load reflex to Genotype-ARUP	Hep C RNA Qnt PCR
Hepatits C Qnt PCR Rflx to Genotype-ARUP	Hep C RNA Qnt PCR Interp

CDM Code(s)

43761468	Hep C PCR Qnt reflex to Geno
43861468	Hep C PCR Qnt reflex to Geno

CPT Code(s)

87522	Infectious agent detection by nucleic acid (DNA or RNA); hep

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s) **Specimen Stability**

[Continued]

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Hepatitis C RNA PCR Quantitative-ARUP

Order Synonym(s)
HCV Quant-ARUP
HCV Viral Load-ARUP
Hepatitis C Antigen-ARUP
Hepatitis C PCR Quant-ARUP
Hepatitis C RNA PCR Quant-ARUP
Hepatitis C RNA PCR Quantitative-ARUP
Hepatitis C RNA Quant-ARUP
Hepatitis C Viral Load-ARUP

Associated DTA(s)
EER Hep C RNA Qnt RT-PCR
Hep C RNA Qnt IU Component
Hep C RNA Qnt PCR
Hep C RNA Qnt PCR Interp

CDM Code(s)

43761468	Hepatitis C RNA PCR Quantitative
43861468	Hepatitis C RNA PCR Quantitative

CPT Code(s)

87522	Infectious agent detection by nucleic acid (DNA or RNA); hep

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
4.50	ML

Prep Agent(s)

Hepatitis C Virus Subtypes-ARUP

Order Synonym(s)
HCV Genotype-ARUP
HCV Subtype-ARUP
Hepatitis C Genotype-ARUP
Hepatitis C Subtypes-ARUP

Associated DTA(s)
Hep C Virus Genotyping by Seq

[Continued]

Hepatitis C Virus Subtypes-ARUP

CDM Code(s)

43760180 Hepatitis C Virus Subtypes
43860180 Hepatitis C Virus Subtypes

CPT Code(s)

87521 Infectious agent detection by nucleic acid (DNA or RNA); hep

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Hepatitis Profile

Order Synonym(s)

Hepatitis Profile
Hepatitis Profile Comp

Associated DTA(s)

Hep A IgM Ab
Hep B Core Ab
Hep B Srf Ab
Hep B Srf Ag
Hep C Ab
Hep Interp

CDM Code(s)

43753066
43853066

CPT Code(s)

86803 Hepatitis C antibody;

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Abbott Axy
MCCG Architect
MCCG Architect 2000

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 3 days Refrigerated: 7 days Frozen: greater than 7 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Herpes Simplex Virus by Rapid PCR/DNA-Ma

Order Synonym(s)	Associated DTA(s)
HSV by PCR/DNA-Mayo	HSV PCR Info-Mayo
Herpes Simplex PCR/DNA Mayo	HSV PCR Rslt-Mayo
Herpes Simplex Virus by Rapid PCR/DNA-Mayo	HSV PCR Src-Mayo
Mayo-Herpes Simplex Virus by Rapid PCR	HSV PCR Status-Mayo

CDM Code(s)

43764867	Herpes Simplex Virus by Rapid PCR/DNA-Mayo
43864867	Herpes Simplex Virus by Rapid PCR/DNA-Mayo

CPT Code(s)

87529	Infectious agent detection by nucleic acid (DNA or RNA); Her

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
BAL	Sterile Container
Body Fluid	
CSF	
FLUID	
NASAL ASP	
NASAL WASH	
SPUTUM	
TISSUE	
TRACH ASP	

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig NE Send Outs

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Herpes Simplex Virus IgG Type 1 & 2 and

Order Synonym(s)
HSV IgG Type 1 & 2 and IgM Ab
HSV IgG Type 1/2 and IgM Ab
Herpes Simplex Virus IgG Type 1 & 2 and IgM Antibody

Associated DTA(s)
HSV Type 1 IgG Ab
HSV Type 1/2 IgM Ab
HSV Type 2 IgG Ab

CDM Code(s)

43753075	HSV IgG Type 1 & 2 and IgM Ab
43853075	HSV IgG Type 1 & 2 and IgM Ab

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Serology Bench
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Herpes Simplex Virus IgG Type 1&2 Antibo

Order Synonym(s)
HSV IgG Type 1 & 2 Ab
HSV IgG Type 1 & 2 Ab
HSV IgG Type 1/2 Ab
Herpes Simplex Virus IgG Type 1&2 Antibody

Associated DTA(s)
HSV Type 1 IgG Ab
HSV Type 2 IgG Ab

CDM Code(s)

43753079	HSV Type 1 & 2 IGG Ab
43853079	HSV Type 1 & 2 IGG Ab

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Serology Bench
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit

[Continued]

0.50 ML

Prep Agent(s)

Hexosaminidase A (MUGS)-Mayo

Order Synonym(s)
Hexosaminidase A (MUGS)-Mayo
Hexosaminidase A MUGS Mayo
Mayo-Hexosaminidase A (MUGS), S

Associated DTA(s)
Hexoaminidase A-Mayo

CDM Code(s)
43764343 Hexosaminidase A (MUGS)-Mayo
43864343 Hexosaminidase A (MUGS)-Mayo

CPT Code(s)
84999 Hexosaminidase A (MUGS)-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

HF PSA American Cancer Soc

Order Synonym(s)
HF PSA American Cancer Soc
HF PSA Anerican Cancer Society

Associated DTA(s)
PSA

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect
MCCG Architect 2000
MCCG DPC 2500
MCCG DPC SMS

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML

Prep Agent(s)

HHV-6 by Rapid PCR-Mayo

Order Synonym(s)

HHV 6 PCR Mayo
HHV-6 by Rapid PCR-Mayo
Human Herpes Virus 6 by PCR-Mayo
Mayo-HHV-6 by Rapid PCR, P

Associated DTA(s)

HHV 6 PCR Info-Mayo
HHV 6 PCR Rslt-Mayo
HHV 6 PCR Src-Mayo
HHV 6 PCR Stat-Mayo

CDM Code(s)

43764344	HHV-6 by Rapid PCR-Mayo
43864344	HHV-6 by Rapid PCR-Mayo

CPT Code(s)

87536	Infectious agent detection by nucleic acid (DNA or RNA); HIV

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Hippuric Acid Urine-Mayo

Order Synonym(s)

Hippuric Acid Urine Mayo
Hippuric Acid Urine-Mayo
Mayo-Hippuric Acid, Urine
Urine Hippuric Acid-Mayo

Associated DTA(s)

U Creat Hip-Mayo
U Creat Rpt Lmt-Mayo
U HA/Cr Rpt Lmt-Mayo
U Hip Rpt Lmt-Mayo
U Hip-Creat Cor-Mayo

[Continued]

U Hippuric Acid-Mayo

CDM Code(s)

43764345	Hippuric Acid Urine-Mayo
43864345	Hippuric Acid Urine-Mayo

CPT Code(s)

83921	Hippuric Acid Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Histone IgG Autoantibodies

Order Synonym(s)	Associated DTA(s)
Histone IgG Auto Ab	Histone IgG Ab
Histone IgG Autoantibodies	Histone IgG Ab Interp

CDM Code(s)

43735090	Histon IgG Autoantibodies
43835090	Histon IgG Autoantibodies

CPT Code(s)

86235	Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Histoplasma Antibody Screen-Mayo

Order Synonym(s)
Histoplasma Ab Screen Mayo
Histoplasma Antibody Screen-Mayo
Mayo-Histoplasma Ab Screen, S

Associated DTA(s)
Histo Ab Scr-Mayo

CDM Code(s)
43762884
43862884

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Histoplasma Antigen CSF-Mayo

Order Synonym(s)
CSF Histoplasma Antigen-Mayo
Histoplasma Ag CSF Mayo
Histoplasma Antigen CSF-Mayo
Mayo-Histoplasma Ag, CSF

Associated DTA(s)
Histo Ag CSF-Mayo
Histo Ag Cmnt CSF-Mayo

CDM Code(s)

43764347	Histoplasma Antigen CSF-Mayo
43864347	Histoplasma Antigen CSF-Mayo

CPT Code(s)

87385	Histoplasma Antigen CSF-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Histoplasma Antigen Urine-Mayo

Order Synonym(s)
Histoplasma Ag Urine-Mayo
Histoplasma Antigen Urine-Mayo
Urine Histoplasma Ag-Mayo
Urine Histoplasma Antigen-Mayo

Associated DTA(s)
Histoplasma Ag U

CDM Code(s)

43762670	Histoplasma Antigen, Urine
43862670	Histoplasma Antigen, Urine

CPT Code(s)

87449	Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Histoplasma Antigen-Mayo

Order Synonym(s)
Histoplasma Ag Mayo
Histoplasma Antigen-Mayo
Mayo-Histoplasma Ag, S

Associated DTA(s)
Histo Ag Cmnt-Mayo
Histo Ag-Mayo

CDM Code(s)

43764348	Histoplasma Antigen-Mayo
43864348	Histoplasma Antigen-Mayo

CPT Code(s)

87385	Histoplasma Antigen-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

HIV 1 RNA PCR Quantitative-ARUP

Order Synonym(s)
HIV 1 RNA PCR Qnt-ARUP
HIV 1 RNA PCR Quantitative-ARUP
HIV 1 Viral Load-ARUP

Associated DTA(s)
HIV 1 RNA PCR Qnt
HIV RNA Qnt PCR Interp
HIV-1 RNA Qnt Cpy/mL

CDM Code(s)

43762208	HIV 1 RNA PCR Quantitative
43862208	HIV 1 RNA PCR Quantitative

CPT Code(s)

87536	Infectious agent detection by nucleic acid (DNA or RNA); HIV

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Pearl
Blood

Specimen Container Instruction(s)
Lavender
Pearl

Specimen Handling Instruction(s)
Freeze Plasma ASAP

Specimen Stability

Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

HIV 1/2 4th GEN Screen

Order Synonym(s)
HIV 1/2 4th GEN (Initial Screen)
HIV 1/2 4th GEN Screen
HIV 1/2 Antibody Screen
HIV Ab 1/2 (Initial Screen)

Associated DTA(s)
HIV 1/2 4th GEN Screen

[Continued]

Serum,HIV 1/2 Antibody Screen

CDM Code(s)

43753141	HIV AB Screen
43853141	HIV AB Screen

CPT Code(s)

86701	Antibody; HIV-1

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

HIV 1/2 Validation by Multispot

Order Synonym(s)	Associated DTA(s)
HIV 1/2 Validation by Multispot	HIV 1/2 Validation
	HIV 1/2 Validation Interp

CDM Code(s)

43753142	HIV 1/2 Validation by Multispot
43853142	HIV 1/2 Validation by Multispot

CPT Code(s)

86703	Antibody; HIV-1 and HIV-2, single result

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Man Sp Chem

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

HIV 2 Antibody by IBL-Mayo

Order Synonym(s)
HIV 2 Ab IBL Mayo
HIV 2 Antibody by IBL-Mayo
Mayo-HIV 2 ANTIBODY, IBL

Associated DTA(s)
HIV 2 Ab, IBL-Mayo

CDM Code(s)

43764868	HIV 2 Antibody by IBL-Mayo
43864868	HIV 2 Antibody by IBL-Mayo

CPT Code(s)

86689	Antibody; HTLV or HIV antibody, confirmatory test (eg, Weste

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

HIV Add-On Genotype Only-ARUP

Order Synonym(s)
HIV Add On Genotype Only-ARUP
HIV Add-On Genotype Only-ARUP

Associated DTA(s)
EER HIV-1 Genotyping
Interp/Comment

CDM Code(s)

43760137	HIV Add-On Genotype Only
43860137	HIV Add-On Genotype Only

CPT Code(s)

87901	Infectious agent genotype analysis by nucleic acid (DNA or R

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Pearl
Blood

Specimen Container Instruction(s)
Lavender
Pearl

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Freeze Plasma ASAP
Collection Class(es)
ARUP Sendout
Minimum Volume **Minimum Volume Unit**
8.00 ML
Prep Agent(s)

HIV Antibody 1/2 Confirmatory Evaluation

Order Synonym(s)
HIV 1/2 Western Blot-Mayo
HIV Ab 1/2 Confirmatory Evaluation Mayo
HIV Antibody 1/2 Confirmatory Evaluation-Mayo
Mayo-HIV-1/2 Ab Confirm Eval, S
Associated DTA(s)
HIV West Blot Int-Mayo
West Blot Bands-Mayo
CDM Code(s)
43761353 HIV Antibody 1/2 Confirmatory Evaluation-Mayo
43761826 HIV Antibody 1/2 Confirmatory Evaluation-Mayo
43861353 HIV Antibody 1/2 Confirmatory Evaluation-Mayo
43861826 HIV Antibody 1/2 Confirmatory Evaluation-Mayo
CPT Code(s)
86689 HIV Antibody 1/2 Confirmatory Evaluation-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

HIV Antibody Type 2-Mayo

Order Synonym(s)
HIV Ab Type 2 Mayo
HIV Antibody Type 2-Mayo
Mayo-HIV Ab Type 2 (Anti HIV-2), S
Associated DTA(s)
HIV 2 Ab-Mayo
CDM Code(s)
43764869 HIV Antibody Type 2-Mayo
43864869 HIV Antibody Type 2-Mayo
CPT Code(s)

[Continued]

86702 Antibody; HIV-2

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

HIV Proviral DNA Qualitative-Mayo

Order Synonym(s)
HIV 1 DNA Qual-Mayo
HIV Proviral DNA Qualitative-Mayo
HIV-1 DNA Qualitative-Mayo
HIV-1 Proviral DNA-Mayo

Associated DTA(s)
HIV 1 DNA Ql PCR

CDM Code(s)

CPT Code(s)
87535 Infectious agent detection by nucleic acid (DNA or RNA); HIV

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender on Ice

Specimen Handling Instruction(s)
Send on ice-Do Not Spin

Specimen Stability
Send specimen on Ice. Do not spin sample.

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**
3.00 ML

Prep Agent(s)

HIV-1 Phenotype-ARUP

Order Synonym(s) **Associated DTA(s)**

[Continued]

ARUP-Hiv-1 Phenotype
HIV 1 Phenotype-ARUP
HIV-1 Phenotype-ARUP

HIV Pheno Comp-ARUP

CDM Code(s)

43765020 HIV-1 Phenotype-ARUP
43865020 HIV-1 Phenotype-ARUP

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Pearl

Specimen Handling Instruction(s)

Freeze Plasma ASAP

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

HIV-1 Viral Load Reflex to Genotype-ARUP

Order Synonym(s)

HIV 1 Viral Load Reflex to Genotype-ARUP
HIV-1 Viral Load Reflex to Genotype-ARUP

Associated DTA(s)

HIV 1 RNA PCR Qnt
HIV RNA Qnt PCR Interp
HIV-1 RNA Qnt Cpy/mL

CDM Code(s)

43762208 HIV-1 Viral Load Reflex to Genotype
43862208 HIV-1 Viral Load Reflex to Genotype

CPT Code(s)

87536 Infectious agent detection by nucleic acid (DNA or RNA); HIV

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Pearl
Blood

Specimen Container Instruction(s)

Lavender
Pearl

Specimen Handling Instruction(s)

Freeze Plasma ASAP

Specimen Stability

Collection Class(es)

ARUP Sendout

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

[Continued]

HLA B27 (Not for Pre-Transplant typing)-

Order Synonym(s)
HLA B 27 (Not for Pre-transplant) Mayo
HLA B27 (Not for Pre-Transplant typing)-Mayo
Mayo-HLA-B27, B

Associated DTA(s)
HLA B27-Mayo

CDM Code(s)

43761892	HLA B27 (Not for Pre-Transplant typing)-Mayo
43861892	HLA B27 (Not for Pre-Transplant typing)-Mayo

CPT Code(s)

86812	HLA typing; A, B, or C (eg, A10, B7, B27), single antigen

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do not refrigerate

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.50	ML

Prep Agent(s)

HLA-A,B,C Typing for Bone Marrow

Order Synonym(s)
HLA A B C Typing for Bone Marrow
HLA-A,B,C Typing for Bone Marrow

Associated DTA(s)
HLA A-B-C Typing

CDM Code(s)

43761680	HLA TYPING
43861680	HLA TYPING

CPT Code(s)

86813	HLA TYPING

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Emory Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)
HLA Typing :-Call lab send-out area to schedule before collection. Different samples are required depending on the specific test required and the reference lab being used. -Due to limited sample stabillity, this test is not routinely available on Friday through Sunday.-Contact Lab if an exception is desired.

Homocystine Total

Order Synonym(s)
Homocystine
Homocystine Total

Associated DTA(s)
Homocyst Tot

CDM Code(s)

43755105	Homocystine Total
43855105	Homocystine Total

CPT Code(s)

83090	Homocysteine

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Architect
MCCG Architect 2000
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Green (Li Hep)
Specimen Handling Instruction(s)
Transport on ice
Specimen Stability
Stability: Plasma preferred Rm Temp: 6 hrs Refrigerated: 14 days Cannot be frozen
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Homovanillic Acid 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine HVA-Mayo
24 Hr Urine Homovanillic Acid-Mayo
HVA 24 Hr Urine-Mayo
Homovanillic Acid 24 Hour Urine-Mayo

Associated DTA(s)
Hrs HVA-Mayo
TV HVA-Mayo
U24 HVA Adult-Mayo
U24 HVA Child-Mayo

[Continued]

Homovanillic Acid Urine, 24 Hr Mayo
Mayo-Homovanillic Acid (HVA), U
Urine 24 Hr HVA-Mayo
Urine 24 Hr Homovanillic Acid-Mayo

U24 HVA-Mayo

CDM Code(s)

43764349 Homovanillic Acid 24 Hour Urine-Mayo
43864349 Homovanillic Acid 24 Hour Urine-Mayo

CPT Code(s)

83150 Homovanillic Acid 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Adjust pH:1-5 (use Acetic Acid)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
7.00	ML

Prep Agent(s)

Hope for Kids CBC with Auto Diff

Order Synonym(s)

Hope for Kids CBC with Auto Diff

Associated DTA(s)

Auto Lymph
Auto Mono
Auto PMN
CHOH CBC Collect Method
CHOH CBC Collect Time
CHOH CBC Performed by
HCT
HGB
MCH
MCHC
MCV
MPV
PLT
RBC
RDW
WBC

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

[Continued]

OS Hope for Kids POC

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hope for Kids

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Hope for Kids Urine Dipstick

Order Synonym(s)
Hope for Kids Urine Dipstick

Associated DTA(s)
CHOH UA Collect Time
CHOH UA Performed by
U Bilirubin
U Blood
U Clarity
U Color
U Gluc
U Ketones
U Leuko Est
U Nitrite
U Protein
U SpGr
U Urob
U pH

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Clean Container

Service Resource(s)
OS Hope for Kids POC

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hope for Kids

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

HTLV I/II IgG Antibody-Mayo

Order Synonym(s)
HTLV I/II IgG Ab Mayo
HTLV I/II IgG Antibody-Mayo
Mayo-HTLV I/II IgG Ab, S

Associated DTA(s)
HTLV I & II Ab-Mayo

CDM Code(s)

43762894	HTLV I/II IgG Antibody-Mayo
43862894	HTLV I/II IgG Antibody-Mayo

CPT Code(s)

86687	Antibody; HTLV-I

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

HTLV-I/II Antibody Confirmation-Mayo

Order Synonym(s)
HTLV I/II Ab Confirmation Mayo
HTLV-I/II Antibody Confirmation-Mayo
Mayo-HTLV-I/II Ab Confirmation, S

Associated DTA(s)
HTLV I/II Bnds-Mayo
HTLV I/II Conf-Mayo
HTLV I/II Disc-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

2.00 ML

Prep Agent(s)

Human Chorionic Gonadotropin Qual

Order Synonym(s)
Human Chorionic Gonadotropin Qual
hCG Qualitative

Associated DTA(s)
HCG Ql

CDM Code(s)

43753016	Beta hCG Qualitative
43853016	Beta hCG Qualitative

CPT Code(s)

84703	Beta hCG Qualitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Human Metapneumovirus (hMPV) RNA-Mayo

Order Synonym(s)
Human Metapneumovirus (hMPV) RNA-Mayo
Human Metapneumovirus hMPV RNA Mayo
Mayo-Human Metapneumovirus (hMPV) RNA
hMPV RNA-Mayo

Associated DTA(s)
hMPV RNA-Mayo

CDM Code(s)

43764354	Human Metapneumovirus (hMPV) RNA-Mayo
43864354	Human Metapneumovirus (hMPV) RNA-Mayo

CPT Code(s)

[Continued]

87798 Human Metapneumovirus (hMPV) RNA-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
BAL
NASAL ASP

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
2.00	ML

Prep Agent(s)

Hypoglycemic Agent Screen-Mayo

Order Synonym(s)
Hypoglycemic Agent Screen Mayo
Hypoglycemic Agent Screen-Mayo
Mayo-Hypoglycemic Agent Scrn, S
Sulfonylurea Screen-Mayo

Associated DTA(s)
Acetohexamide-Mayo
Chlorpropamide-Mayo
Glimepiride-Mayo
Glipizide-Mayo
Glyburide-Mayo
Hypogly Scr Cmnt-Mayo
Repaglinide-Mayo
Tolazamide-Mayo
Tolbutamide-Mayo

CDM Code(s)
43764356 Hypoglycemic Agent Screen-Mayo
43864356 Hypoglycemic Agent Screen-Mayo

CPT Code(s)
80100 Hypoglycemic Agent Screen-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

5.00 ML
Prep Agent(s)

ID, Bacterial

Order Synonym(s)
Bacterial ID
ID, Bacterial
Associated DTA(s)
ID BACTERIAL
CDM Code(s)
43830143 ID, Bacterial
CPT Code(s)
87077 ID, Bacterial
Default Collection Method(s)
Aspirate
Biopsy
Clean Container
Micro Swab
Scrapings
Sterile Container
Sterile Procedure
Venous Draw
Washing
Service Resource(s)
Specimen Type(s)
Specimen Container Instruction(s)
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

ID, Ectoparasite Exam

Order Synonym(s)
Ectoparasite ID
ID, Ectoparasite Exam
Louse ID
Scabies Prep
Associated DTA(s)
ID Ectoparasite
CDM Code(s)
43730082 Microscopic Exam for Ectoparasite
43830082 Microscopic Exam for Ectoparasite
CPT Code(s)
87220 Tissue examination by KOH slide of samples from skin, hair,
Default Collection Method(s)
Clean Container
Scrapings
Service Resource(s)

[Continued]

Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

ID, Fungal

Order Synonym(s) **Associated DTA(s)**
Fungal ID ID FUNGAL
ID, Fungal
CDM Code(s)

43830143 ID, Fungal
CPT Code(s)
87077 ID, Fungal
Default Collection Method(s)
Aspirate
Biopsy
Clean Container
Clippings
Micro Swab
Scrapings
Sterile Procedure
Washing
Service Resource(s)
Specimen Type(s) **Specimen Container Instruction(s)**
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

IgD-Mayo

Order Synonym(s) **Associated DTA(s)**
IgD Ab Mayo IgD-Mayo
IgD-Mayo
Mayo-Immunoglobulin D (IgD), S
CDM Code(s)
43764357 IgD-Mayo
43864357 IgD-Mayo
CPT Code(s)
82784 IgD-Mayo
Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

IGF Binding Protein-3-Mayo

Order Synonym(s)	Associated DTA(s)
IGF Binding Protein-3-Mayo	IGF Binding Protein-3-Mayo
Insulin Like Growth Factor Binding Protein 3-Mayo	

CDM Code(s)

43761102	IGF BINDING PROTEIN 3
43861102	IGF BINDING PROTEIN 3

CPT Code(s)

83519	IGF BINDING PROTEIN 3

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

IgG Subclasses-Mayo

Order Synonym(s)	Associated DTA(s)
IgG Subclasses Mayo	IgG (Sub)-Mayo
IgG Subclasses-Mayo	IgG1-Mayo

[Continued]

Mayo-IgG Subclasses, S	IgG2-Mayo
	IgG3-Mayo
	IgG4-Mayo

CDM Code(s)

43761900	IgG Subclasses-Mayo
43861900	IgG Subclasses-Mayo

CPT Code(s)

82787	Gammaglobulin; immunoglobulin subclasses, (IgG1, 2, 3, or 4)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Imipramine and Desipramine-Mayo

Order Synonym(s)	Associated DTA(s)
Imipramine and Desipramine Mayo	Desipra Lvl-Mayo
Imipramine and Desipramine-Mayo	Imi&Desip Lvl-Mayo
Mayo-Imipramine and Desipramine, P	Imipramine Lvl-Mayo

CDM Code(s)

43761510	Imipramine and Desipramine-Mayo
43861510	Imipramine and Desipramine-Mayo

CPT Code(s)

80174	Imipramine

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

3.00 ML

Prep Agent(s)

Immediate Study Lab 12 Hour

Order Synonym(s)
Immediate Study Lab 12 Hour

Associated DTA(s)
12 Hr Study Lab

CDM Code(s)

43760078 Immediate Study Lab 12 Hour
43860078 Immediate Study Lab 12 Hour

CPT Code(s)

99001 Handling and/or conveyance of specimen for transfer from the

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immediate Study Lab 30 day

Order Synonym(s)
Immediate Study Lab 30 day

Associated DTA(s)
30 Day Study Lab

CDM Code(s)

43760078 Immediate Study Lab 30 day
43860078 Immediate Study Lab 30 day

CPT Code(s)

99001 Handling and/or conveyance of specimen for transfer from the

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Send Outs

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Immediate Study Lab 6 Hour

Order Synonym(s) **Associated DTA(s)**

Immediate Study Lab 6 Hour 6 Hr Study Lab

CDM Code(s)

43760078 Immediate Study Lab 6 Hour

43860078 Immediate Study Lab 6 Hour

CPT Code(s)

99001 Handling and/or conveyance of specimen for transfer from the

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Other Ref Lab

Specimen Type(s) **Specimen Container Instruction(s)**

Blood Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Immediate Study Lab Initial

Order Synonym(s) **Associated DTA(s)**

Immediate Study Lab Initial Immediate Study Lab

CDM Code(s)

43760078 Immediate Study Lab Initial

43860078 Immediate Study Lab Initial

CPT Code(s)

99001 Handling and/or conveyance of specimen for transfer from the

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Other Ref Lab

Specimen Type(s) **Specimen Container Instruction(s)**

Blood Clean Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immunocap Score-ARUP

Order Synonym(s)
Immunocap Score-ARUP

Associated DTA(s)
Immunocap Score

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immunoglobins GAM Body Fluid

Order Synonym(s)
Fluid Immunoglobins GAM
Immunoglobins GAM Body Fluid
Immunoglobulins GAM Body Fluid

Associated DTA(s)
IgA Fl
IgG Fl
IgM Fl
Immunoglob Body Fl Type

CDM Code(s)

43753155	FLUID IMMUNOGLOBULIN COMP QTY
43853155	FLUID IMMUNOGLOBULIN COMP QTY

CPT Code(s)

82784	FLUID IMMUNOGLOBULIN COMP QTY

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Immage 800
Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Immunogloblin A

Order Synonym(s)	Associated DTA(s)
IgA	IgA
Immunogloblin A	

CDM Code(s)

43755036	IMMUNOGLOBULIN SINGLE QUANT
43855036	GAMMAGLOBULIN IGA

CPT Code(s)

82784	Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immunoglobulin A Level Body Fluid

Order Synonym(s)	Associated DTA(s)
Fluid IgA Level	IgA Body Fl Type

[Continued]

IgA Body FLuid
IgA Level Body Fluid
Immunoglobulin A Level Body Fluid
IgA Fl

CDM Code(s)

43753160	FLUID IMMUNOGLOBULIN SGL QTY
43853160	FLUID IMMUNOGLOBULIN SGL QTY

CPT Code(s)

82784	FLUID IMMUNOGLOBULIN SGL QTY

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Immage 800

Specimen Type(s)	Specimen Container Instruction(s)
FLUID	FLD

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Immunoglobulin E Total - ARUP

Order Synonym(s)	Associated DTA(s)
IgE Total-ARUP	IgE Qnt-ARUP
Immunoglobulin E Total - ARUP	
Total IgE-ARUP	

CDM Code(s)

43761136	Gammaglobulin (immunoglobulin); IgE
43861136	Gammaglobulin (immunoglobulin); IgE

CPT Code(s)

82785	Gammaglobulin (immunoglobulin); IgE

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Immunoglobulin Free Light Chains

Order Synonym(s)
Free Kappa and Lambda Light Chains
Immunoglobulin Free Light Chains
Kappa Free Light Chains
Lambda Free Light Chains
Light Chains

Associated DTA(s)
Free Kappa Lt Chains
Free Lambda Lt Chains
Kappa/Lambda Ratio

CDM Code(s)

43755070	Kappa/Lambda Free Light Chains
43855070	Kappa/Lambda Free Light Chains

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Immage 800

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 8 hrs Refrigerated: 21 days Separate immediately

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Immunoglobulin G

Order Synonym(s)
IgG
Immunoglobulin G

Associated DTA(s)
IgG

CDM Code(s)

43755028	SERUM IGG
43755028	SERUM IGG
43855036	IMMUNOGLOBULIN SINGLE QUANT

CPT Code(s)

82784	Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immunoglobulin G Cerebrospinal Fluid

Order Synonym(s)
CSF IgG
CSF Immunoglobulin G
IgG CSF
Immunoglobulin G Cerebrospinal Fluid

Associated DTA(s)
IgG CSF Imm

CDM Code(s)

43755036	IMMUNOGLOBULIN SINGLE QUANT
43855027	CSF IGG

CPT Code(s)

82784	Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Immage 800

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from Cells

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit

[Continued]

0.20	ML

Prep Agent(s)

Immunoglobulin G Level Body Fluid

Order Synonym(s)
- Fluid IgG
- Fluid, IgG
- IgG Body Fluid
- Immunoglobulin G Level Body Fluid

Associated DTA(s)
- IgG Body Fl Type
- IgG Fl

CDM Code(s)

43753160	FLUID IMMUNOGLOBULIN SGL QTY
43853160	FLUID IMMUNOGLOBULIN SGL QTY

CPT Code(s)

82784	FLUID IMMUNOGLOBULIN SGL QTY

Default Collection Method(s)
- Sterile Procedure

Service Resource(s)
- MCCG Immage 800

Specimen Type(s)
- FLUID

Specimen Container Instruction(s)
- FLD

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 72 hrs Remove from Cells

Collection Class(es)
- Chem Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Immunoglobulin M

Order Synonym(s)
- IgM
- Immunoglobulin M

Associated DTA(s)
- IgM

CDM Code(s)

43755038	GAMMAGLOBULIN IGA
43755040	Immunoglobulin M
43855038	GAMMAGLOBULIN IGA
43855040	Immunoglobulin M

CPT Code(s)

[Continued]

82784 Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Immunoglobulin M Body Fluid

Order Synonym(s)	Associated DTA(s)
Fluid IgM	IgM Body Fl Type
IgM Body Fluid	IgM Fl
Immunoglobulin M Body Fluid	

CDM Code(s)

43753160 FLUID IMMUNOGLOBULIN SGL QTY
43853160 FLUID IMMUNOGLOBULIN SGL QTY

CPT Code(s)

82784 FLUID IMMUNOGLOBULIN SGL QTY

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Immage 800

Specimen Type(s)	Specimen Container Instruction(s)
FLUID	FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Chem Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Immunoglobulins GAM

Order Synonym(s)	Associated DTA(s)
GAM Immunoglobulin	IgA
Immunoglobulin Complete (IgG, IgA,IgM)	IgG
Immunoglobulins GAM	IgM
Quantitative Immunoglobulins (IgG,IgA,IgM)	

CDM Code(s)

43755041	IMMUNOGLOBULIN COMPLETE QUANT
43855041	IMMUNOGLOBULIN COMPLETE QUANT

CPT Code(s)

82784	Gammaglobulin; IgA, IgD, IgG, IgM, each

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

India Ink

Order Synonym(s)	Associated DTA(s)
India Ink	SM INK
India Ink Test	
SM Ink	

CDM Code(s)

[Continued]

43730077 India Ink
43830077 India Ink

CPT Code(s)
87210 Smear, primary source with interpretation; wet mount for inf

Default Collection Method(s)
Sterile Procedure

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Infection Control Source Specimen

Order Synonym(s) **Associated DTA(s)**
Infection Control Source Specimen Infection Control

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s) **Specimen Container Instruction(s)**
Blood Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Freeze within 4 hours of collection

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume **Minimum Volume Unit**
0.50 ML

Prep Agent(s)

Infection Control Victim Specimen

Order Synonym(s) **Associated DTA(s)**
ICBS Infection Control
Infection Control Victim Specimen
Infection Control Victim Specimen

CDM Code(s)
43760080 IC Source bill only
43860080 IC Source bill only

CPT Code(s)

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Infectious Mononucleosis Antibody

Order Synonym(s)

Heterophile Antibody
Infectious Mononucleosis Antibody
Mononucleosis Screen
Monospot

Associated DTA(s)

Infect Mono

CDM Code(s)

43735046	MONOSPOT (HETEROPHILE)
43835046	MONOSPOT (HETEROPHILE)
43835047	Infectious Mononucleosis Antibody

CPT Code(s)

86308	Heterophile antibodies; screening

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Inflammatory Bowel Disease Panel-Mayo

Order Synonym(s)
IBD Panel Mayo
IBD Panel-Mayo
Inflammatory Bowel Disease Panel-Mayo
Mayo-Inflammatory Bowel Disease Panel, S

Associated DTA(s)
Neutro Ab Scr-Mayo
S cerevis IgA-Mayo
S cerevis IgG-Mayo

CDM Code(s)

43764362	Inflammatory Bowel Disease Panel-Mayo
43864362	Inflammatory Bowel Disease Panel-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Influenza A and B Antigen

Order Synonym(s)
Influenza A and B Ag
Influenza A and B Antigen

Associated DTA(s)
Influenza A Ag
Influenza Ag Interp
Influenza B Ag
Internal QC

CDM Code(s)

43735191	INFLUENZA A AND B ANTIGEN
43835191	Influenza A and B Antigen

CPT Code(s)

Default Collection Method(s)
Aspirate
Washing

Service Resource(s)
MCCG Micro Serology

Specimen Type(s)
NASAL ASP
NASAL WASH

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Influenza Virus A Antibody IgG and IgM-M

Order Synonym(s)	Associated DTA(s)
Influenza A IgG IgM Mayo	Influenza A Ab-Mayo
Influenza Virus A Antibody IgG and IgM-Mayo	Influenza A IgG-Mayo
Mayo-Influenza Virus A Ab, IgG & IgM, S	Influenza A IgM-Mayo

CDM Code(s)

43764365	Influenza Virus A Antibody IgG and IgM-Mayo
43864365	Influenza Virus A Antibody IgG and IgM-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Influenza Virus B Antibody IgG and IgM-M

Order Synonym(s)	Associated DTA(s)
Influenza B IgG IgM May	Influenza B Ab-Mayo
Influenza Virus B Antibody IgG and IgM-Mayo	Influenza B IgG-Mayo
Mayo-Influenza Virus B Ab, IgG & IgM, S	Influenza B IgM-Mayo

CDM Code(s)

43764368	Influenza Virus B Antibody IgG and IgM-Mayo
43864368	Influenza Virus B Antibody IgG and IgM-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Inhibin A and B Tumor Marker-Mayo

Order Synonym(s)
Inhibin A and B Tumor Marker Mayo
Inhibin A and B Tumor Marker-Mayo
Mayo-Inhibin A and B Tumor Marker

Associated DTA(s)
Inhibin A TM-Mayo
Inhibin B TM-Mayo

CDM Code(s)

43764380	Inhibin A and B Tumor Marker-Mayo
43864380	Inhibin A and B Tumor Marker-Mayo

CPT Code(s)

83520	Inhibin A and B Tumor Marker-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Insulin Antibody-Mayo

Order Synonym(s)
Insulin Ab Mayo
Insulin Antibody-Mayo
Mayo-Insulin Abs, S

Associated DTA(s)
Human Insuln Ab-Mayo
Insulin Ab-Mayo

CDM Code(s)

[Continued]

43762962 Insulin Antibody-Mayo
43862962 Insulin Antibody-Mayo

CPT Code(s)
86337 Insulin antibodies

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Insulin Level Total

Order Synonym(s)
Insulin Level Total
Insulin Total

Associated DTA(s)
Insulin

CDM Code(s)
43753081 INSULIN
43853081 INSULIN

CPT Code(s)
83525 Insulin; total

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10 ML

Prep Agent(s)

Insulin-Like Growth Factor I-Mayo

Order Synonym(s)
IgF-1 Mayo
Insulin-Like Growth Factor I-Mayo
Mayo-Insulin-Like Growth Factor I, S
Somatomedin C Mayo
Somatomedin-C Mayo
Somatomedin-CMayo

Associated DTA(s)
IGF-1-Mayo

CDM Code(s)
43761246 Insulin-Like Growth Factor I-Mayo
43861246 Insulin-Like Growth Factor I-Mayo

CPT Code(s)
84305 Somatomedin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Intact PTH

Order Synonym(s)
Intact PTH

Associated DTA(s)
PTH Intact

CDM Code(s)
43753246 PTH INTACT
43853246 PTH INTACT

CPT Code(s)
83970 PTH INTACT

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DPC 2500
MCCG DPC SMS
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: ASAP Refrigerated: 48 hrs Frozen: 2 mnths Remove from Cells
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Interleukin-2 Receptor (IL-2R) by ELISA-

Order Synonym(s)	Associated DTA(s)
IL 2 Receptor by Elisa Mayo	IL-2 Receptor-Mayo
IL-2 Receptor by Elisa-Mayo	
Interleukin-2 Receptor (IL-2R) by ELISA-Mayo	
Mayo-INTERLEUKIN 2 RECEPTOR(IL 2R),ELISA	

CDM Code(s)

43764373	Interleukin-2 Receptor (IL-2R) by ELISA-Mayo
43864373	Interleukin-2 Receptor (IL-2R) by ELISA-Mayo

CPT Code(s)

83520	Interleukin-2 Receptor (IL-2R) by ELISA-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

2.00 ML

Prep Agent(s)

Interp 3 Hr Prenatal GTT

Order Synonym(s)
Interp 3 Hr Prenatal GTT

Associated DTA(s)
3 Hr Prenatal Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Interp GTT

Order Synonym(s)
Interp GTT

Associated DTA(s)
Gluc Tol Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)

[Continued]

*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Interp Prenatal GTT

Order Synonym(s)

Interp Prenatal GTT

Associated DTA(s)

Prenatal Screen Interp

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Intrinsic Factor Blocking Antibody-Mayo

Order Synonym(s)

Intrinsic Factor Blocking Ab
Intrinsic Factor Blocking Antibody-Mayo
Mayo-Intrinsic Factor Blocking Ab, S

Associated DTA(s)

IF Ab Comment-Mayo
IF Ab-Mayo

CDM Code(s)

43762952 Intrinsic Factor Blocking Antibody-Mayo

[Continued]

43862952 Intrinsic Factor Blocking Antibody-Mayo

CPT Code(s)

86340 Intrinsic factor antibodies

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Iron Level

Order Synonym(s)

Fe Level
Iron
Iron Level

Associated DTA(s)

Iron

CDM Code(s)

43750166 IRON TOTAL ONLY
43850166 IRON TOTAL ONLY

CPT Code(s)

83540 Iron

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

[Continued]

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Iron with Total Iron Binding Capacity

Order Synonym(s)
- Iron and TIBC
- Iron with % Bound Iron
- Iron with TIBC
- Iron with Total Iron Binding Capacity
- Iron with percent bound
- TIBC with Iron

Associated DTA(s)
- % Iron Sat
- Iron ord with TIBC
- TIBC

CDM Code(s)

43750164	IRON & IBC
43850164	IRON & IBC

CPT Code(s)

83550	Iron binding capacity

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)
- Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Iron, Liver Tissue-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Iron Tissue Mayo
Iron, Liver Tissue-Mayo
Mayo-Iron, Liver Ts

Iron Ind Liv Ts-Mayo
Iron Liver Ts-Mayo

CDM Code(s)

43764374	Iron, Liver Tissue-Mayo
43864374	Iron, Liver Tissue-Mayo

CPT Code(s)

83540	Iron, Liver Tissue-Mayo

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
TISSUE
Specimen Container Instruction(s)
MFSV
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Islet Cell Antibody-ARUP

Order Synonym(s)
IA-2 Antibody-ARUP
Islet Cell Ab (Not ICA-512)-ARUP
Islet Cell Antibody-ARUP
Associated DTA(s)
Islet Cell (IA-2) Ab
CDM Code(s)

43761039	ISLET CELL AB
43861039	ISLET CELL AB

CPT Code(s)

86341	ISLET CELL AB

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit

[Continued]

1.00 ML

Prep Agent(s)

JAK2-Associated Path

Order Synonym(s)
JAK2-Associated Path

Associated DTA(s)
JAK2-Assoc Path

CDM Code(s)

43767558	JAK2
43765112	JAK2
43867558	JAK2
43865112	JAK2

CPT Code(s)

83891	JAK2

Default Collection Method(s)
Sterile Procedure
Venous Draw

Service Resource(s)
MCCG US Labs

Specimen Type(s)
BONE MARROW
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

JC Virus DNA CSF-Mayo

Order Synonym(s)
CSF JC Virus DNA-Mayo
JC DNA CSF Mayo
JC Virus DNA CSF-Mayo
JC Virus PCR, CSF-Mayo
Mayo-JC Virus DNA CSF

Associated DTA(s)
JC Virus DNA CSF-Mayo

CDM Code(s)

43762270	JC Virus RNA CSF-Mayo
43862270	JC Virus RNA CSF-Mayo

CPT Code(s)

87798	JC Virus RNA CSF-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

JO - 1 IgG Autoantibodies

Order Synonym(s)
Antibody to JO - 1
JO - 1 IgG Autoantibodies
Jo 1 Ab

Associated DTA(s)
JO-1 Ab Interp
JO-1 IgG Ab

CDM Code(s)

43735088	JO-1 Ab
43835088	JO-1 Ab

CPT Code(s)

86235	Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Kleihauer-Betke Stain

Order Synonym(s)
Kleihauer Betke
Kleihauer-Betke Stain

Associated DTA(s)
Est Fetomat Hem
Kleihauer

CDM Code(s)

[Continued]

43710101 KLEIHAUER STAIN
43810101 KLEIHAUER STAIN

CPT Code(s)
85460 Hemoglobin or RBCs, fetal, for fetomaternal hemorrhage; diff

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Sp Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Refrigerated: 24 hrs

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.30	ML

Prep Agent(s)

KOH

Order Synonym(s)
Fungal Smear - KOH
Fungus Smear (KOH)
KOH
SM KOH
Smear, Fungal

Associated DTA(s)
SM FUNGAL

CDM Code(s)
43730082 KOH Fungal Smear
43830082 KOH Fungal Smear

CPT Code(s)
87220 KOH Fungal Smear

Default Collection Method(s)
Aspirate
Biopsy
Clean Container
Clippings
Micro Swab
Scrapings
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

KRAS Mutation-US Labs

Order Synonym(s)
KRAS Mutation-US Labs

Associated DTA(s)
KRAS Mutation-US Labs

CDM Code(s)

43767523	KRAS Mutation
43765110	KRAS Mutation
43867523	KRAS Mutation
43865110	KRAS Mutation

CPT Code(s)

83891	KRAS Mutation

Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG US Labs
Specimen Type(s)
Parrafin Block
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

L/S Ratio Amniotic Fluid

Order Synonym(s)
Amniotic Fluid L/S Ratio
L/S Ratio Amniotic Fluid
LS Ratio

Associated DTA(s)
Creat Amn
L/S Com
L/S Ratio
Lecithin Lvl
Sphingomyelin

CDM Code(s)

43756039	L/S RATIO
43856039	

CPT Code(s)

83661	Fetal lung maturity assessment; lecithin sphingomyelin (L/S)

Default Collection Method(s)
Sterile Procedure
Service Resource(s)

[Continued]

MCCG Man Sp Chem

Specimen Type(s)
AMNIOTIC FL

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

L/S Ratio and Phosphotidyl G

Order Synonym(s)
L/S Ratio and Phosphotidyl G
LS Ratio with Phoshpotidyl G

Associated DTA(s)
Creat Amn
L/S Com
L/S Ratio
Lecithin Lvl
PG Amn Fl
PG Com
Sphingomyelin

CDM Code(s)

43756041	L/S RATIO (INC CREATININE)
43856041	L/S RATIO (INC CREATININE)

CPT Code(s)

83661	Fetal lung maturity assessment; lecithin sphingomyelin (L/S)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
AMNIOTIC FL

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Lactate Dehydrogenase Body Fluid

Order Synonym(s)
Fluid LDH

Associated DTA(s)
LDH BF Type

[Continued]

LDH Body Fluid — LDH Fl
Lactate Dehydrogenase Body Fluid

CDM Code(s)

43750400	Lactate Dehydrogenase Body Fluid
43850400	Lactate Dehydrogenase Body Fluid

CPT Code(s)

83615	Lactate dehydrogenase (LD), (LDH);

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s) — **Specimen Container Instruction(s)**
FLUID — FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Lactate Dehydrogenase Isoenzymes-Mayo

Order Synonym(s)
LD Isoenzymes (Sendout Test)-Mayo
LDH Isoenzymes (Sendout Test)-Mayo
LDH isoenymes Mayo
Lactate Dehydrogenase Isoenzymes-Mayo
Mayo-Lactate Dehydrogenase Isoenzymes, S

Associated DTA(s)
LDH 1-Mayo
LDH 2-Mayo
LDH 3-Mayo
LDH 4-Mayo
LDH 5-Mayo
LDH Isoenzymes-Mayo
LDH Tot-Mayo
LDH-Mayo

CDM Code(s)

43764660	Lactate Dehydrogenase Isoenzymes-Mayo
43864660	Lactate Dehydrogenase Isoenzymes-Mayo

CPT Code(s)

83625	Lactate Dehydrogenase Isoenzymes-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s) — **Specimen Container Instruction(s)**

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Lactic Acid

Order Synonym(s)

Lactate Level
Lactic Acid
Lactic Acid Level

Associated DTA(s)

Lactic Acid Lvl

CDM Code(s)

43750169	LACTIC ACID
43850169	LACTIC ACID

CPT Code(s)

83605	Lactate (lactic acid)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gray (K Ox/NaFl) Top Tube

Specimen Handling Instruction(s)

Transport on ice

Specimen Stability

Stability: ASAP

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Lactic Acid Arterial

Order Synonym(s)

Associated DTA(s)

[Continued]

Arterial Lactate Level
Arterial Lactic Acid
Lactate Level Arterial
Lactic Acid Arterial
Lactic Acid Arterial Level

Lactic Acid Art Lvl

CDM Code(s)

43751170 LACTIC ACID ARTERIAL
43851170 LACTIC ACID ARTERIAL

CPT Code(s)

83605 Lactate (lactic acid)

Default Collection Method(s)

Arterial Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gray (K Ox/NaFl) Top Tube

Specimen Handling Instruction(s)

Transport on ice

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Lactic Acid, ArterialThe Respiratory Therapist/Technician assigned to your area mustbe beeped to draw Arterial Lactic Acid

Lactic Acid Cerebrospinal Fluid

Order Synonym(s)

CSF Lactate Level
CSF Lactic Acid
Lactate Level CSF
Lactic Acid CSF
Lactic Acid CSF Level
Lactic Acid Cerebrospinal Fluid

Associated DTA(s)

Lactic Acid CSF

CDM Code(s)

43750450 Lactic Acid Cerebrospinal Fluid
43850450 Lactic Acid Cerebrospinal Fluid

CPT Code(s)

83605 Lactate (lactic acid)

Default Collection Method(s)

[Continued]

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.30	ML

Prep Agent(s)

Lamellar Body Count

Order Synonym(s)

LBC
Lamellar Body Count

Associated DTA(s)

LBC Count
LBC Interp

CDM Code(s)

43710020	Lamellar Body Count
43810020	Lamellar Body Count

CPT Code(s)

83664	Fetal lung maturity assessment; lamellar body density

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG LH 39
MCCG LH 42

Specimen Type(s)

Amniotic Fluid

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Must be free of Meconium/Blood

Specimen Stability

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Lamotrigine Level-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Lamictal Level-Mayo
Lamotrigine Level-Mayo
Lamotrigine Mayo
Mayo-Lamotrigine, P/S

Lamotrigine Lvl-Mayo

CDM Code(s)

43760118	Lamotrigine Level-Mayo
43860118	Lamotrigine Level-Mayo

CPT Code(s)

80299	Quantitation of drug, not elsewhere specified

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

LDH

Order Synonym(s)
LDH
LDH, Total
Lactate Dehydrogenase

Associated DTA(s)
LDH

CDM Code(s)

43750174	LDH
43850174	LDH

CPT Code(s)

83615	Lactate dehydrogenase (LD), (LDH);

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 2 hrs Refrigerated: Not recommended

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Lead Screen-Mayo

Order Synonym(s)

Lead Screen Mayo
Lead Screen-Mayo
Mayo-Lead with Demographics
OS Healthcheck Lead-Mayo
Offsite Healthcheck Lead-Mayo

Associated DTA(s)

City-Mayo
County-Mayo
Guard 1st Name-Mayo
Guard Last Name-Mayo
Home Phone-Mayo
Lead Lvl w Demogs-Mayo
Race-Mayo
State-Mayo
Street Address-Mayo
Ven/Cap-Mayo
Zip-Mayo

CDM Code(s)

43762626	Lead Screen-Mayo
43862626	Lead Screen-Mayo

CPT Code(s)

83655	Lead

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

RoylEDTA

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Legionella Antigen Urine-Mayo

Order Synonym(s)
Legionella Ag Urine Mayo
Legionella Antigen Urine-Mayo
Mayo-Legionella Ag, U
Urine Legionella Antigen-Mayo

Associated DTA(s)
U Legionella Ag-Mayo

CDM Code(s)

43763087	Legionella Antigen Urine-Mayo
43863087	Legionella Antigen Urine-Mayo

CPT Code(s)

87449	Legionella Antigen Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Legionella pneumophila Antibody-Mayo

Order Synonym(s)
Legionella pneumophila Antibody-Mayo
Legionella pneumophilia Ab Mayo
Mayo-Legionella pneumophila Ab, S

Associated DTA(s)
L pneumophil Ab-Mayo

CDM Code(s)

43763091	Legionella pneumophila Antibody-Mayo
43863091	Legionella pneumophila Antibody-Mayo

CPT Code(s)

86713	Legionella pneumophila Antibody-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Leptospira Antibody-Mayo

Order Synonym(s)
Leptospira Ab May
Leptospira Antibody-Mayo
Mayo-Leptospira Ab, S

Associated DTA(s)
Leptospira Ab-Mayo

CDM Code(s)

43764383	Leptospira Antibody-Mayo
43864383	Leptospira Antibody-Mayo

CPT Code(s)

86720	Leptospira Antibody-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Leukocyte Adhesion Deficiency-Mayo

Order Synonym(s)
CD11 CD18 Mayo
CD11/CD18-Mayo
CD18/CD11-Mayo
LAD-Mayo
Leukocyte Adhesion Deficiency-Mayo
Mayo-Leukocyte Adhesion Def. Type 1, B

Associated DTA(s)
LAD CD11a-Mayo
LAD CD11b-Mayo
LAD CD18-Mayo
LAD Interp-Mayo
LAD-Mayo

CDM Code(s)

43764389	Leukocyte Adhesion Deficiency-Mayo
43864389	Leukocyte Adhesion Deficiency-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)
Mon-Thur by 1pm,no holiday
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
5.00 ML
Prep Agent(s)

Leukocyte Alkaline Phosphatase Stain

Order Synonym(s)
LAP Score
LAP Stain
Leukocyte Alkaline Phosphatase Stain
Associated DTA(s)
LAP Interp
LAP Score
CDM Code(s)
43710096 LEUKOCYTE ALKPHOS STAIN
43810096 LEUKOCYTE ALK PHOS STAIN
CPT Code(s)
85540 Leukocyte alkaline phosphatase with count
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Sp Hemo
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on
Collection Class(es)
Hemo Auto
Minimum Volume **Minimum Volume Unit**
0.50 ML
Prep Agent(s)

Leuteinizing Hormone

Order Synonym(s)
Associated DTA(s)

[Continued]

LH LH
Leuteinizing Hormone

CDM Code(s)
43753165 LH
43853165 LH

CPT Code(s)
83002 LH

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Levetiracetam Level-Mayo

Order Synonym(s)
Keppra Level-Mayo
Levetiracetam Level Mayo
Levetiracetam Level-Mayo
Mayo-Levetiracetam, S

Associated DTA(s)
Levetira Lvl-Mayo

CDM Code(s)
43764392 Levetiracetam Level-Mayo
43864392 Levetiracetam Level-Mayo

CPT Code(s)
82491 Levetiracetam Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Limulus Amebocyte Lysate-Mayo

Order Synonym(s)
Endotoxin (Limulus Lysate)-Mayo
Endotoxin Limulus Amebocyte Lysate Mayo
Limulus Amebocyte Lysate-Mayo
Mayo-Limulus Amebocyte Lysate

Associated DTA(s)
LAL Diluent-Mayo
LAL PE Limit-Mayo
LAL Spec Type-Mayo
LAL-Mayo

CDM Code(s)

43764393	Limulus Amebocyte Lysate-Mayo
43864393	Limulus Amebocyte Lysate-Mayo

CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
DIALYSATE
WATER
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz NE Send Outs
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Lipase Fluid

Order Synonym(s)
Fluid Lipase
Lipase Fluid

Associated DTA(s)
Lipase Fl Type
Lipase Fluid

CDM Code(s)

43750188	Lipase Fluid
43850188	Lipase Fluid

CPT Code(s)

83690	Lipase

Default Collection Method(s)
Sterile Procedure
Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Lipase Level

Order Synonym(s)
Lipase
Lipase Level

Associated DTA(s)
Lipase Lvl

CDM Code(s)

43750186	LIPASE (BLOOD)
43850186	LIPASE (BLOOD)

CPT Code(s)

83690	Lipase

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Lipid Profile

Order Synonym(s)
- FLP - Fasting Lipid Profile
- Lipid Panel
- Lipid Profile

Associated DTA(s)
- Chol LP
- HDL Cholesterol
- LDL
- Lipid Interp
- TC/HDL
- Trig LP

CDM Code(s)

43750162	LIPID PROFILE WITHOUT PHENATYP
43850162	LIPID PROFILE

CPT Code(s)

80061	Lipid panel This panel must include the following: Cholester

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG DL2000 AutoResults
- MCCG DL2000 ManualResults
- MCCG DXC 116
- MCCG DXC 117
- MCCG DXI 947
- MCCG DXI 950

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)
- Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
- Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
-No food for 12 hours prior to collection-For AM collections, no food after 6:30 pm the evening before the test.

Lipid Profile Reflex

Order Synonym(s)

Associated DTA(s)

[Continued]

Lipid Panel, Reflex	Chol LP
Lipid Profile Reflex	HDL Cholesterol
	LDL
	Lipid Interp
	TC/HDL
	Trig LPR

CDM Code(s)

43750162	Lipid Profile Reflex
43850162	Lipid Profile Reflex

CPT Code(s)

80061	Lipid panel This panel must include the following: Cholester

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Lipoprotein (a)-Mayo

Order Synonym(s)	Associated DTA(s)
Lipoprotein (a)-Mayo	Lipoprotein (a)
Lipoprotien a-Mayo	

CDM Code(s)

43761359	Lipoprotein (a)
43861359	Lipoprotein (a)

CPT Code(s)

83695	Lipoprotein (a)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)

[Continued]

Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Lithium Level

Order Synonym(s)

Lithium
Lithium Level

Associated DTA(s)

Lithium Lvl
Sodium (Order with Lithium)

CDM Code(s)

43752048	Lithium Level
43852048	Lithium Level

CPT Code(s)

80178	Lithium

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 7 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Collect specimen 6 - 12 hours post dose administration.

[Continued]

Liver Profile

Order Synonym(s)
Hepatic Function
Hepatic Function Panel
LFT
Liver Function Test
Liver Profile

Associated DTA(s)
ALT/GPT Lvl
AST/GOT Lvl
Alb Lvl
Alk Phos Lvl
Conj Bili
TP Lvl
Total Bili

CDM Code(s)

43751143	Liver Profile
43851143	Liver Profile
43851142	Liver Profile

CPT Code(s)

80076	HEPATC FUNCJ PANEL

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Liver/Kidney Microsome Type 1 Ab-Mayo

Order Synonym(s)
LKM Antibody-Mayo
Liver Kidney Microsome Type 1 Ab Mayo
Liver/Kidney Microsome Type 1 Ab-Mayo
Mayo-Liver/Kidney Microsome Type 1 Ab, S

Associated DTA(s)
Liv/Kid Micro 1-Mayo

CDM Code(s)

43762978	Liver/Kidney Microsome Type 1 Ab-Mayo

[Continued]

43862978 Liver/Kidney Microsome Type 1 Ab-Mayo

CPT Code(s)

86376 Microsomal antibodies (eg, thyroid or liver-kidney), each

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Long Chain Fatty Acids-Mayo

Order Synonym(s)	Associated DTA(s)
Long Chain Fatty Acids-Mayo	Long Chain Fatty Acids-Mayo

CDM Code(s)

43764892 Long Chain Fatty Acids Mayo

43864892 Long Chain Fatty Acids Mayo

CPT Code(s)

82544 Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Lupus Anticoagulant Panel-ARUP

Order Synonym(s)	Associated DTA(s)

[Continued]

Lupus Anticoagulant Panel-ARUP
Lupus Anticoagulent Panel-ARUP

Hexagonal Phos Neut Reflex
Lupus Anticoag Interp
PTT-ARUP
PTT-D Corr Reflex
PTT-Heparin Neutralized
Platelet Neutralization
Prothrombin Time-ARUP
Reptilase Time (Patient)
Thrombin Time-ARUP
dRVVT Confirmation
dRVVT Patient
dRVVT, Cor

CDM Code(s)

43761890 Lupus Type Anticoagulant
43861890 Lupus Type Anticoagulant

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Freeze Plasma Immediately

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Lyme Disease Antibody Confirmation CSF W

Order Synonym(s)

CSF Lyme Disease Antibody Confirmation Western Blot-Mayo
Lyme Disease Ab Confirmation CSF
Lyme Disease Antibody Confirmation CSF Western Blot-Mayo
Mayo-Lyme Disease Ab Conf, CSF

Associated DTA(s)

Lyme Disease Ab Confirm CSF-Mayo
Lyme IgG WB CSF-Mayo
Lyme IgM WB CSF-Mayo

CDM Code(s)

43764396 Lyme Disease Antibody Confirmation CSF Western Blot-Mayo
43864396 Lyme Disease Antibody Confirmation CSF Western Blot-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

CSF Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Lyme Disease Antibody Screen CSF-Mayo

Order Synonym(s)

CSF Lyme Disease Antibody Screen-Mayo
Lyme Disease Ab Screen CSF Mayo
Lyme Disease Antibody Screen CSF-Mayo
Mayo-Lyme Disease Ab Screen, CSF

Associated DTA(s)

Lyme Ab CSF-Mayo

CDM Code(s)

43760108	Lyme Disease Antibody Screen CSF-Mayo
43860108	Lyme Disease Antibody Screen CSF-Mayo

CPT Code(s)

86618	Lyme Disease Antibody Screen CSF-Mayo

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Lyme Disease by Rapid PCR on Fluid-Mayo

Order Synonym(s)

Lyme Disease by PCR on Fluid Mayo
Lyme Disease by Rapid PCR on Fluid-Mayo
Mayo-Lyme Disease by Rapid PCR on Fluid

Associated DTA(s)

Lyme Source-Mayo
Lyme by Rap PCR-Mayo

CDM Code(s)

43762106	Lyme Disease by Rapid PCR-Mayo
43862106	Lyme Disease by Rapid PCR-Mayo

CPT Code(s)

[Continued]

87476 Lyme Disease by Rapid PCR-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
CSF	FLD
SYNOVIAL FL	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Lymes Disease Total (IgG /IgM) Antibody

Order Synonym(s)	Associated DTA(s)
Borrelia Burgdorferi Antibody	Lyme
Borrelia Burgdorferi IgG/IgM	Lymes Interp
Borrelia Burgdorferi Serology	
Lyme Ab	
Lyme IgG IgM Screen	
Lymes Disease Total (IgG /IgM) Antibody	

CDM Code(s)
43755300 LYME TOTAL AB
43855300 LYME TOTAL AB

CPT Code(s)
86618 Antibody; Borrelia burgdorferi (Lyme disease)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Vidas

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 24 hrs Refrigerated: 5 day

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

MAC Susceptibility-Mayo

Order Synonym(s)
MAC Susceptibility-Mayo
Susceptibility, MAC, Clarithromycin-Mayo

Associated DTA(s)
MAC Susceptibility-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Other Source

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Magnesium Level

Order Synonym(s)
Magnesium
Magnesium Level
Mg Level

Associated DTA(s)
MG Lvl

CDM Code(s)

43750196	MAGNESIUM
43850196	MAGNESIUM

CPT Code(s)

83735	Magnesium

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Magnesium Level 24 Hour Urine

Order Synonym(s)	Associated DTA(s)
24 Hour Urine Magnesium Level	TV Magnesium
Magnesium Level 24 Hour Urine	U Mg Rand
Magnesium Urine 24 Hr	U24 Hr Mg
Urine 24 Hour Magnesium Level	

CDM Code(s)

43754039	MAGNESIUM URINE 24HR
43854039	MAGNESIUM URINE 24HR

CPT Code(s)

83735	Magnesium

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

[Continued]

Magnesium Level Urine Random

Order Synonym(s)
Magnesium Level Urine Random
Magnesium Urine Random
Random Urine Magnesium Level
Urine Magnesium Level Random

Associated DTA(s)
U Mg Rand

CDM Code(s)

43754035	URINE MAGNESIUM RANDOM
43854035	URINE MAGNESIUM RANDOM

CPT Code(s)

83735	Magnesium

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Urine samples should be analyzed within 2 Hrs of collection.Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Malaria Smear

Order Synonym(s)
Malaria Blood Smear
Malaria Smear
Smear for Malaria

Associated DTA(s)
% Parasitized Red Cells
Malaria Smear

CDM Code(s)

43710048	MALARIA SMEAR
43810048	MALARIA SMEAR

CPT Code(s)

87207	MALARIA SMEAR

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Sp Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Manual Hematocrit

Order Synonym(s)
Manual Hematocrit
Spun Hematocrit

Associated DTA(s)
Spun Hematocrit

CDM Code(s)

43710026	Manual Hematocrit
43810026	Manual Hematocrit

CPT Code(s)

85013	Blood count; spun microhematocrit

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Maternal Triple Screen-ARUP

Order Synonym(s)
Maternal Screen 3-ARUP
Maternal Triple Screen-ARUP
Triple Screen-ARUP

Associated DTA(s)
Clinical History Form Received?
Dating
Determined By:
Diabetic?
Doctor's Name?
Due Date?

[Continued]

Estimated Due Date
Family Hx Neural Tube Defect
Family history of NTD or Other?
Gestational Age (Exact)
Insulin Req Maternal Diabetes
Last Menstrual Period Date
Maternal Age at Delivery
Maternal DOB
Maternal Race
Maternal Screen Interp
Maternal Weight
Maternal Wght
MoM for AFP
MoM for hCG
MoM for uE3
Number of Fetuses
Patient's AFP
Patient's hCG
Patient's uE3
Race of Mother
Specimen?
Twins?

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Mayo Oligoclonal Banding

Order Synonym(s)
Mayo Oligoclonal Banding
Mayo Oligoclonal Bands
Mayo-Oligoclonal Banding
Associated DTA(s)
Oligo Band Int-Mayo
Oligo Bands CSF-Mayo
Oligo Bands-Mayo
CDM Code(s)

[Continued]

43764673 Oligoclonal Banding-Mayo
43864673 Oligoclonal Banding-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood and CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

MDS Target Gene Panel-US Labs

Order Synonym(s)
MDS Target Gene Panel-US Labs

Associated DTA(s)
MDS Target Gene-US Labs

CDM Code(s)
43767541 MDS Target Gene Panel
43867541 MDS Target Gene Panel

CPT Code(s)
88275 MDS Target Gene Panel

Default Collection Method(s)
Sterile Procedure
Venous Draw

Service Resource(s)
MCCG US Labs

Specimen Type(s)
BONE MARROW
Blood

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Medical Urine Drug Screen 10

Order Synonym(s)

Associated DTA(s)

[Continued]

ACC Medical Urine Drug Screen 10	Amphetamines
Med Drug 10 Urine	Barbiturate
Medical Urine Drug Screen 10	Benzodiazepine
Urine Medical Drug Screen 10	Cocaine
	Comment Med Drug Screen 10
	Drug Coll Date
	Methadone Lvl
	Opiates
	Oxycodone Qual
	PCP
	Propoxyphene Qual
	THC
	Urine Creatinine

CDM Code(s)

43752096	Medical Urine Drug Screen 10
43852096	Medical Urine Drug Screen 10

CPT Code(s)

G0431	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG MGC240

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Medical Urine Drug Screen 11

Order Synonym(s)	Associated DTA(s)
ACC Medical Urine Drug Screen 11	Amphetamines
Med Drug 11 Urine	Barbiturate
Medical Urine Drug Screen 11	Benzodiazepine
Urine Medical Drug Screen 11	Cocaine
	Drug Coll Date
	Medical Drug 11 Comment

[Continued]

Methadone Lvl
Opiates
Oxycodone Qual
PCP
Propoxyphene Qual
THC
U Alcohol
Urine Creatinine

CDM Code(s)

43752097	Medical Drug Screen 11
43852097	Medical Drug Screen 11

CPT Code(s)

G0431	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG MGC240

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Medical Urine Drug Screen 7 with Validat

Order Synonym(s)

Drug Screen 7 - Urine with Validation
Medical Urine Drug Screen 7 with Validation
Urine Medical Drug Screen 7 with Validation

Associated DTA(s)

Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Opiates
PCP
THC
U Drug 7 Comment

CDM Code(s)

43752094	Drug Screen Part 1
43852094	Drug Screen Part 1

CPT Code(s)

[Continued]

G0431 Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Medical Urine Drug Screen 9

Order Synonym(s)

Med Drug 9 Urine
Medical Urine Drug Screen 9
Urine Medical Drug Screen 9
Urine Medical Drug Screen9

Associated DTA(s)

Amphetamines
Barbiturate
Benzodiazepine
Cocaine
MDRG9 Comment
Methadone Lvl
Opiates
Oxycodone Qual
PCP
THC

CDM Code(s)

43752099 Medical Urine Drug Screen 9
43852099 Medical Urine Drug Screen 9

CPT Code(s)

G0431 Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG MGC240

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Meningoencephalitis Comprehensive Panel

Order Synonym(s)	Associated DTA(s)
Mayo-Meningoencephalitis Comp Panel (CSF)	MCP-AdenoAb CSF-Mayo
Meningeoencphalitis Comprehensive	MCP-CMV IgG CSF-Mayo
Meningoencephalitis Comprehensive Panel CSF-Mayo	MCP-CMV IgM CSF-Mayo
	MCP-Cal IgG CSF-Mayo
	MCP-Cal IgM CSF-Mayo
	MCP-Cal Int CSF-Mayo
	MCP-Cox A 2 CSF-Mayo
	MCP-Cox A 4 CSF-Mayo
	MCP-Cox A 7 CSF-Mayo
	MCP-Cox A 9 CSF-Mayo
	MCP-Cox B 1 CSF-Mayo
	MCP-Cox B 2 CSF-Mayo
	MCP-Cox B 3 CSF-Mayo
	MCP-Cox B 4 CSF-Mayo
	MCP-Cox B 5 CSF-Mayo
	MCP-Cox B 6 CSF-Mayo
	MCP-CoxA 10 CSF-Mayo
	MCP-CoxA 16 CSF-Mayo
	MCP-EEq IgG CSF-Mayo
	MCP-EEq IgM CSF-Mayo
	MCP-EEq Int CSF-Mayo
	MCP-Echo 11 CSF-Mayo
	MCP-Echo 30 CSF-Mayo
	MCP-Echo 4 CSF-Mayo
	MCP-Echo 7 CSF-Mayo
	MCP-Echo 9 CSF-Mayo
	MCP-HSV1 Ab CSF-Mayo
	MCP-HSV1IgM CSF-Mayo
	MCP-HSV2 Ab CSF-Mayo
	MCP-HSV2IgM CSF-Mayo
	MCP-Influ A CSF-Mayo
	MCP-Influ B CSF-Mayo
	MCP-LCM IgG CSF-Mayo
	MCP-LCM IgM CSF-Mayo

[Continued]

MCP-LCM Int CSF-Mayo
MCP-Mmp IgG CSF-Mayo
MCP-Mmp IgM CSF-Mayo
MCP-Mmp Int CSF-Mayo
MCP-Rub IgG CSF-Mayo
MCP-Rub IgM CSF-Mayo
MCP-Rub Int CSF-Mayo
MCP-StL IgG CSF-Mayo
MCP-StL IgM CSF-Mayo
MCP-StL Int CSF-Mayo
MCP-VZos Ab CSF-Mayo
MCP-WEq IgG CSF-Mayo
MCP-WEq IgM CSF-Mayo
MCP-WEq Int CSF-Mayo

CDM Code(s)

43764399	Meningoencephalitis Comprehensive Panel CSF-Mayo
43864399	Meningoencephalitis Comprehensive Panel CSF-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Mercury Blood-Mayo

Order Synonym(s)

Mayo-Mercury, B
Mercury BLood Mayo
Mercury Blood-Mayo

Associated DTA(s)

Mercury Lvl-Mayo

CDM Code(s)

43761360	Mercury Blood-Mayo
43861360	Mercury Blood-Mayo

CPT Code(s)

83825	Mercury Blood-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
RoylEDTA

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Mercury Level 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Mercury Level-Mayo
Mayo-Mercury, U
Mercury Level 24 Hour Urine-Mayo
Mercury Urine 24 Hr Mayo
Urine 24 Hr Mercury Level-Mayo

Associated DTA(s)
Hrs Mercury-Mayo
TV Mercury-Mayo
U24 Mercury-Mayo
Ur Mercury-Mayo

CDM Code(s)

43761573	Mercury Level 24 Hour Urine-Mayo
43861573	Mercury Level 24 Hour Urine-Mayo

CPT Code(s)

83825	Mercury Level 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Metanephrines, Fractionated 24 Hour Urin

Order Synonym(s)
24 Hr Urine Metanephrines Fractionated-Mayo
24 Hr Urine Normetanephrine-Mayo
Mayo-Metanephrines, Fractionated, 24h, U

Associated DTA(s)
Hrs Metanephr-Mayo
TV Metanephr-Mayo
U Metanephr Cmnt-Mayo

[Continued]

Metanephrines Fractionated Urine 24 Hr Mayo
Metanephrines, Fractionated 24 Hour Urine-Mayo
Normetanephrine 24 Hr Urine-Mayo
Urine 24 Hr Metanephrines Fractionated-Mayo
Urine 24 Hr Normetanephrine-Mayo
U24 Metane Tot-Mayo
U24 Metanephr-Mayo
U24 Normetane-Mayo

CDM Code(s)

43764400 Metanephrines, Fractionated 24 Hour Urine-Mayo
43864400 Metanephrines, Fractionated 24 Hour Urine-Mayo

CPT Code(s)

83835 Metanephrines, Fractionated 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Preservative req; refrig while collect

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Metanephrines, Fractionated Free-Mayo

Order Synonym(s)

Mayo-Metanephrines, Fract., Free, P
Metanephrines Fractionated Free Mayo
Metanephrines, Fractionated Free-Mayo

Associated DTA(s)

Metanephr Free-Mayo
Normetane Free-Mayo

CDM Code(s)

43764401 Metanephrines, Fractionated Free-Mayo
43864401 Metanephrines, Fractionated Free-Mayo

CPT Code(s)

83835 Metanephrines

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

1.20 ML

Prep Agent(s)

Metanephrines, Fractionated Random Urine

Order Synonym(s)
Mayo-Metanephrines, Fract., Random, U
Metanephrines Fractionated Urine Random Mayo
Metanephrines, Fractionated Random Urine-Mayo
Urine Random Metanephrines, Fractionated-Mayo
Urine Random Metanephrines, Fractionated-MayoUrine Random Metanephrines, Fractionated-Mayo

Associated DTA(s)
U Meta/Creat-Mayo
U Normeta/Creat-Mayo
U Tot Meta/Creat-Mayo

CDM Code(s)
43764402 Metanephrines, Fractionated Random Urine-Mayo
43864402 Metanephrines, Fractionated Random Urine-Mayo

CPT Code(s)
83835 Metanephrines, Fractionated Random Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
5.00 ML

Prep Agent(s)

Methadone Confirmation by TLC

Order Synonym(s)
Methadone Confirmation by TLC

Associated DTA(s)
Methadone Confirmation by TLC

CDM Code(s)
43752195 Methadone Confirmation by TLC
43852195 Methadone Confirmation by TLC

CPT Code(s)
80102 Drug confirmation, each procedure

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Methadone Level

Order Synonym(s)
Methadone
Methadone Level

Associated DTA(s)
Methadone Lvl

CDM Code(s)

43752073	Methadone Level
43852073	Methadone Level

CPT Code(s)

80101	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Hit 911

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Methemoglobin Reductase-Mayo

Order Synonym(s)
Mayo-Methemoglobin Reductase, B
Methemoglobin Reductase Mayo
Methemoglobin Reductase-Mayo

Associated DTA(s)
Meth Reductase-Mayo

CDM Code(s)

43764403	Methemoglobin Reductase-Mayo
43864403	Methemoglobin Reductase-Mayo

CPT Code(s)

82657	Methemoglobin Reductase-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Methotrexate Level

Order Synonym(s)
Methotrexate
Methotrexate Level

Associated DTA(s)
Methotrexate Lvl

CDM Code(s)

43752130	Methotrexate Level
43852130	Methotrexate Level

CPT Code(s)

80299	Quantitation of drug, not elsewhere specified

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott TDX

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)
Protect from light

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Methylmalonic Acid Amniotic Fluid-Mayo

Order Synonym(s)
Amniotic Fl Methylmalonic Acid-Mayo
Fl Amniotic MMA-Mayo
Fl Amniotic Methylmalonic Acid-Mayo
MMA Amniotic Fluid-Mayo
Mayo-Methylmalonic Acid, AF

Associated DTA(s)
MMA AF-Mayo
MMA Interp AF-Mayo

[Continued]

Methylmalonic Acid Amniotic Fluid Mayo
Methylmalonic Acid Amniotic Fluid-Mayo

CDM Code(s)

43764406	Methylmalonic Acid Amniotic Fluid-Mayo
43864406	Methylmalonic Acid Amniotic Fluid-Mayo

CPT Code(s)

83921	Methylmalonic Acid Amniotic Fluid-Mayo

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Amniotic Fluid	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
30.00	ML

Prep Agent(s)

Methylmalonic Acid Quant-Mayo

Order Synonym(s)	Associated DTA(s)
MMA Quant-Mayo	MMA Quant-Mayo
Mayo-Methylmalonic Acid, QN, S	
Methylmalonic Acid Quant Mayo	
Methylmalonic Acid Quant-Mayo	

CDM Code(s)

43764407	Methylmalonic Acid Quant-Mayo
43864407	Methylmalonic Acid Quant-Mayo

CPT Code(s)

83921	Methylmalonic Acid Quant-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

5.00 ML

Prep Agent(s)

Mexiletine Level-Mayo

Order Synonym(s)
Mayo-Mexiletine, P/S
Mexiletine Level-Mayo
Mexitil Level Mayo

Associated DTA(s)
Mexiletine Lvl-Mayo

CDM Code(s)

43761910	Mexiletine Level-Mayo
43861910	Mexiletine Level-Mayo

CPT Code(s)

80299	Mexiletine Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

MG Evaluation-Mayo

Order Synonym(s)
MG Evaluation-Mayo
Mayo-MG Evaluation
Motor End-plate Antibodies-Mayo
Muscle End-plate Antibodies-Mayo
Myasthenia Gravis Evaluation, Adult-Mayo
Neuromuscular Junction Antibodies-Mayo

Associated DTA(s)
ACHr Binding Ab-Mayo
ACHr Mod Ab-Mayo
Striate Mscl Ab-Mayo

CDM Code(s)

43767593	Myasthenia Gravis Evaluation, Adult
43867593	Myasthenia Gravis Evaluation, Adult

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

MHA-TP Microhemagglutination for Syphi

Order Synonym(s)

MHA TP
MHA-TP Microhemagglutination for Syphilis
Syphilis Antibody (MHA-TP)
TP-PA Syphilis

Associated DTA(s)

TP-PA

CDM Code(s)

43735107	MHA-TP
43835107	MHA-TP

CPT Code(s)

86781	Antibody; Treponema pallidum, confirmatory test (eg, FTA-abs

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Serum or Plasma Stability:Ambient/Room Temp: 24 hrs Refrigerated Serum: 5 days Regrigerated Plasma: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Micro Referral

Order Synonym(s)

Micro Referral

Associated DTA(s)

ID, MICRO REF

CDM Code(s)

[Continued]

43761801 Micro Referral (Sendout)
43861801 Micro Referral (Sendout)

CPT Code(s)
86999 Unlisted transfusion medicine procedure
86999 Micro Referral (Sendout)

Default Collection Method(s)
Aspirate
Biopsy
Clean Container
Clippings
Micro Swab
Scrapings
Sterile Container
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s) **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Microalbumin Level 24 Hour Urine (includ

Order Synonym(s)
24 Hour Urine Microalbumin Level
24 Hour Urine Microalbumin Level (Includes Creatinine)
Microalbumin Level 24 Hour Urine (includes Creatinine)
Microalbumin Urine 24 Hr (includes Creatinine)
Urine 24 Hour Microalbumin Level
Urine 24 Hour Microalbumin Level (Includes Creatinine)

Associated DTA(s)
Coll Period
Microalb Excreat Rate
Microalb/Creat Ratio
TV Microalbumin
U Creat Random
U Microalb Random
U24 Crea Microalb
U24 Microalbumin

CDM Code(s)
43755050 Microalbumin Level 24 Hour Urine
43855050 MICROALBUMIN

CPT Code(s)
82043 Albumin; urine, microalbumin, quantitative

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s) **Specimen Container Instruction(s)**

[Continued]

Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-In General: No strenuous exercise, No Urinary Tract Infection, Do Not collect in glass container.-10 hour collection recommended. 24 hour collection acceptable.-Obtain urine container with no perservatives from lab.- Patient should be instructed to empty bladder at the start time and discard urine.- Collect all subsequent urine for the specified period of time.- Record patient name, ID # and collection time (start & stop) on all containers.

Microalbumin Level Urine Random (include

Order Synonym(s)	Associated DTA(s)
Albumin/Creatinine Ratio Urine	Microalb/Creat Ratio
Albumin/Creatinine Ratio Urine (includes Creatinine)	U Creat Random
Microalbumin Level Urine Random (includes Creatinine)	U Microalb Random
Microalbumin Urine Random (includes Creatinine)	
Urine Albumin/Creatinine Ratio	
Urine Microalbumin Random	
Urine Microalbumin Random (includes Creatinine)	
Urine Random Microalbumin Level	

CDM Code(s)

43755050	MICROALBUMIN
43855050	MICROALBUMIN

CPT Code(s)

82043	Albumin; urine, microalbumin, quantitative

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-In General: 1. No strenous exercise 2. No Urinary Tract infection 3. Do not collect in a glass container. 4. No perservatives needed.-Exclude: First morning urine.-Avoid: Cephalosporin antibiotics when performing Randm urine measurements due to possible interference on creatinine values and thus the Albumin/Creatinine ratio.Label with Patient's name, MRN and Collection date/time.

Microscopic Exam Urine

Order Synonym(s)	Associated DTA(s)
Microscopic Exam Urine	U Amorphous
UA Microscopic	U Bacteria
Urinalysis Microscopic	U Broad Cast
	U Budding Yeast
	U CaPhos Crys
	U Caox Crys
	U Cellular Cast
	U Chol Crys
	U Crse Gran Cast
	U Cysteine Crys
	U Epi Cell Cast
	U Fat
	U Fine Gran Cast
	U Granular Cast
	U Hyaline Cast
	U Hyphenated Yeast
	U Leucine Crys
	U Mucous
	U Non-Squamous Epithelial
	U Oval Fat Bodies
	U RBC
	U RBC Cast
	U Renal Epi Cells
	U Squam Epi Cells
	U Sulfa Cryst
	U Trans Epi Cells
	U Trichomonas
	U Trple Phos Crys
	U Tyrosine Crys
	U Uric Acd Crys
	U WBC
	U WBC Cast
	U Waxy Cast
	UA Micro Only

[Continued]

Urine Comment

CDM Code(s)

43720028	UA Microscopic
43820028	UA Microscopic

CPT Code(s)

81001	Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)

Urine

Service Resource(s)

MCCG AUW
MCCG UF 100

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Microsporidia Exam

Order Synonym(s)

Microsporidia Exam
Microsporidia Test
SM Microsporidia
Smear, Microsporidia

Associated DTA(s)

SM MICROSPORIDIA

CDM Code(s)

43735180	Microsporidia Exam
43835180	Microsporidia Exam

CPT Code(s)

88312	Microsporidia Exam

Default Collection Method(s)

Clean Container

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume	Minimum Volume Unit

Prep Agent(s)

Miscellaneous Chemistry Order

Order Synonym(s)

Associated DTA(s)

[Continued]

Miscellaneous Chemistry Order

Misc Chemistry Result
Misc Chemistry Test Ordered
Specimen Type Chemistry

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Other Lab Test
Service Resource(s)
MCCG DL 2000
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Flds
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Miscellaneous Hematology Order

Order Synonym(s)
Miscellaneous Hematology Order

Associated DTA(s)
Misc Hemo Result
Misc Hemo Test Ordered
Specimen Type Hemo

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Other Lab Test
Service Resource(s)
MCCG Man Hemo
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Hemo Special
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Miscellaneous Microbiology Order

Order Synonym(s)

Associated DTA(s)

[Continued]

Miscellaneous Microbiology Order

Misc Micro Result
Misc Micro Test Ordered
Specimen Type Micro

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Other Lab Test
Service Resource(s)
MCCG Misc Micro Bench
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Misc Micro
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Miscellaneous Special Chemistry Order

Order Synonym(s)
Miscellaneous Special Chemistry Order

Associated DTA(s)
Misc Sp Chem Result
Misc Sp Chem Test Ordered
Specimen Type Sp Chem

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Other Lab Test
Service Resource(s)
MCCG Man Sp Chem
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Mitochondrial Antibody, M2-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Anti-Mitochondrial Ab, M2-Mayo
Mayo-Mitochondrial Ab, M2, S
Mitochondrial Ab M2 Mayo
Mitochondrial Antibody, M2-Mayo

AMA Ab Screen-Mayo

CDM Code(s)

43764408	Mitochondrial Antibody, M2-Mayo
43864408	Mitochondrial Antibody, M2-Mayo

CPT Code(s)

83516	Mitochondrial Antibody, M2-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

MM-MGUS Target Gene Panel-US Labs

Order Synonym(s)

MM-MGUS Target Gene Panel-US Labs

Associated DTA(s)

MM-MGUS Target Gene-US Labs

CDM Code(s)

43767546	MM-MGUS Target Gene Panel
43867546	MM-MGUS Target Gene Panel

CPT Code(s)

88271	MM-MGUS Target Gene Panel

Default Collection Method(s)

Sterile Procedure
Venous Draw

Service Resource(s)

MCCG US Labs

Specimen Type(s)

BONE MARROW
Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

3.00 ML
Prep Agent(s)

Modified Acid Fast Stain

Order Synonym(s)
AFB Modified Stain
Modified Acid Fast Stain
SM Modified AFB
Smear, Modified Acid Fast

Associated DTA(s)
SM MODIFIED AFB

CDM Code(s)
43735200 Modified Acid Fast Stain
43835200 Modified Acid Fast Stain

CPT Code(s)
87206 Smear, primary source with interpretation; fluorescent and/o

Default Collection Method(s)
Biopsy
Clean Container
Micro Swab
Sterile Procedure
Washing

Service Resource(s)
Specimen Type(s)
Specimen Container Instruction(s)
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Monoprotein Electrophoresis

Order Synonym(s)
Monoprotein Electrophoresis
Monoprotein Electrophoresis Test

Associated DTA(s)
A1 Glob Mono Elect
A2 Glob Mono Elect
Alb Mono Elect
Beta Glob Mono Elect
Gamma Glob Mono Elect
Interp Mono Elect
TP Mono Elect

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Electrophoresis
Specimen Type(s)
Specimen Container Instruction(s)

[Continued]

*Outreach Gold — Gold Gel (Clot Tube)
Blood

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Mtb Susceptibility-Mayo

Order Synonym(s)
Mtb Susceptibility-Mayo
Susceptibility, Mtb Complex, Broth-Mayo

Associated DTA(s)
Mtb Susceptibility-Mayo

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Other Source

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Mucopolysaccharide Screen, Urine-Mayo

Order Synonym(s)
Mucopolysaccharide Screen, Urine-Mayo

Associated DTA(s)
Mucopolysaccharide Screen, Urine-Mayo

CDM Code(s)

43764899	Mucopolysaccharides, acid; quantitative
43864899	Mucopolysaccharides, acid; quantitative

CPT Code(s)

83864	Mucopolysaccharides, acid; quantitative

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine	Urine cup-clean

Specimen Handling Instruction(s)
Freeze specimen immediately
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Multimer Von Willebrand Factor Assay-Ma

Order Synonym(s)	Associated DTA(s)
Mayo-von Willebrand Factor Multimer, P	vWF Multimer-Mayo
Multimer Von Willebrand Factor Assay-Mayo	
Multimer Von Willebrand Factor Assay May	

CDM Code(s)

43764576	Von Willebrand Factor Multimer Assay-Mayo
43864576	Von Willebrand Factor Multimer Assay-Mayo

CPT Code(s)

85247	Von Willebrand Factor Multimer Assay-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Blue

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Mumps Antibody IgG

Order Synonym(s)	Associated DTA(s)
Mumps Ab IgG	Mumps IgG Ab
Mumps Antibody IgG	Mumps IgG Interp

CDM Code(s)

43755325	Mumps Antibody IgG
43855325	Mumps Antibody IgG

CPT Code(s)

86735	Mumps Antibody IgG

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Vidas

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Mycophenolic Acid-Mayo

Order Synonym(s)

Mayo-Mycophenolic Acid, S
Mycophenolic Acid Mayo
Mycophenolic Acid-Mayo

Associated DTA(s)

Mycophen Lvl-Mayo
Mycophen-G Lvl-Mayo

CDM Code(s)

43764421	Mycophenolic Acid-Mayo
43864421	Mycophenolic Acid-Mayo

CPT Code(s)

80299	Mycophenolic Acid-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Mycoplasma Antibody IgM

Order Synonym(s)

Associated DTA(s)

[Continued]

IgM Mycoplasma Antibody
Mycoplasma Ab IgM
Mycoplasma Antibody IgM
Mycoplasma Ab Interp
Mycoplasma IgM Ab

CDM Code(s)

43735162 MYCOPLASMA IGM ANTIBODY
43835162 MYCOPLASMA IGM ANTIBODY

CPT Code(s)

86738 MYCOPLASMA ANTIBODY

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: ASAP Refrigerated: 72 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Mycoplasma Pneumonia DNA Qualitative-ARU

Order Synonym(s)

Mycoplasma Pneumonia DNA Qualitative-ARUP
Mycoplasma pneumonia DNA Qual-ARUP

Associated DTA(s)

Mycoplasma pneumo DNA Probe

CDM Code(s)

43762390 Mycoplasma Pneumonia DNA Qualitative
43862390 Mycoplasma Pneumonia DNA Qualitative

CPT Code(s)

87581 Infectious agent detection by nucleic acid (DNA or RNA); Myc

Default Collection Method(s)

Sterile Container

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

BAL
BRONCH BRUSHINGS
CSF
NASOPHARYNX
PLEURAL FL

Specimen Container Instruction(s)

Sterile Container

[Continued]

SPUTUM
TRACH ASP

Specimen Handling Instruction(s)
Ship to ARUP Frozen

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
0.10	ML
0.50	ML
1.00	ML

Prep Agent(s)

Mycoplasma ureaplasma/hominis Culture-AR

Order Synonym(s)
Culture Mycoplasma ureaplasma/hominis-ARUP
Mycoplasma ureaplasma hominis Culture-ARUP
Mycoplasma ureaplasma/hominis Culture-ARUP

Associated DTA(s)
C Myco Ureaplasma/hominis

CDM Code(s)

43761400	Mycoplasma ureaplasma/hominis Culture
43861400	Mycoplasma ureaplasma/hominis Culture

CPT Code(s)

87109	Culture, mycoplasma, any source

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
Sendout Swab

Specimen Container Instruction(s)
Mycoplasma Transport Media

Specimen Handling Instruction(s)
On Ice/Ship to ARUP Frozen

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Myeloperoxidase Antibody-Mayo

Order Synonym(s)
MPO Antibody
Mayo-Myeloperoxidase Ab, S
Myeloperoxidase Ab Mayo
Myeloperoxidase Antibody-Mayo

Associated DTA(s)
Myeloperox Ab-Mayo

CDM Code(s)

[Continued]

43764426 Myeloperoxidase Antibody-Mayo
43864426 Myeloperoxidase Antibody-Mayo

CPT Code(s)
83516 Myeloperoxidase Antibody-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Myeloperoxidase Stain

Order Synonym(s)
Myeloperoxidase Stain
Neutrophil Myeloperoxidase Stain
Peroxidase Stain

Associated DTA(s)
Myeloperoxidase Stain

CDM Code(s)
43701316 Myeloperoxidase Stain
43801316 Myeloperoxidase Stain

CPT Code(s)
88319 Determinative histochemistry or cytochemistry to identify en

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Sp Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability Cannot be added on

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Myocardial Antibody-Mayo

Order Synonym(s)
Mayo-Myocardial Abs, S
Myocardial Ab Mayo
Myocardial Antibody-Mayo

Associated DTA(s)
Myocardial Ab-Mayo

CDM Code(s)

43764666	Myocardial Antibody-Mayo
43864666	Myocardial Antibody-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Myocarditis-Pericarditis Panel by CF-May

Order Synonym(s)
Mayo-MYOCARDITIS-PERICARDITIS PANEL, CF (SERUM)
Myocarditis Pericarditis Panel by CF Mayo
Myocarditis-Pericarditis Panel by CF-Mayo

Associated DTA(s)
Chlamydia Interp-Mayo
Chlamydia pneumo IgA-Mayo
Chlamydia pneumo IgG-Mayo
Chlamydia pneumo IgM-Mayo
Cox B Ab Type 1-Mayo
Cox B Ab Type 2-Mayo
Cox B Ab Type 3-Mayo
Cox B Ab Type 4-Mayo
Cox B Ab Type 5-Mayo
Cox B Ab Type 6-Mayo
Echo Ab Type 11-Mayo
Echo Ab Type 30-Mayo
Echo Ab Type 4-Mayo
Echo Ab Type 7-Mayo
Echo Ab Type 9-Mayo
Influ Type B Ab-Mayo
MCP-Influenza A-Mayo
Myo/Pericarditis Panel Interp-Mayo

CDM Code(s)

[Continued]

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs
Minimum Volume **Minimum Volume Unit**
3.00 ML
Prep Agent(s)

Myoglobin Level

Order Synonym(s)
Myoglobin
Myoglobin Level
Associated DTA(s)
Myoglobin
CDM Code(s)
43761045 Myoglobin Level
43861045 Myoglobin Level
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

[Continued]

Myoglobin Urine-Mayo

Order Synonym(s)
Mayo-Myoglobin, U
Myoglobin Urine Mayo
Myoglobin Urine-Mayo
Urine Myoglobin-Mayo

Associated DTA(s)
U Myoglob ng/mL-Mayo
U Myoglobin-Mayo

CDM Code(s)

43764427	Myoglobin Urine-Mayo
43864427	Myoglobin Urine-Mayo

CPT Code(s)

83874	Myoglobin Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Narcolepsy Associated Antigen-Mayo

Order Synonym(s)
Mayo-Narcolepsy Associated Ag, B
Narcolepsy Associated Ag Mayo
Narcolepsy Associated Antigen-Mayo

Associated DTA(s)
Narcolepsy Ag-Mayo

CDM Code(s)

43764668	Narcolepsy Associated Antigen-Mayo
43765105	Narcolepsy Associated Antigen-Mayo
43864668	Narcolepsy Associated Antigen-Mayo
43865105	Narcolepsy Associated Antigen-Mayo

CPT Code(s)

81383	HLA Class II typing, high resolution (ie, alleles or allele

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Do Not Spin

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
7.00	ML

Prep Agent(s)

Neisseria gonorrhoeae (DNA Probe)

Order Synonym(s)

GC DNA Probe
GC DNA Probe
Neisseria gonorrhoeae (DNA Probe)

Associated DTA(s)

GC DNA Interp
GC DNA Probe

CDM Code(s)

43735140	GC DNA PROBE
43835137	Neisseria gonorrhoeae (DNA Probe)

CPT Code(s)

87591	Infectious agent detection by nucleic acid (DNA or RNA); Nei

Default Collection Method(s)

Micro Swab
Sterile Container

Service Resource(s)

MCCG Micro Serology

Specimen Type(s)

CERVIX
PENIS
URETHRA
UTERUS
Urine
VAGINA

Specimen Container Instruction(s)

DNA Probe tube
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
1.00	ML
10.00	ML

Prep Agent(s)

Neuron Specific Enolase, CSF-Mayo

Order Synonym(s)

CSF Neuron Specific Enolase-Mayo
Mayo-Neuron Specific Enolase, CSF
Neuron Specific Enolase CSF Mayo

Associated DTA(s)

Neuro Enol CSF-Mayo

[Continued]

Neuron Specific Enolase, CSF-Mayo

CDM Code(s)

43764428 Neuron Specific Enolase, CSF-Mayo
43864428 Neuron Specific Enolase, CSF-Mayo

CPT Code(s)

83520 Immunoassay, analyte, quantitative; not otherwise specified

Default Collection Method(s)

Sterile Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Neuronal Antibodies (Hu,Ri,Yo) IgG by Im

Order Synonym(s)

Amphiphysin antibody
Anti-Amphiphysin
Anti-Hu
Anti-Ri
Anti-Yo
Hu antibody
Neuronal Ab Hu Ri Yo IgG-ARUP
Neuronal Antibodies (Hu,Ri,Yo) IgG by Immunoblot-ARUP
Ri antibody
Yo antibody

Associated DTA(s)

Anti-Hu
Anti-Ri
Anti-Yo
Neuronal Ab (Amphiphysin)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Neuronal Nuclear Autoantibodies CSF-ARUP

Order Synonym(s)
- CSF Neuronal Nuclear Autoantibodies-ARUP
- Neuronal Nuclear Ab CSF-ARUP
- Neuronal Nuclear Autoantibodies CSF-ARUP

Associated DTA(s)
- CSF Neuronal Nulcear Ab

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Sterile Procedure

Service Resource(s)
- MCCG ARUP Reference Lab

Specimen Type(s)
- CSF

Specimen Container Instruction(s)
- Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- ARUP Sendout

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Neutrophil Oxidative Burst-Mayo

Order Synonym(s)
- Mayo-Neutrophil Oxidative Burst, B
- NBT Mayo
- NBT-Mayo
- Neutrophil Oxidative Burst-Mayo
- Nitroblue Tetrazolium-Mayo
- Oxidative Burst, Neutrophil-Mayo

Associated DTA(s)
- Neut Oxi Burst-Mayo
- Oxi Burst Intrp-Mayo
- Oxi Burst RevBy-Mayo

CDM Code(s)

43764429	Neutrophil Oxidative Burst-Mayo
43864429	Neutrophil Oxidative Burst-Mayo

CPT Code(s)

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	Grn-Sodium Hep

Specimen Handling Instruction(s)
Mon-Thurs Only! Control tube required.
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Newborn Aneuploidy Detection, FISH-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Newborn Aneuploidy Detection, FISH	NAD Amend-Mayo
Newborn Aneuploidy Detection, FISH-Mayo	NAD Consult-Mayo
Sex Chromosome FISH-Mayo	NAD Interp-Mayo
Sex Chromosone FISH Mayo	NAD Method-Mayo
Trisomy 21 FISH-Mayo	NAD Order Date-Mayo
XX , XY FISH-Mayo	NAD Refer Rsn-Mayo
	NAD Report Dt-Mayo
	NAD Results-Mayo
	NAD Source-Mayo
	NAD Spec ID-Mayo
	NAD Spec-Mayo

CDM Code(s)

43764432	Newborn Aneuploidy Detection, FISH-Mayo
43864432	Newborn Aneuploidy Detection, FISH-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Grn-Sodium Hep

Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

NH FBS Only

Order Synonym(s)	Associated DTA(s)

[Continued]

NH FBS Only Glucose Lvl

CDM Code(s)

43750126 Glucose; quantitative, blood (except reagent strip)
43850126 Glucose; quantitative, blood (except reagent strip)
43850127 Glucose; quantitative, blood (except reagent strip)

CPT Code(s)

82947 Glucose; quantitative, blood (except reagent strip)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gray (K Ox/NaFl) Top Tube

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Niacin (Nicotinic Acid) Level-Mayo

Order Synonym(s)

Mayo-Niacin (Nicotinic Acid)
Niacin (Nicotinic Acid) Level-Mayo
Niacin Level Mayo
Vitamin B3-Mayo

Associated DTA(s)

Niacin-Mayo

CDM Code(s)

43764436 Niacin (Nicotinic Acid) Level-Mayo
43864436 Niacin (Nicotinic Acid) Level-Mayo

CPT Code(s)

84571 Niacin (Nicotinic Acid) Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Protect from light

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Nickel 24 Hour Urine-Mayo

Order Synonym(s)

24 Hr Urine Nickel-Mayo
Mayo-Nickel, U
Nickel 24 Hour Urine-Mayo
Nickel Urine 24 Hr Mayo
Urine 24 Hr Nickel-Mayo

Associated DTA(s)

Hrs Nickel-Mayo
TV Nickel-Mayo
U24 Nickel-Mayo
Ur Nickel-Mayo

CDM Code(s)

43764437	Nickel 24 Hour Urine-Mayo
43864437	Nickel 24 Hour Urine-Mayo

CPT Code(s)

83885	Nickel 24 Hour Urine-Mayo

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Nicotine and Metabolites-Mayo

Order Synonym(s)

Cotinine/Nicotine-Mayo
Mayo-Nicotine and Metabolites, S
Nicotine and Metabolites Mayo
Nicotine and Metabolites-Mayo

Associated DTA(s)

Cotinine Lvl-Mayo
Nicotine Lvl-Mayo

CDM Code(s)

43764438	Nicotine and Metabolites-Mayo
43864438	Nicotine and Metabolites-Mayo

CPT Code(s)

[Continued]

83887 Nicotine and Metabolites-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
Do not use gel barrier tubes

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
6.00 ML

Prep Agent(s)

NMO Antibody-IgG, Serum-Mayo

Order Synonym(s)
AQP4 IgG-Mayo
Aquaporin 4 Ab-Mayo
Devic's Antibody-Mayo
Mayo-NMO Antibody-IgG, Serum
NMO Antibody-IgG, Serum-Mayo
NMO IgG-Mayo
Neuromyelitis Optica Antibody, serum-Mayo
Optic Spinal MS Antibody-Mayo
Transverse Myelitis Antibody-Mayo
zzOptic Spinal MS Antibody-Mayo

Associated DTA(s)
NMO AQP4- IgG-Mayo
NMO Interpretive-Mayo

CDM Code(s)
43767590 NMO AB IgG Serum
43867590 NMO AB IgG Serum

CPT Code(s)
83520 Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**

[Continued]

5.00 ML

Prep Agent(s)

NMR Lipoprofile-Mayo

Order Synonym(s)
Mayo-NMR Lipoprofile
NMR Lipoprofile-Mayo
NMR Liporofile -Mayo

Associated DTA(s)
NMR Profile Interpretation

CDM Code(s)
43764847 NMR Lipoprotein-Mayo
43864847 NMR Lipoprotein-Mayo

CPT Code(s)
83704 Lipoprotein, blood; quantitation of lipoprotein particle num

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
Do not use gel barrier tubes

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
2.00 ML

Prep Agent(s)

Non Blood Tubes Received

Order Synonym(s)
Non Blood Tubes Received
Nonblood Tubes Received

Associated DTA(s)
CSF Specimen
Fluid Specimen
Other Specimen Type
Semen Sample
Slides
Sputum Sample
Stool Specimen
Swab
Viral Specimen

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Clean Container

Service Resource(s)

[Continued]

MCCG Outreach

Specimen Type(s)
Mixed Specimens

Specimen Container Instruction(s)
Varies

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Non HDL Cholesterol

Order Synonym(s)
Non HDL Cholesterol
Non HDL Cholesterol Level

Associated DTA(s)
Non-HDL Cholesterol - CLRP

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Nortriptyline Level-Mayo

Order Synonym(s)
Aventyl-Mayo
Mayo-Nortriptyline, P
Nortriptyline Level Mayo
Nortriptyline Level-Mayo

Associated DTA(s)
Nortriptyl Lvl-Mayo

[Continued]

Pamelor-Mayo

CDM Code(s)

43761897 Nortriptyline Level-Mayo
43861897 Nortriptyline Level-Mayo

CPT Code(s)

80182 Nortriptyline Level-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

No gel; aliquot within 2 hrs

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Norwalk-like Virus (NLV) Antigen Stool-M

Order Synonym(s)

Mayo-NORWALK-LIKE VIRUS (NLV) AG, F
NLV Ag Stool Mayo
Norovirus Antigen Stool-Mayo
Norwalk-like Virus (NLV) Antigen Stool-Mayo
Stool for Norovirus Antigen-Mayo
Stool for Norwalk-like Antigen-Mayo

Associated DTA(s)

Norovirus Ag Stl-Mayo

CDM Code(s)

43764439 Norwalk-like Virus (NLV) Antigen Stool-Mayo
43864439 Norwalk-like Virus (NLV) Antigen Stool-Mayo

CPT Code(s)

87449 Norwalk-like Virus (NLV) Antigen Stool-Mayo

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

FECES

Specimen Container Instruction(s)

Stool Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

2.00 ML

Prep Agent(s)

Nursing Home Chem 14

Order Synonym(s)
Nursing Home Chem 14

Associated DTA(s)
A/G Ratio
AGAP
ALT/GPT Lvl
AST/GOT Lvl
Alb Lvl
Alk Phos Lvl
BUN Lvl
Bun/Creat Ratio
CO2 Lvl
Calcium Lvl
Cl Lvl
Corr Calcium
Creat Lvl
GFR African Amer
GFR Non African Amer
K Lvl
NA Lvl
TP Lvl
Total Bili

CDM Code(s)

43751040	COMPRE METAB PANEL
43851040	COMPRE METAB PANEL

CPT Code(s)

80053	COMPRE METAB PANEL

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume **Minimum Volume Unit**

[Continued]

0.10	ML

Prep Agent(s)

Nursing Home Chem 8

Order Synonym(s)
Nursing Home Chem 8

Associated DTA(s)
AGAP
BUN Lvl
Bun/Creat Ratio
CO2 Lvl
Calcium Lvl
Cl Lvl
Creat Lvl
GFR African Amer
GFR Non African Amer
K Lvl
NA Lvl

CDM Code(s)

43751019	Basic metabolic panel (Calcium, total) This panel must inclu
43851019	Basic metabolic panel (Calcium, total) This panel must inclu

CPT Code(s)

80048	Basic metabolic panel (Calcium, total) This panel must inclu

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Nursing Home Glucose

Order Synonym(s)

Associated DTA(s)

[Continued]

Nursing Home Glucose — Glucose Lvl

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s) — **Specimen Container Instruction(s)**

Blood — Gray (K Ox/NaFl) Top Tube

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

O & P (Comprehensive)

Order Synonym(s) — **Associated DTA(s)**

O & P — O & P
O & P (Comprehensive)
O&P Comp
Ova & Parasite Exam
Stool for Ova & Parasite Exam

CDM Code(s)

43730092	Ova & Parasite Exam (Comprehensive)
43830092	Ova & Parasite Exam (Comprehensive)

CPT Code(s)

Ova & Parasite Exam (Comprehensive)

Default Collection Method(s)

Aspirate
Clean Container

Service Resource(s)

Specimen Type(s) — **Specimen Container Instruction(s)**

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume	Minimum Volume Unit

Prep Agent(s)

[Continued]

O2 Saturation Arterial

Order Synonym(s)
O2 Saturation Arterial
SaO2

Associated DTA(s)
O2SAT Art

CDM Code(s)

43756015	O2 SATURATION
43856015	O2 SATURATION

CPT Code(s)

82810	O2 SATURATION

Default Collection Method(s)
Arterial Draw

Service Resource(s)
MCCG Omni Blood Gas

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Syringe

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

O2 Saturation Capillary

Order Synonym(s)
O2 Saturation Capillary

Associated DTA(s)
O2SAT Cap

CDM Code(s)

43756015	O2 SATURATION
43856015	O2 SATURATION

CPT Code(s)

82810	O2 SATURATION

Default Collection Method(s)
Capillary

Service Resource(s)
MCCG Omni Blood Gas

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Syringe

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Blood Gas

Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

Occult Blood Gastric Fluid

Order Synonym(s)
Emesis for Occult Blood
Fluid Gastric Occult Blood
Gastric Fluid Occult Blood
Occult Blood Gastric
Occult Blood Gastric Fluid

Associated DTA(s)
Gast Occult Bld

CDM Code(s)

43730085	Occult Blood, Gastric
43830085	Occult Blood, Gastric

CPT Code(s)

82271	Occult Blood, Gastric

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
EMESIS

Specimen Container Instruction(s)
Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Occult Blood Stool

Order Synonym(s)
FOB
Fecal Blood
Fecal Erythrocytes
Fecal Occult Blood
Fecal RBC
Fecal Red Blood Cells
Guaiac Stool
Occult Blood
Occult Blood Stool
Stool Occult Blood
Stool for RBC's

Associated DTA(s)
Occult Bld Stl

CDM Code(s)

[Continued]

43730087 OCCULT BLOOD
43830087 Stl Occult Bld
43830088 Occult Blood Stool

CPT Code(s)
82270 Blood, occult, by peroxidase activity (eg, guaiac), qualitat

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume **Minimum Volume Unit**
0.50 ML

Prep Agent(s)

Offsite Auto Diff

Order Synonym(s)
Offsite Auto Diff

Associated DTA(s)
Auto Lymph
Auto Mono
Auto PMN
OS Diff Performed by

CDM Code(s)
43763975 Offsite Auto Diff

CPT Code(s)
85025 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)
Venous Draw

Service Resource(s)
CHC Hematology Instrument
FHC CBC Instr
MCE ACT2
MCN ACT2
MCNW ACT2

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

Offsite CBC

Order Synonym(s)
Offsite CBC

Associated DTA(s)
CBC Comment
HCT
HGB
MCH
MCHC
MCV
MPV
OS CBC Performed by
PLT
RBC
RDW
WBC

CDM Code(s)

43763960	Offsite CBC
43863960	Offsite CBC

CPT Code(s)

85027	Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)
Venous Draw

Service Resource(s)
CHC Hematology Instrument
FHC CBC Instr
MCE ACT2
MCN ACT2
MCNW ACT2

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite CBC with Diff

Order Synonym(s)
Offsite CBC with Diff

Associated DTA(s)
CBC Comment

[Continued]

Diff ?
HCT
HGB
MCH
MCHC
MCV
MPV
OS CBC Performed by
PLT
RBC
RDW
WBC

CDM Code(s)

43763975 Offsite CBC with Diff

CPT Code(s)

85025 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Hematology Instrument
FHC CBC Instr
MCE ACT2
MCN ACT2
MCNW ACT2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite DOT Urine Dipstick

Order Synonym(s)

Offsite DOT Urine Dipstick
Offsite Urine DOT Dipstick

Associated DTA(s)

OS UA Performed by
U Blood
U Clarity
U Color
U Gluc
U Protein
U SpGr

CDM Code(s)

43763988 Urinalysis, by dip stick or tablet reagent for bilirubin, gl

CPT Code(s)

[Continued]

81000 Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)
Urine

Service Resource(s)
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite DOT Whole Blood Glucose

Order Synonym(s)	Associated DTA(s)
Offsite DOT Whole Blood Glucose	OS Glucose WB
Offsite WB DOT Glucose	OS WB Gluc Performed by

CDM Code(s)
43763989 Glucose, blood by glucose monitoring device(s) cleared by th

CPT Code(s)
82962 Glucose, blood by glucose monitoring device(s) cleared by th

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Extra Tube

Order Synonym(s)	Associated DTA(s)

[Continued]

Offsite Extra Tube	Blood Culture Blue Gold SST Gray Microtainer Gray Tube Green (LiHep) Microtainer Green Li Heparin Tube Lavender Microtainer Lavender Tube Navy EDTA Tube Navy Tube Other Blood Tube Pearl Tube Pink Red Microtainer Red Tube Serum/Plasma Pour off Tube Tan EDTA Tiger Top Urine Urine 24 Hr Urine Culture Yellow A Tube Yellow B Tube

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Varies

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Flu

Order Synonym(s)	Associated DTA(s)

[Continued]

Offsite Flu

OS Flu A
OS Flu B
OS Flu Negative Internal Cntl
OS Flu Performed by
OS Flu Positive Internal Cntl

CDM Code(s)

43763981	Offsite Flu A & B
43863981	Offsite Flu A & B

CPT Code(s)

Default Collection Method(s)

Micro Swab

Service Resource(s)

CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)

Special Swab

Specimen Container Instruction(s)

Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite H. pylori

Order Synonym(s)

Offsite H. pylori

Associated DTA(s)

OS H.pylori
OS H.pylori Negative Internal Cntl
OS H.pylori Performed by
OS H.pylori Positive Internal Cntl

CDM Code(s)

43763973	Offsite H. pylori
43863973	Offsite H. pylori

CPT Code(s)

87339	Offsite H. pylori

Default Collection Method(s)

Venous Draw

Service Resource(s)

FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood | Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Healthcheck Hgb & Hct

Order Synonym(s)

Offsite Healthcheck Hgb & Hct

Associated DTA(s)

HCT
HGB
OS HH Performed by

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Hematology Instrument

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite Hemocue

Order Synonym(s)

Offsite Hemocue

Associated DTA(s)

OS Hemocue

CDM Code(s)

43763955	Offsite Hemocue
43863955	Offsite Hemocue

CPT Code(s)

85018	Blood count; hemoglobin (Hgb)

Default Collection Method(s)

Venous Draw

Service Resource(s)

NHCS Lab

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Hemoglobin A1C

Order Synonym(s)
Offsite Hemoglobin A1C

Associated DTA(s)
%HGA1C
OS Hgb A1C Performed by

CDM Code(s)

43763986	Offsite Hemoglobin A1C
43863986	Offsite Hemoglobin A1C

CPT Code(s)

83036	Hemoglobin; glycosylated (A1C)

Default Collection Method(s)
Venous Draw
Service Resource(s)
FHC Manual
Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Hemosense INR

Order Synonym(s)
Offsite Hemosense INR

Associated DTA(s)
OS INR Cntl
OS INR Hemo Performed by
OS INR Hemosen Meter Cleaned?
OS INR Hemosense

CDM Code(s)

43763987	Offsite Hemosense INR

CPT Code(s)

85610	Prothrombin time;

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

FHC Manual

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Hgb & Hct

Order Synonym(s)

Offsite Hgb & Hct

Associated DTA(s)

HCT
HGB
OS HH Performed by

CDM Code(s)

43763958	Offsite Hgb & Hct
43763958	Offsite Hgb & Hct

CPT Code(s)

85018	Blood count; hemoglobin (Hgb)

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Hematology Instrument
FHC CBC Instr
MCE ACT2
MCN ACT2
MCNW ACT2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Infectious Mono

Order Synonym(s)

Associated DTA(s)

[Continued]

Offsite Infectious Mono

Infect Mono
OS Inf Mono Negative Internal Cntl
OS Inf Mono Performed by
OS Inf Mono Positive Internal Cntl

CDM Code(s)

43763625 Offsite Infec Mono
43863625 Offsite Infec Mono

CPT Code(s)

86308 Heterophile antibodies; screening

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Manual Bench
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite INR Coagucheck

Order Synonym(s)

Offsite INR Coagucheck

Associated DTA(s)

OS INR Coaguchek
OS INR Coaguchek Performed by
OS INR Internal Control Coaguchek
OS Meter Cleaned?

CDM Code(s)

43763990 Offsite Protime Coaguchek

CPT Code(s)

85610 Prothrombin time;

Default Collection Method(s)

Capillary

Service Resource(s)

MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Capillary Collection

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Offsite
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Offsite iStat BUN

Order Synonym(s)
Offsite iStat BUN
Associated DTA(s)
OS BUN Performed by iStat BUN
CDM Code(s)
43763944 Offsite iStat BUN
CPT Code(s)
84520 Urea nitrogen; quantitative
Default Collection Method(s)
Venous Draw
Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Green (Li Hep)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Offsite
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Offsite iStat Calcium

Order Synonym(s)
Offsite iStat Calcium
Associated DTA(s)
OS iStat Ca Performed by iStat Calcium
CDM Code(s)
43763948 Offsite iStat Calcium
CPT Code(s)
82330 Calcium; ionized
Default Collection Method(s)
POC Specimen
Service Resource(s)

[Continued]

FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat Chem 7

Order Synonym(s)
Offsite iStat Chem 7

Associated DTA(s)
OS CH7 iStat Performed by
iStat ANGAP
iStat BUN
iStat BUN/Creat Ratio
iStat CO2
iStat Cl
iStat Creatinine
iStat Gluc
iStat K
iStat Na

CDM Code(s)
43763952 Offsite iStat Chem 8

CPT Code(s)

Default Collection Method(s)
POC Specimen

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Offsite iStat Chloride

Order Synonym(s)
Offsite iStat Chloride

Associated DTA(s)
OS Cl iStat Performed by iStat Cl

CDM Code(s)
43763942 Offsite iStat Chloride

CPT Code(s)
82435 Chloride; blood

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat CO2

Order Synonym(s)
Offsite iStat CO2

Associated DTA(s)
OS CO2 iStat Performed by iStat CO2

CDM Code(s)
43763951 Offsite iStat CO2

CPT Code(s)
82374 Carbon dioxide (bicarbonate)

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Offsite
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Offsite iStat Creatinine

Order Synonym(s)
Offsite iStat Creatinine
Associated DTA(s)
OS Cr iStat Performed by
iStat Creatinine
CDM Code(s)
43763946 Offsite iStat Creatinine
43863946 Offsite iStat Creatinine
CPT Code(s)
82565 Creatinine; blood
Default Collection Method(s)
Venous Draw
Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Green (Li Hep)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Offsite
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Offsite iStat Electrolytes

Order Synonym(s)
Offsite iStat Electrolytes
Associated DTA(s)
OS Elec iStat Performed by
iStat ANGAP
iStat CO2
iStat Cl
iStat K
iStat Na
CDM Code(s)
43763570 Offsite iStat Electrolytes
CPT Code(s)

[Continued]

80051 Electrolyte panel This panel must include the following: Car

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat Glucose

Order Synonym(s)
Offsite iStat Glucose

Associated DTA(s)
OS Gluc iStat Performed by iStat Gluc

CDM Code(s)
43763943 Offsite iStat Glucose
43863943 Offsite iStat Glucose

CPT Code(s)
82947 Glucose; quantitative, blood (except reagent strip)

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Offsite iStat INR

Order Synonym(s)
Offsite iStat INR

Associated DTA(s)
INR i-Stat
OS INR iStat Performed by
OS iStat INR Meter Cleaned?

CDM Code(s)
43763971 Offsite iStat PT
43863971 Offsite iStat PT

CPT Code(s)
85610 Prothrombin time;

Default Collection Method(s)
Capillary

Service Resource(s)
FHC Manual

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Capillary Collection

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat Potassium

Order Synonym(s)
Offsite iStat Potassium

Associated DTA(s)
OS K iStat Performed by
iStat K

CDM Code(s)
43763941
43863941

CPT Code(s)
84132 Potassium; serum

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat Sodium

Order Synonym(s)
Offsite iStat Sodium

Associated DTA(s)
OS Na iStat Performed by iStat Na

CDM Code(s)

43763940	Offsite iStat Sodium

CPT Code(s)

84295	Sodium; serum

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite iStat Troponin I

Order Synonym(s)
Offsite iStat Troponin I

Associated DTA(s)
OS Trop I iStat Performed by iStat Trop I

CDM Code(s)

43763985	Troponin, quantitative

CPT Code(s)

84484	Troponin, quantitative

Default Collection Method(s)
Venous Draw

Service Resource(s)
FHC Manual

[Continued]

MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite KOH Prep

Order Synonym(s)
Offsite KOH Prep

Associated DTA(s)
OS Fungal KOH
OS KOH Performed by
OS KOH Source
OS Yeast KOH

CDM Code(s)

43763605	Offsite KOH Prep
43863605	Offsite KOH Prep

CPT Code(s)

87210	Smear, primary source with interpretation; wet mount for inf

Default Collection Method(s)
Micro Swab

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)
Special Swab

Specimen Container Instruction(s)
Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Offsite Manual Diff

Order Synonym(s)

Offsite Manual Diff

Associated DTA(s)

Acan
Aniso
Atyl Lymph
Band
Baso
Baso Stip
Blast
Dacryo
Diff Comment
Dohle Bodies
Echino
Eosin
Giant PLT
H-J Bodies
Hypo
Lymph
Macro
Meta
Micro
Monocyte
Myelo
NRBC
OS Diff Performed by
Other
Oval
PMN
Papp Bodies
Plasma Cell
Plt Est
Poik
Poly
Promyelo
RBC Morph
Rouleaux
Schisto
Sickle Cell
Smudge Cells
Sphero
Stomatocyte
Targ Cell
Toxic Gran

CDM Code(s)

43763962	Offsite Manual Diff
43863962	Offsite Manual Diff

CPT Code(s)

[Continued]

85027 Blood count; complete (CBC), automated (Hgb, Hct, RBC, WBC a

Default Collection Method(s)
Venous Draw

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Occult Blood

Order Synonym(s)
Offsite Occult Blood

Associated DTA(s)
OS Occ Bld Performed by
OS Occult Bld Negative Internal Cntl
OS Occult Bld Positive Internal Cntl
Occult Bld Stl

CDM Code(s)
43763580 Offsite Occult Blood
43863580 Offsite Occult Blood

CPT Code(s)
82270 Blood, occult, by peroxidase activity (eg, guaiac), qualitat

Default Collection Method(s)
Clean Container

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Hemoccult Card

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Offsite

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Offsite Platelet

Order Synonym(s)

Offsite Platelet

Associated DTA(s)

OS Plt Performed by
PLT

CDM Code(s)

43763957 Offsite Platelet
43863957 Offsite Platelet

CPT Code(s)

85049 Offsite Platelet

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Hematology Instrument
FHC CBC Instr
MCE ACT2
MCN ACT2
MCNW ACT2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Offsite Prenatal Urine Dipstick

Order Synonym(s)

Offsite Prenatal Urine Dipstick

Associated DTA(s)

OS Pren UA Dipstick Performed by
U Gluc
U Protein

CDM Code(s)

43763916 Offsite Prenatal Urine Dipstick
43863916 Offsite Prenatal Urine Dipstick

CPT Code(s)

81000 Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)

[Continued]

Urine

Service Resource(s)

FHC Manual

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Rapid HIV Screen

Order Synonym(s)

Offsite Rapid HIV Screen

Associated DTA(s)

OS HIV Rapid Scrn
OS HIV Rapid Scrn Negative Cntl
OS HIV Rapid Scrn Positive Cntl
OS HIV Scrn Performed by

CDM Code(s)

43763741	Offsite Rapid HIV Screen
43863741	Offsite Rapid HIV Screen

CPT Code(s)

86703	Rapid HIV 1/2 Screen Offsite

Default Collection Method(s)

Venous Draw

Service Resource(s)

CHC Manual Bench

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite RBC Morphology

Order Synonym(s)

Offsite RBC Morphology

Associated DTA(s)

Acan
Aniso

[Continued]

Baso Stip
Dacryo
Diff Comment
Dohle Bodies
Echino
Giant PLT
H-J Bodies
Hypo
Macro
Micro
OS Diff Performed by
Oval
Papp Bodies
Plt Est
Poik
Poly
RBC Morph
Rouleaux
Schisto
Sickle Cell
Smudge Cells
Sphero
Stomatocyte
Targ Cell
Toxic Gran

CDM Code(s)
no code
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Offsite Strep A

Order Synonym(s)
Offsite Strep A

Associated DTA(s)
A Strep Ag
OS Strep A Negative Internal Cntl
OS Strep A Performed by
OS Strep A Positive Internal Cntl

CDM Code(s)

43763690	Offsite Strep A
43863690	Offsite Strep A

CPT Code(s)

87880	Infectious agent detection by immunoassay with direct optica

Default Collection Method(s)
Micro Swab

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench

Specimen Type(s)
THROAT

Specimen Container Instruction(s)
Swab/Culturette

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Transcutaneous Bilirubin

Order Synonym(s)
Offsite Transcutaneous Bilirubin

Associated DTA(s)
OS Transcut Bili Meter Cleaned?
OS Transcut Bili Performed by
OS Transcut Bilirubin Calibration
OS Transcutaneous Bilirubin

CDM Code(s)

44080775	Offsite Transcutaneous Bilirubin

CPT Code(s)

Default Collection Method(s)
Transcutaneous

Service Resource(s)
CHC Manual Bench

Specimen Type(s)
Transcutaneous

Specimen Container Instruction(s)
Transcutaneous

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Offsite Urinalysis

Order Synonym(s)	Associated DTA(s)
Offsite Urinalysis	OS UA Performed by
	Offsite Microscopic?
	U Ammon Biur Crys
	U Amorphous
	U Bacteria
	U Bili Crys
	U Bilirubin
	U Blood
	U Budding Yeast
	U CaCarb Crys
	U CaPhos Crys
	U Caox Crys
	U Chol Crys
	U Clarity
	U Clumped WBC
	U Color
	U Crse Gran Cast
	U Cysteine Crys
	U Epi Cell Cast
	U Fatty Cast
	U Fine Gran Cast
	U Gluc
	U Hyaline Cast
	U Hyphenated Yeast
	U Ketones
	U Leucine Crys
	U Leuko Est
	U Mucous
	U Nitrite
	U Oval Fat Bodies
	U Protein
	U RBC
	U RBC Cast
	U Renal Epi Cells
	U SpGr
	U Squam Epi Cells
	U Sulfa Cryst

[Continued]

U Trans Epi Cells
U Trichomonas
U Trple Phos Crys
U Tyrosine Crys
U Unclass Cast
U Unclass Crys
U Uric Acd Crys
U Urob
U WBC
U WBC Cast
U Waxy Cast
U pH
Urine Comment

CDM Code(s)

43763972 Offsite Urinalysis
43863972 Offsite Urinalysis

CPT Code(s)

81000 Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)

Urine

Service Resource(s)

CHC Manual Bench
FHC Clinitek
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite Urine Dipstick Only

Order Synonym(s)

Offsite Urine Dipstick Only

Associated DTA(s)

OS UA Performed by
U Bilirubin
U Blood
U Clarity
U Color
U Gluc

[Continued]

U Ketones
U Leuko Est
U Nitrite
U Protein
U SpGr
U Urob
U pH

CDM Code(s)

43763970	Offsite Urine Dipstick Only
43863970	Offsite Urine Dipstick Only

CPT Code(s)

81003	Offsite Urine Dipstick Only

Default Collection Method(s)

Urine

Service Resource(s)

CHC Manual Bench
FHC Clinitek
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite Urine Microalbumin

Order Synonym(s)

Offsite Urine Microalbumin

Associated DTA(s)

OS Alb/Creat Ratio
OS Albumin-Random
OS Creatinine
OS U Microalb Performed by

CDM Code(s)

43763977	Offsite Urine Microalbumin

CPT Code(s)

82043	Albumin; urine, microalbumin, quantitative

Default Collection Method(s)

Urine

Service Resource(s)

FHC Manual

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite Urine Microscopic Only

Order Synonym(s)

Offsite Urine Microscopic Only

Associated DTA(s)

OS UA Performed by
U Ammon Biur Crys
U Amorphous
U Bacteria
U Bili Crys
U Budding Yeast
U CaCarb Crys
U CaPhos Crys
U Caox Crys
U Chol Crys
U Clue Cells
U Clumped WBC
U Crse Gran Cast
U Cysteine Crys
U Epi Cell Cast
U Fatty Cast
U Fine Gran Cast
U Hyaline Cast
U Hyphenated Yeast
U Leucine Crys
U Mucous
U Oval Fat Bodies
U RBC
U RBC Cast
U Renal Epi Cells
U Squam Epi Cells
U Sulfa Cryst
U Trans Epi Cells
U Trichomonas
U Trple Phos Crys
U Tyrosine Crys
U Unclass Cast
U Unclass Crys
U Uric Acd Crys

[Continued]

U WBC
U WBC Cast
U Waxy Cast
Urine Comment

CDM Code(s)

43763980	Offsite Urine Microscopic Only
43863980	Offsite Urine Microscopic Only

CPT Code(s)

81015	Urinalysis; microscopic only

Default Collection Method(s)

Urine

Service Resource(s)

CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Offsite

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Offsite Urine Pregnancy Test

Order Synonym(s)

Offsite Urine Pregnancy Test

Associated DTA(s)

OS U Preg Negative Internal Cntl
OS U Preg Performed by
OS U Preg Positive Internal Cntl
U Pregnancy Ql HCG

CDM Code(s)

43763645	Offsite Urine Pregnancy Test
43863645	Offsite Urine Pregnancy Test

CPT Code(s)

81025	Urine pregnancy test, by visual color comparison methods

Default Collection Method(s)

Urine

Service Resource(s)

CHC Manual Bench
FHC Manual
MCE Manual Bench

[Continued]

MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Offsite Wet Prep

Order Synonym(s)
Offsite Wet Prep

Associated DTA(s)
OS Clue Cells WP
OS Source WP
OS Trich WP
OS Vaginal pH WP
OS WBC WP
OS Wet Prep Performed by
OS Yeast WP

CDM Code(s)

43763735	Offsite Wet Prep
43863735	Offsite Wet Prep

CPT Code(s)

87210	Smear, primary source with interpretation; wet mount for inf

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)
VAGINA

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Offsite Whole Blood Glucose

Order Synonym(s)
Offsite Glucose Whole Blood
Offsite WB Glucose
Offsite Whole Blood Glucose

Associated DTA(s)
OS Glucose WB
OS WB Gluc Meter Cleaned?
OS WB Gluc Performed by

CDM Code(s)
43763568 Offsite Whole Blood Glucose

CPT Code(s)
82948 Glucose; blood, reagent strip

Default Collection Method(s)
Venous Draw

Service Resource(s)
CHC Manual Bench
FHC Manual
MCE Manual Bench
MCN Manual Bench
MCNW Manual Bench
NHCS Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Capillary Collection

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Oligosaccharide Screen, Urine-Mayo

Order Synonym(s)
Oligosaccharide Screen, Urine-Mayo

Associated DTA(s)
Oligosaccharide Screen, Urine-Mayo

CDM Code(s)
43764900 Oligosacchride Urine
43864900 Oligosacchride Urine

CPT Code(s)
84376 Sugars (mono-, di-, and oligosaccharides); single qualitativ

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Opiates Confirmation by TLC

Order Synonym(s)
Opiates Confirmation by TLC

Associated DTA(s)
Opiates by TLC Confirmation

CDM Code(s)

43752195	Opiates Confirmation by TLC
43852195	Opiates Confirmation by TLC

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Opiates Quantitative

Order Synonym(s)
Opiates Quant
Opiates Quantitative
Qnt Stat Opiates
Stat Opiates Quantitatived

Associated DTA(s)
Coll Date (Opiate)
Opiate Cutoff
Opiates Qnt

CDM Code(s)

43752072	Opiates Quantitative
43852072	Opiates Quantitative

CPT Code(s)

80102	Opiates Quantitative

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Organic Acids Screen Urine-Mayo

Order Synonym(s)
Mayo-Organic Acids Scrn, U
Organic Acids Screen Urine Mayo
Organic Acids Screen Urine-Mayo
Urine Organic Acids Screen-Mayo

Associated DTA(s)
U Organic Acids-Mayo

CDM Code(s)

43764676	Organic Acids Screen Urine-Mayo
43864676	Organic Acids Screen Urine-Mayo

CPT Code(s)

83919	Organic Acids Screen Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Organic Acids, Plasma-ARUP

Order Synonym(s)
Organic Acid Plasma-ARUP
Organic Acids, Plasma-ARUP

Associated DTA(s)
2-Keto-3-methylvaleric acid-ARUP
2-Ketoisocaproic acid-ARUP
2-Ketoisovaleric acid-ARUP
3-OH-Butyric Acid-ARUP

[Continued]

Acetoacetic acid-ARUP
Citric Acid-ARUP
Lactic Acid-ARUP
Organic Acid Interp
Pyruvic Acid-ARUP
Succinic Acid-ARUP

CDM Code(s)

43761698	ORGANIC ACID SERUM
43861698	ORGANIC ACID SERUM

CPT Code(s)

82130	ORGANIC ACID SERUM

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Green (Li Hep)
Specimen Handling Instruction(s)
Transport on ice
Specimen Stability
Collection Class(es)
ARUP Sendout

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Orotic Acid Urine-Mayo

Order Synonym(s)
Mayo-Orotic Acid, U
Orotic Acid Urine Mayo
Orotic Acid Urine-Mayo
Urine Orotic-Mayo
Associated DTA(s)
Hrs Orotic Acid-Mayo
TV Orotic Acid-Mayo
U Time Oro Acid-Mayo
CDM Code(s)

43764442	Orotic Acid Urine-Mayo
43864442	Orotic Acid Urine-Mayo

CPT Code(s)

83921	Orotic Acid Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Osmolality

Order Synonym(s)
Osmolality
Osmolality Level

Associated DTA(s)
Osmol

CDM Code(s)

43750202	OSMOLALITY SERUM
43850202	OSMOLALITY SERUM

CPT Code(s)

83930	Osmolality; blood

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Chem

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Osmolality Body Fluid-Mayo

Order Synonym(s)
Fl Osmolality-Mayo
Mayo-Osmolality, BF
Osmolality Body Fluid Mayo
Osmolality Body Fluid-Mayo

Associated DTA(s)
Osmo BF Type-Mayo
Osmolality BF-Mayo

CDM Code(s)

43764443	Osmolality Body Fluid-Mayo
43864443	Osmolality Body Fluid-Mayo

CPT Code(s)

83930	Osmolality Body Fluid-Mayo

Default Collection Method(s)
Sterile Procedure

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)
Centrifuge

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Osmolality Urine

Order Synonym(s)
Osmolality Urine
Osmolality Urine Level
Urine Osmolality

Associated DTA(s)
U Osmol

CDM Code(s)

43754063	OSMOLALITY URINE
43854063	OSMOLALITY URINE

CPT Code(s)

83935	OSMOLALITY URINE

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Man Chem

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Osmotic Fragility RBC-Mayo

Order Synonym(s)
Mayo-Osmotic Fragility, RBC
Osmotic Fragility RBC Mayo
Osmotic Fragility RBC-Mayo
RBC Osmotic Fragility-Mayo

Associated DTA(s)
RBC Frag .50-Mayo
RBC Frag .60-Mayo
RBC Frag .65-Mayo
RBC Frag .75-Mayo
RBC Frag Com-Mayo

[Continued]

RBC Fragility-Mayo
Sex of the control vial-Mayo

CDM Code(s)
43764444 Osmotic Fragility RBC-Mayo
43864444 Osmotic Fragility RBC-Mayo
CPT Code(s)
85557 Osmotic Fragility RBC-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)
Call Lab prior to collection
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Other Laboratory Test

Order Synonym(s)
Other Lab
Other Laboratory Test
Associated DTA(s)
Other Lab Test
Otr Ref Lab Result
Spec Type - Other Lab Test
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Other Ref Lab
Specimen Type(s)
Mixed Specimens
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Oxalate 24 Hour Urine-Mayo

Order Synonym(s)
Associated DTA(s)

[Continued]

24 Hr Urine Oxalate-Mayo
Mayo-Oxalate, U
Oxalate 24 Hour Urine-Mayo
Oxalate Urine 24 Hr Mayo
Urine 24 Hr Oxalate-Mayo
Hrs Oxalate-Mayo
TV Oxalate-Mayo
U24 Oxa mg/24hr-Mayo
U24 Oxalate-Mayo
Ur Oxalate mg/L-Mayo
Ur Oxalate-Mayo

CDM Code(s)

43761196	Oxalate 24 Hour Urine-Mayo
43861196	Oxalate 24 Hour Urine-Mayo

CPT Code(s)

83945	Oxalate 24 Hour Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
24 Hr Container
Specimen Handling Instruction(s)
PreTest medication restrictions
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Oxcarbazepine Metabolite (MHC)-Mayo

Order Synonym(s)
Mayo-Oxcarbazepine Metabolite (MHC), P/S
Oxcarbazepine Metabolite (MHC)-Mayo
Trileptal Level-Mayo
Trileptil Level Mayo
Associated DTA(s)
MHC Lvl-Mayo
CDM Code(s)

43764446	Oxcarbazepine Metabolite (MHC)-Mayo
43864446	Oxcarbazepine Metabolite (MHC)-Mayo

CPT Code(s)

80299	Oxcarbazepine Metabolite (MHC)-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

P2Y12 Platelet Inhibition

Order Synonym(s)
Clopidogrel Inhibitor Activtiy
Effient Inhibitor Activity
P2Y12 Inhibitor
P2Y12 Platelet Inhibition
Plavix Inhibitor Activity
Prasugrel Inhibitor Activity

Associated DTA(s)
P2Y12 Platelet Reactivity

CDM Code(s)

43711154	P2Y12 Platelet Inhibition
43711155	P2Y12 Platelet Inhibition
43811154	P2Y12 Platelet Inhibition
43811155	P2Y12 Platelet Inhibition

CPT Code(s)

85576	Platelet, aggregation (in vitro), each agent

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Verify Now

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Greiner Blue Tube

Specimen Handling Instruction(s)

Specimen Stability

Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)
Special collection packet required. Please contact the Laboratory at ext. 32503 for collection packet.

Package CBC with Diff

Order Synonym(s)

Associated DTA(s)

[Continued]

Package CBC with Diff

Auto NRBC
CBC Comment
Diff?
HCT
HGB
MCH
MCHC
MCV
MPV
PLT
RBC
RDW
WBC

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ACT2
MCCG LH 39
MCCG LH 42
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Package Diff Auto

Order Synonym(s)
Package Diff Auto

Associated DTA(s)
Auto Baso
Auto Eos
Auto Lymph
Auto Mono
Auto PMN

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG LH 39
MCCG LH 42
Specimen Type(s)
Specimen Container Instruction(s)

[Continued]

Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Package Diff Manual

Order Synonym(s)

Package Diff Manual

Associated DTA(s)

Acan
Aniso
Atyl Lymph
Band
Baso
Baso Stip
Blast
Dacryo
Diff Comment
Dohle Bodies
Echino
Eosin
Giant PLT
H-J Bodies
Hypo
Lymph
Macro
Meta
Micro
Monocyte
Myelo
NRBC
Other
Oval
PMN
Papp Bodies
Plasma Cell
Plt Est
Poik
Poly
Promyelo
RBC Morph
Rouleaux
Schisto

[Continued]

Sickle Cell
Smudge Cells
Sphero
Stomatocyte
Targ Cell
Toxic Gran

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Man Diff
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Pain Management Urine Medical Drug Scree

Order Synonym(s)
Pain Management Urine Medical Drug Screen 11
Urine Drug Pain Management 11 Panel
Urine Drug Pain Management 11Panel

Associated DTA(s)
Amphetamines
Barbiturate
Benzodiazepine
Buprenorphine
Cocaine
Methadone Lvl
Opiates
Oxycodone Qual
PCP
Pain Mgt Drug 11 Scrn Comment
Propoxyphene Qual
THC
Urine Creatinine
Urine pH

CDM Code(s)

43752105	Med Drug Screen 11 Pain Mgmt
43852105	Med Drug Screen 11 Pain Mgmt

CPT Code(s)

G0431	Med Drug Screen 11 Pain Mgmt

Default Collection Method(s)
Urine
Service Resource(s)

[Continued]

MCCG MGC240

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Pain Management with Ethanol Urine Medic

Order Synonym(s)
Pain Management with Ethanol Urine Medical Drug Screen 12
Urine Drug Screen Pain Management 12 with Ethanol

Associated DTA(s)
Amphetamines
Barbiturate
Benzodiazepine
Buprenorphine
Cocaine
Methadone Lvl
Opiates
Oxycodone Qual
PCP
Pain Mgt Drug 12 Scrn Comment
Propoxyphene Qual
THC
U Alcohol
Urine Creatinine
Urine pH

CDM Code(s)

43752106	Med Durg Screen 12 Pain Mgmt
43852106	Med Durg Screen 12 Pain Mgmt

CPT Code(s)

G0431	Med Durg Screen 12 Pain Mgmt

Default Collection Method(s)
Urine

Service Resource(s)
MCCG MGC240

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit

[Continued]

10.00 ML
Prep Agent(s)

Pancreatic Elastase Stool-Mayo

Order Synonym(s)
Elastase, Fecal-Mayo
Fecal Elastase-Mayo
Fecal Pancreatic Elastase-Mayo
Pancreatic Elastase Stool-Mayo

Associated DTA(s)
Pancreatic Elastase Stool-Mayo

CDM Code(s)
43765015 Pancreatic Elastase Stool
43865015 Pancreatic Elastase Stool

CPT Code(s)
83516 Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
FECES

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Pancreatic Polypeptide-Mayo

Order Synonym(s)
Mayo-Pancreatic Polypeptide, P
Pancreatic Polypeptide Mayo
Pancreatic Polypeptide-Mayo

Associated DTA(s)
Pancreatic Poly-Mayo

CDM Code(s)
43764447 Pancreatic Polypeptide-Mayo
43864447 Pancreatic Polypeptide-Mayo

CPT Code(s)
83519 Pancreatic Polypeptide-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	Lavender

Specimen Handling Instruction(s)
Call Lab prior to collection
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Parietal Cell Antibody IgG-Mayo

Order Synonym(s)	Associated DTA(s)
Anti-Parietal Cell Antibody IgG-Mayo	Parietal IgG-Mayo
Mayo-Parietal Cell Ab, IgG, S	
Parietal Cell Ab IgG Mayo	
Parietal Cell Antibody IgG-Mayo	

CDM Code(s)

43763006	Parietal Cell Antibody IgG-Mayo
43863006	Parietal Cell Antibody IgG-Mayo

CPT Code(s)

83516	Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Parvovirus B19 Antibody IgG and IgM-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Parvovirus B19 Ab, IgG & IgM, S	Parvo B19 IgG-Mayo
Parvovirus B19 Ab IgG IgM Mayo	Parvo B19 IgM-Mayo
Parvovirus B19 Antibody IgG and IgM-Mayo	Parvo B19 Intrp-Mayo

CDM Code(s)

43763008	Parvovirus B19 Antibody IgG and IgM-Mayo

[Continued]

43863008 Parvovirus B19 Antibody IgG and IgM-Mayo

CPT Code(s)

86747 Parvovirus B19 Antibody IgG and IgM-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Parvovirus B19 by Rapid PCR-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Parvovirus B19 by Rapid PCR	Parvo B19 PCR-Mayo
Parvovirus B19 Rapid PCR Mayo	Parvo B19 Src-Mayo
Parvovirus B19 by Rapid PCR-Mayo	

CDM Code(s)

43764466 Parvovirus B19 by Rapid PCR-Mayo

43864466 Parvovirus B19 by Rapid PCR-Mayo

CPT Code(s)

87798 Parvovirus B19 by Rapid PCR-Mayo

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
AMNIOTIC FL	Sterile Container
CSF	
SYNOVIAL FL	

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Pathologist Review

Order Synonym(s)
Pathologist Review
Peripheral Smear for Pathologist Review

Associated DTA(s)
Path Reveiw
Path Review Status

CDM Code(s)
43710091 Pathologist Review
43810091 Pathologist Review

CPT Code(s)
85060 Blood smear, peripheral, interpretation by physician with wr

Default Collection Method(s)
Slide

Service Resource(s)
MCCG Sp Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Slide

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Pathology Smear Review

Order Synonym(s)
Pathology Smear Review

Associated DTA(s)
Path Review Status
Path Smr Review

CDM Code(s)
43707160 Pathology Smear Review
43807160 Pathology Smear Review

CPT Code(s)
88141 Cytopathology, cervical or vaginal (any reporting system), r

Default Collection Method(s)
Slide

Service Resource(s)
MCCG Sp Hemo

Specimen Type(s)
Blood
FLUID

Specimen Container Instruction(s)
Slide

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

PCP Confirmation by TLC

Order Synonym(s)
PCP Confirmation by TLC

Associated DTA(s)
PCP by TLC Confirmation

CDM Code(s)

43752195	PCP Confirmation by TLC
43852195	PCP Confirmation by TLC

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Pentobarbital Level

Order Synonym(s)
Pentobarbital
Pentobarbital Level

Associated DTA(s)
Pentobarb Lvl

CDM Code(s)

43752150	Pentobarbital Level
43852150	Pentobarbital Level

CPT Code(s)

80299	Quantitation of drug, not elsewhere specified

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Med GC

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Peritoneal Lavage Fluid Count (Includes

Order Synonym(s)	Associated DTA(s)
Fluid Count Peritoneal Lavage (Includes Vegetable/Particulate Matter)	Particulate Matter Lav
Lavage for Vegetable/Particulate Matter Peritoneal	RBC Peritoneal Lav
Particulate/Vegetable Matter on Peritoneal Lavage	Turbidiy Peritoneal Lav
Peritoneal Lavage Fluid Count (Includes Vegetable/Particulate Matter)	Vegetable **Matter**
Peritoneal Lavage for Vegetable/Particulate Matter	WBC Peritoneal Lav
Vegetable/Particulate Matter on Peritoneal Lavage	

CDM Code(s)

43710013	Peritoneal Lavage Fluid Count
43810013	Peritoneal Lavage Fluid Count

CPT Code(s)

89050	Cell count, miscellaneous body fluids (eg, cerebrospinal flu

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Fluids

Specimen Type(s)	Specimen Container Instruction(s)
FLUID	FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

PFA Supplemental Testing (COL/ADP)

Order Synonym(s)	Associated DTA(s)
PFA SUpplemental Testing COL ADP	PFA Supp (COL/ADP)
PFA Supplemental Testing (COL/ADP)	PFA Supplemental Comment

CDM Code(s)

43711005	PFA Supplemental Testing (COL/ADP)
43811005	PFA Supplemental Testing (COL/ADP)

CPT Code(s)

8557691	PFA Supplemental Testing (COL/ADP)

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG PFA 100

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Coag

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

pH Arterial

Order Synonym(s)	Associated DTA(s)
pH Arterial	pH Art

CDM Code(s)

43756013	PH ARTERIAL VENOUS OR CAPILLAR
43856013	PH ARTERIAL VENOUS OR CAPILLAR

CPT Code(s)

82800	PH ARTERIAL VENOUS OR CAPILLAR

Default Collection Method(s)

Arterial Draw

Service Resource(s)

MCCG Omni Blood Gas

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Syringe

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

pH Body Fluid

Order Synonym(s)	Associated DTA(s)
Fluid pH	pH Fl
pH Body FLuid Level	pH Fl Body Type
pH Body Fluid	

CDM Code(s)

43756048	pH Body Fluid

[Continued]

43856048 pH Body Fluid

CPT Code(s)

83986 pH, body fluid, except blood

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG GEM 4000
MCCG Man Sp Chem

Specimen Type(s)	Specimen Container Instruction(s)
FLUID	FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

pH Capillary

Order Synonym(s)	Associated DTA(s)
pH Capillary	pH Cap

CDM Code(s)

43756013 PH ARTERIAL VENOUS OR CAPILLAR
43856013 PH ARTERIAL VENOUS OR CAPILLAR

CPT Code(s)

82800 PH ARTERIAL VENOUS OR CAPILLAR

Default Collection Method(s)

Capillary

Service Resource(s)

MCCG Omni Blood Gas

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Syringe

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

pH Urine Quantitative

Order Synonym(s)	Associated DTA(s)

[Continued]

Urine pH Quantitative
pH Urine Quant
pH Urine Quantitative

U pH Qnt

CDM Code(s)

43756050 PH URINE QUANTITIVE
43856050 PH URINE QUANTITIVE

CPT Code(s)

83986 pH, body fluid, except blood

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Man Sp Chem

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

pH Venous

Order Synonym(s)

Venous pH
pH Venous

Associated DTA(s)

pH - Venous

CDM Code(s)

43756013 PH ARTERIAL VENOUS OR CAPILLAR
43856013 PH ARTERIAL VENOUS OR CAPILLAR

CPT Code(s)

82800 PH ARTERIAL VENOUS OR CAPILLAR

Default Collection Method(s)

Arterial Draw

Service Resource(s)

MCCG Omni Blood Gas

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Syringe

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Blood Gas

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Phencyclidine Quantitative

Order Synonym(s)
Phencyclidine Quant
Phencyclidine Quantitative
Qnt Stat PCP
Stat Phencyclidine Quantitative

Associated DTA(s)
Coll Date (PCP)
PCP Cutoff
PCP Qnt

CDM Code(s)

43752072	Phencyclidine, Quant
43852072	Phencyclidine, Quant

CPT Code(s)

80102	Phencyclidine, Quant

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Phenobarbital Level

Order Synonym(s)
Phenobarbital
Phenobarbital Level

Associated DTA(s)
Phenobarb Lvl

CDM Code(s)

43752053	Phenobarbital Level
43852053	Phenobarbital Level
43852054	Phenobarbital Level

CPT Code(s)

80184	Phenobarbital

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults

[Continued]

MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 48 hrs Refrigerated: 8 days Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
Trough should be collected immediately (less than 30 minutes) before next dose.

Phenytoin Level Free

Order Synonym(s)
Dilantin Level Free
Dilantin, Free
Free Dilantin Level
Free Phenytoin Level
Phenytoin Level Free

Associated DTA(s)
Free Phenytoin

CDM Code(s)

43752202	Phenytoin Level Free
43852202	Phenytoin Level Free

CPT Code(s)

80186	Phenytoin; free

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Abbott TDX
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 2 days Refrigerated: 8 days Frozen: 5 mnths Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Trough:

Phenytoin Level Total

Order Synonym(s)

Dilantin
Dilantin Level
Phenytoin Level Total

Associated DTA(s)

Dilantin Lvl

CDM Code(s)

43752027	Phenytoin Level Total
43852027	Phenytoin Level Total
43852028	Phenytoin Level Total

CPT Code(s)

80185	Phenytoin; total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Trough specimens should be collected within 30 minutes of the next scheduled dose.

[Continued]

Phosphorus Level

Order Synonym(s)
Phosphate Level
Phosphorus Level
Phosphorus, Inorganic

Associated DTA(s)
Phos Lvl

CDM Code(s)

43750219	Phosphorus Level
43850219	Phosphorus Level
43850220	Phosphorus Level

CPT Code(s)

84100	Phosphorus inorganic (phosphate);

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Phosphorus Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Phosphorus Level
Phosphorus Level 24 Hour Urine
Phosphorus Urine 24 Hr

Associated DTA(s)
TV Phos
U Phos Rand
U24 Phos

[Continued]

Urine 24 Hour Phosphorus Level

CDM Code(s)

43754075 PHOSPHORUS URINE 24HR
43854075 PHOSPHORUS URINE 24HR

CPT Code(s)

84105 Phosphorus inorganic (phosphate); urine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Phosphorus Level Body Fluid

Order Synonym(s)

Fluid Phosphorous Level
Phosphorus Body Fluid
Phosphorus Level Body Fluid

Associated DTA(s)

Phos Fl
Phos Fl Type

CDM Code(s)

43750365 FLUID PHOSPHOROUS
43850365 FLUID PHOSPHOROUS

CPT Code(s)

84100 Phosphorus inorganic (phosphate);

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults

[Continued]

MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Phosphorus Level Urine Random

Order Synonym(s)
Phosphorus Level Urine Random
Phosphorus Urine Random
Random Urine Phosphorus Level
Urine Random Phosphorus Level

Associated DTA(s)
U Phos Rand

CDM Code(s)

43754069	PHOSPHORUS URINE RANDOM
43854069	PHOSPHORUS URINE RANDOM

CPT Code(s)

84105	PHOSPHORUS URINE RANDOM

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Phosphotidyl G

Order Synonym(s)

Associated DTA(s)

[Continued]

Amniotic Fluid Phosphatidylglycerol
Phosphatidylglycerol Amniotic Fluid
Phosphotidyl G
Phosphotidyl G Level

PG Amn Fl
PG Com

CDM Code(s)

43756040	Phosphatidylglycerol
43856040	Phosphatidylglycerol

CPT Code(s)

84081	Phosphatidylglycerol

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)	Specimen Container Instruction(s)
Amniotic Fluid	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

PI-Linked Antigen-Mayo

Order Synonym(s)
FLAER Test-Mayo
Mayo-PI-Linked Ag, B
PI Linked Ag Mayo
PI-Linked Antigen-Mayo
PNH Evaluation-Mayo
PNH by Flow-Mayo
Paroxysmal Noctournal Hemoglobinuria by Flow Cytometry

Associated DTA(s)
PNH Interp-Mayo

CDM Code(s)

43764467	PI-Linked Antigen-Mayo
43864467	PI-Linked Antigen-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Yellow ACD

Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability

[Continued]

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Pinworm Prep

Order Synonym(s)
Pinworm
Pinworm Prep
Pinworm Prep Test
SM Pinworm

Associated DTA(s)
PINWORM

CDM Code(s)

43730118	Pinworm Prep
43830118	Pinworm Prep

CPT Code(s)

87172	Pinworm Prep

Default Collection Method(s)
Scotch Tape Prep

Service Resource(s)
MCCG Micro Man

Specimen Type(s)
RECTUM

Specimen Container Instruction(s)
Slide

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Micro

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Pipecolic Acid-Mayo

Order Synonym(s)
Pipecolic Acid-Mayo

Associated DTA(s)
Pipecolic Acid-Mayo

CDM Code(s)

43764893	Pipecolic Acid Serum Mayo
43864893	Pipecolic Acid Serum Mayo

CPT Code(s)

82543	Column chromatography/mass spectrometry (eg, GC/MS, or HPLC/

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

PKU Screen of the Newborn

Order Synonym(s)

Newborn Metabolic Screen at 24 hours of life
PKU Screen
PKU Screen of the Newborn

Associated DTA(s)

Acylcarnitine Profile
Amino Acid Profile
Cystic Fibrosis
Form ID Number
NB Biotinidase
NB CAH
NB DOB
NB Galactose
NB Hemoglobin Screen
NB Mother's Name
NB T4
NB TSH
Screening Results
Time of Birth

CDM Code(s)

43761811	BIRTH SURVEY (PKU)
43861811	BIRTH SURVEY (PKU)

CPT Code(s)

84030	Phenylalanine (PKU), blood

Default Collection Method(s)

Capillary

Service Resource(s)

MCCG GDHR Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	PKU Card

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Plasma Catecholamines Fractionated-ARUP

Order Synonym(s)
Catecholamines Plasma Fractionated-ARUP
Plasma Catecholamines Fractionated-ARUP

Associated DTA(s)
Catecholamines Plasma Fract Interp
Epinephrine-ARUP
Norepinephrine-ARUP

CDM Code(s)

43761335	Catecholamines; fractionated
43861335	Catecholamines; fractionated

CPT Code(s)

82384	Catecholamines; fractionated

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)
Call lab prior to collect-send on ice

Specimen Stability

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

Plasma Hemoglobin-Mayo

Order Synonym(s)
Mayo-Plasma Hemoglobin, P
Plasma Hemoglobin Mayo
Plasma Hemoglobin-Mayo

Associated DTA(s)
Hgb Plasma-Mayo

CDM Code(s)

43761201	Plasma Hemoglobin-Mayo
43861201	Plasma Hemoglobin-Mayo

CPT Code(s)

83051	Plasma Hemoglobin-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Collect with 19 guage needle

Specimen Stability

Collection Class(es)

[Continued]

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Plasminogen Activity-Mayo

Order Synonym(s)
Mayo-Plasminogen Activity, P
Plasminogen Activity Mayo
Plasminogen Activity-Mayo

Associated DTA(s)
Plasminogen-Mayo

CDM Code(s)

43764473	Plasminogen Activity-Mayo
43864473	Plasminogen Activity-Mayo

CPT Code(s)

85420	Plasminogen Activity-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Platelet Count

Order Synonym(s)
Platelet Count
Platelet Count Test

Associated DTA(s)
PLT

CDM Code(s)

43711029	PLATELET COUNT
43811029	PLATELET COUNT

CPT Code(s)

85049	Blood count; platelet, automated

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ACT2
MCCG LH 39

[Continued]

MCCG LH 42

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Platelet Function Analysis (Replaces Ble

Order Synonym(s)
PFA (COL/EPI)
PFA (Replaces Bleeding Time)
Platelet Function Analysis
Platelet Function Analysis (Replaces Bleeding Time)

Associated DTA(s)
PFA Scrn (COL/EPI)

CDM Code(s)

43711004	Platelet Function Analysis
43811004	Platelet Function Analysis

CPT Code(s)

85576	Platelet, aggregation (in vitro), each agent

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG PFA 100

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Outpatients: Must be collected at 746 Spring Street CGD-Outpatient Lab Services Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)
Note: Sample for this test can not be sent through the tube system. Samples sent through the tubesystem will be rejected. Please call ext 2513 for Lab pickup.

[Continued]

POC Aminotest pH

Order Synonym(s)
POC Aminotest pH

Associated DTA(s)
POC Amniotest

CDM Code(s)
43756552 POC Aminotest pH

CPT Code(s)
83986 POC Aminotest pH

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG Manual POC

Specimen Type(s)
Amniotic Fluid

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC Fern Test

Order Synonym(s)
POC Fern Test

Associated DTA(s)
POC Fern Test

CDM Code(s)
43756700 POC Fern Test

CPT Code(s)
81015 POC Fern Test

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG Manual POC

Specimen Type(s)
Vaginal/Amniotic Fld

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

POC GEM BG/Lytes/Gluc/Coox Arterial

Order Synonym(s)
POC GEM BG/Lytes/Gluc/Coox Arterial

Associated DTA(s)
Base Excess - GEM
CL - GEM
COHb Art - GEM
Glucose - GEM
HCO3 Art - GEM
Hct - GEM
Ionized Calcium - GEM
K - GEM
MetHb Art - GEM
NA - GEM
O2 Hgb Art - GEM
PCO2 Art - GEM
PO2 Art - GEM
Patient Temp - GEM
Reduced Hgb - GEM
SO2 Art - GEM
Total Hgb Art - GEM
pH Art - GEM

CDM Code(s)
43756601 OR Point of Care Panel 7 Arterial

CPT Code(s)

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG MAS2

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM BG/Lytes/Gluc/Coox Venous

Order Synonym(s)
POC GEM BG/Lytes/Gluc/Coox Venous

Associated DTA(s)
Base Excess - GEM
CL - GEM
COHb Ven - GEM
Glucose - GEM
HCO3 Ven - GEM

[Continued]

Hct - GEM
Ionized Calcium - GEM
K - GEM
MetHb Ven - GEM
NA - GEM
O2 Hgb Ven - GEM
PCO2 Ven - GEM
PO2 Ven - GEM
Patient Temp - GEM
Reduced Hgb - GEM
SO2 Ven - GEM
Total Hgb Ven - GEM
pH Ven - GEM

CDM Code(s)

43756599 OR Point of Care Panel 7 Venous

CPT Code(s)

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG MAS2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM BG/Lytes/Gluc/Lact/Coox Arterial

Order Synonym(s)

POC GEM BG/Lytes/Gluc/Lact/Coox Arterial

Associated DTA(s)

Base Excess - GEM
CL - GEM
COHb Art - GEM
Glucose - GEM
HCO3 Art - GEM
Hct - GEM
Ionized Calcium - GEM
K - GEM
Lactate - GEM
MetHb Art - GEM
NA - GEM
O2 Hgb Art - GEM
PCO2 Art - GEM

[Continued]

PO2 Art - GEM
Patient Temp - GEM
Reduced Hgb - GEM
SO2 Art - GEM
Total Hgb Art - GEM
pH Art - GEM

CDM Code(s)
43756590 OR Point of Care Panel 8 Arterial
CPT Code(s)
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG MAS2
Specimen Type(s)
Blood
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

POC GEM BG/Lytes/Gluc/Lact/Coox Venous

Order Synonym(s)
POC GEM BG/Lytes/Gluc/Lact/Coox Venous

Associated DTA(s)
Base Excess - GEM
CL - GEM
COHb Ven - GEM
Glucose - GEM
HCO3 Ven - GEM
Hct - GEM
Ionized Calcium - GEM
K - GEM
Lactate - GEM
MetHb Ven - GEM
NA - GEM
O2 Hgb Ven - GEM
PCO2 Ven - GEM
PO2 Ven - GEM
Patient Temp - GEM
Reduced Hgb - GEM
SO2 Ven - GEM
Total Hgb Ven - GEM
pH Ven - GEM

CDM Code(s)

[Continued]

43756589 OR Point of Care Panel 8 Venous

CPT Code(s)

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG MAS2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM Electrolytes

Order Synonym(s)

POC GEM Electrolytes

Associated DTA(s)

CL - GEM
Ionized Calcium - GEM
K - GEM
NA - GEM
Patient Temp - GEM

CDM Code(s)

43756588 POC GEM Electrolytes

CPT Code(s)

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG MAS2

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM Glucose

Order Synonym(s)

Associated DTA(s)

[Continued]

POC GEM Glucose

Glucose - GEM
Patient Temp - GEM

CDM Code(s)
43756596 Glucose Quant - POC OR
CPT Code(s)
82947 Glucose; quantitative, blood (except reagent strip)
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG MAS2
Specimen Type(s)
Blood
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

POC GEM Hgb and Hct Arterial

Order Synonym(s)
POC GEM Hgb and Hct Arterial
Associated DTA(s)
Hct - GEM
Patient Temp - GEM
Total Hgb Art - GEM
CDM Code(s)
43756630 Hemoglobin - POC OR Arterial
CPT Code(s)
85018 Blood count; hemoglobin (Hgb)
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG MAS2
Specimen Type(s)
Blood
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

[Continued]

POC GEM Hgb and Hct Venous

Order Synonym(s)
POC GEM Hgb and Hct Venous

Associated DTA(s)
Hct - GEM
Patient Temp - GEM
Total Hgb Ven - GEM

CDM Code(s)
43756631 Hemoglobin - POC OR Venous

CPT Code(s)
85018 Blood count; hemoglobin (Hgb)

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG MAS2

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

POC GEM Lactate

Order Synonym(s)
POC GEM Lactate

Associated DTA(s)
Lactate - GEM
Patient Temp - GEM

CDM Code(s)
43756597 Lactate - POC OR

CPT Code(s)
83605 Lactate (lactic acid)

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG MAS2

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

[Continued]

POC GEM Panel

Order Synonym(s)
POC GEM Panel

Associated DTA(s)
Base Excess - GEM
Glucose - GEM
HCO3 - GEM
Hct - GEM
Ionized Calcium - GEM
K - GEM
NA - GEM
PCO2 - GEM
PO2 - GEM
SO2 - GEM
pH - GEM

CDM Code(s)
43756600 POC GEM Panel

CPT Code(s)

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM Potassium

Order Synonym(s)
POC GEM Potassium

Associated DTA(s)
K - GEM
Patient Temp - GEM

CDM Code(s)
43756593 Potassium - POC OR

CPT Code(s)
84132 Potassium; serum

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG MAS2

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	POC

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC GEM2 Panel

Order Synonym(s)
POC GEM2 Panel

Associated DTA(s)
Base Excess - GEM
Glucose - GEM
HCO3 - GEM
Hct - GEM
Ionized Calcium - GEM
K - GEM
Lactate - GEM
NA - GEM
PCO2 - GEM
PO2 - GEM
SO2 - GEM
pH - GEM

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG LDS

Specimen Type(s)	Specimen Container Instruction(s)
Blood	POC

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC Glucose (Nova)

Order Synonym(s)
POC Glucose (Nova)

Associated DTA(s)
POC Glucose

CDM Code(s)

[Continued]

43756650 POC Glucose Nova

CPT Code(s)

82948 Glucose; blood, reagent strip

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG LDS

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat ACT Order

Order Synonym(s)

POC iStat ACT Order

Associated DTA(s)

ACT i-Stat

CDM Code(s)

43756101 POC iStat ACT Order
43856101 POC iStat ACT Order

CPT Code(s)

85347 Coagulation time; activated

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG LDS

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat CG4 Arterial Panel

Order Synonym(s)

POC iStat CG4 Arterial Panel

Associated DTA(s)

Intubated ?

[Continued]

iStat Base Excess
iStat Bicarb
iStat Comment
iStat FIO2
iStat Lactate
iStat PCO2
iStat PO2
iStat TEMP
iStat Tot CO2
iStat pH
iStat sO2

CDM Code(s)
43756541 POC iStat CG4 Arterial Panel
CPT Code(s)
82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG LDS
Specimen Type(s)
Blood
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

POC iStat CG4 Capillary Panel

Order Synonym(s)
POC iStat CG4 Capillary Panel
Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb Cap
iStat CO2 Tot Cap
iStat Comment
iStat FIO2
iStat Lactate Capilllary
iStat O2 Sat Cap
iStat PCO2 Cap
iStat PO2 Cap
iStat TEMP
istat pH Cap

CDM Code(s)
43756541 POC iStat CG4 Capillary Panel
CPT Code(s)

[Continued]

82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat CG4 Venous Panel

Order Synonym(s)
POC iStat CG4 Venous Panel

Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb Ven
iStat CO2 Tot Ven
iStat Comment
iStat FIO2
iStat Lactate Venous
iStat O2 Sat Ven
iStat PCO2 Ven
iStat PO2 Ven
iStat TEMP
iStat pH Ven

CDM Code(s)
43756541 POC iStat CG4 Venous Panel

CPT Code(s)
82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit

[Continued]

0.10 ML

Prep Agent(s)

POC iStat Chem 8 Panel

Order Synonym(s)
POC iStat Chem 8 Panel

Associated DTA(s)
iStat BUN
iStat Cl
iStat Creatinine
iStat Gluc
iStat Ion Ca
iStat K
iStat Na
iStat TCO2 - Measured

CDM Code(s)
43756640 POC iStat Chem 8 Panel

CPT Code(s)
80047 Basic metabolic panel (Calcium, ionized) This panel must inc

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

POC iStat Creatinine Order

Order Synonym(s)
POC iStat Creatinine Order

Associated DTA(s)
iStat Creatinine

CDM Code(s)
43756546 POC iStat Creatinine Order

CPT Code(s)
82565 Creatinine; blood

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood	POC

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat E3 Panel

Order Synonym(s)
POC iStat E3 Panel

Associated DTA(s)
iStat HCT
iStat HGB
iStat K
iStat Na

CDM Code(s)

43756555	POC iStat E3 Panel

CPT Code(s)

84295	Sodium; serum, plasma or whole blood

Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG LDS

Specimen Type(s)	Specimen Container Instruction(s)
Blood	POC

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat EG7 Arterial Panel

Order Synonym(s)
POC iStat EG7 Arterial Panel

Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb
iStat Comment
iStat FIO2
iStat HCT
iStat HGB

[Continued]

iStat Ion Ca
iStat K
iStat Na
iStat PCO2
iStat PO2
iStat TEMP
iStat Tot CO2
iStat pH
iStat sO2

CDM Code(s)

43756565 POC iStat EG7 Arterial Panel

CPT Code(s)

82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG LDS

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat EG7 Capillary Panel

Order Synonym(s)

POC iStat EG7 Capillary Panel

Associated DTA(s)

Intubated ?
iStat Base Excess
iStat Bicarb Cap
iStat CO2 Tot Cap
iStat Comment
iStat FIO2
iStat HCT
iStat HGB
iStat Ion Ca
iStat K
iStat Na
iStat O2 Sat Cap
iStat PCO2 Cap
iStat PO2 Cap
iStat TEMP
istat pH Cap

CDM Code(s)

[Continued]

43756565 POC iStat EG7 Capillary Panel

CPT Code(s)

82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG LDS

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat EG7 Venous Panel

Order Synonym(s)

POC iStat EG7 Venous Panel

Associated DTA(s)

Intubated ?
iStat Base Excess
iStat Bicarb Ven
iStat CO2 Tot Ven
iStat Comment
iStat FIO2
iStat HCT
iStat HGB
iStat Ion Ca
iStat K
iStat Na
iStat O2 Sat Ven
iStat PCO2 Ven
iStat PO2 Ven
iStat TEMP
iStat pH Ven

CDM Code(s)

43756565 POC iStat EG7 Venous Panel

CPT Code(s)

82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG LDS

Specimen Type(s)

Blood

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat G3 Arterial Panel

Order Synonym(s)
POC iStat G3 Arterial Panel

Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb
iStat Comment
iStat FIO2
iStat PCO2
iStat PO2
iStat TEMP
iStat Tot CO2
iStat pH
iStat sO2

CDM Code(s)

43756540	POC iStat G3 Arterial Panel

CPT Code(s)

82803	Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat G3 Capillary Panel

Order Synonym(s)
POC iStat G3 Capillary Panel

Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb Cap

[Continued]

iStat CO2 Tot Cap
iStat Comment
iStat FIO2
iStat O2 Sat Cap
iStat PCO2 Cap
iStat PO2 Cap
iStat TEMP
istat pH Cap

CDM Code(s)
43756540 POC iStat G3 Capillary Panel
CPT Code(s)
82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG LDS
Specimen Type(s)
Blood
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

POC iStat G3 Venous Panel

Order Synonym(s)
POC iStat G3 Venous Panel
Associated DTA(s)
Intubated ?
iStat Base Excess
iStat Bicarb Ven
iStat CO2 Tot Ven
iStat Comment
iStat FIO2
iStat O2 Sat Ven
iStat PCO2 Ven
iStat PO2 Ven
iStat TEMP
iStat pH Ven

CDM Code(s)
43756540 POC iStat G3 Venous Panel
CPT Code(s)
82803 Gases, blood, any combination of pH, pCO2, pO2, CO2, HCO3 (i
Default Collection Method(s)
POC Specimen
Service Resource(s)

[Continued]

MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat Glucose Order

Order Synonym(s)
POC iStat Glucose Order

Associated DTA(s)
iStat Gluc

CDM Code(s)

43756530	POC iStat Glucose Order

CPT Code(s)

82947	Glucose; quantitative, blood (except reagent strip)

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat INR Order

Order Synonym(s)
POC iStat INR Order

Associated DTA(s)
INR i-Stat

CDM Code(s)

43756102	POC iStat INR Order

CPT Code(s)

85610	Prothrombin time;

Default Collection Method(s)
POC Specimen

Service Resource(s)

[Continued]

MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC iStat Troponin-I Order

Order Synonym(s)
POC iStat Troponin-I Order

Associated DTA(s)
iStat Trop I

CDM Code(s)

43756548	POC iStat Troponin-I Order
43856548	POC iStat Troponin-I Order

CPT Code(s)

84484	Troponin, quantitative

Default Collection Method(s)
POC Specimen

Service Resource(s)
MCCG LDS

Specimen Type(s)
Blood

Specimen Container Instruction(s)
POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC KOH Prep

Order Synonym(s)
POC KOH Prep

Associated DTA(s)
POC Fungal KOH
POC Yeast KOH

CDM Code(s)

43756702	POC KOH Prep

CPT Code(s)

87220	POC KOH Prep

Default Collection Method(s)

[Continued]

POC Specimen

Service Resource(s)

MCCG Manual POC

Specimen Type(s)

Vaginal/Amniotic Fld

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC Urine Dipstick

Order Synonym(s)

POC Urine Dipstick

Associated DTA(s)

POC U Blood
POC U Glucose
POC U Ketone
POC U Leukocytes
POC U Nitrite
POC U Protein
POC U Sp Gravity
POC U pH

CDM Code(s)

43756704 POC Urine Dipstick

CPT Code(s)

81002 POC Urine Dipstick

Default Collection Method(s)

POC Specimen

Service Resource(s)

MCCG Manual POC

Specimen Type(s)

Urine

Specimen Container Instruction(s)

POC

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Point of Care

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

POC Urine Pregnancy Test

Order Synonym(s)

Associated DTA(s)

[Continued]

POC Urine Pregnancy Test

POC Preg Internal Control
POC Sp Gravity Preg Test
POC Urine Preg Test

CDM Code(s)
43756706 POC Quik Trak Pregnancy Test
CPT Code(s)
81025 POC Quik Trak Pregnancy Test
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG Manual POC
Specimen Type(s)
Urine
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

POC Wet Prep

Order Synonym(s)
POC Wet Prep

Associated DTA(s)
POC Clue Cells
POC Epith Cells Wet Prep
POC Trich Wet Prep
POC WBC's Wet Prep
POC Yeast Wet Prep

CDM Code(s)
43756708 POC Wet Prep
CPT Code(s)
87210 POC Wet Prep
Default Collection Method(s)
POC Specimen
Service Resource(s)
MCCG Manual POC
Specimen Type(s)
VAGINA
Specimen Container Instruction(s)
POC
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Point of Care
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

[Continued]

Porphobilinogen Qualitative Urine

Order Synonym(s)
Porphobilinogen Qualitative Urine
Porphobilinogen Urine Qual
Urine Porphobilinogen Qualitative

Associated DTA(s)
U Porphobili Scrn

CDM Code(s)

43754079	PORPHOBILINOGEN
43854079	PORPHOBILINOGEN

CPT Code(s)

84106	PORPHOBILINOGEN

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Man Sp Chem

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)
Protect from light

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Porphobilinogen Quantitative Urine-Mayo

Order Synonym(s)
Mayo-Porphobilinogen, QN, Random, U
Porphobilinogen Quantitative Urine-Mayo
Porphobilinogen Urine Quant Mayo
Urine Porphobilinogen Qnt-Mayo

Associated DTA(s)
U Porphobilin-Mayo

CDM Code(s)

43764677	Porphobilinogen Quantitative Urine-Mayo
43864677	Porphobilinogen Quantitative Urine-Mayo

CPT Code(s)

84110	Porphobilinogen Quantitative Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Protect from light

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
20.00	ML

Prep Agent(s)

Porphyrin Urine Screen

Order Synonym(s)

Porphyrin Screen Urine
Porphyrin Urine Screen
Urine Porphyrin Screen

Associated DTA(s)

Porphyrin Scrn
U Porphobili Scrn

CDM Code(s)

43754084	Porphyrin Urine Screen
43854084	PORPHYRINS COMPLETE

CPT Code(s)

84119	Porphyrins, urine; qualitative

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Man Sp Chem

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Protect from light

Specimen Stability

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Porphyrins Quantitative Urine-Mayo

Order Synonym(s)

Mayo-Porphyrins, QN, U
Porphyrins Quantitative Urine-Mayo
Porphyrins Urine Quant Mayo
Urine Porphyrins Qnt-Mayo

Associated DTA(s)

Hrs Porphy Qnt-Mayo
TV Porphy Qnt-Mayo
U24 Copro Qnt-Mayo
U24 Hepta Qnt-Mayo
U24 Hexa Qnt-Mayo
U24 Penta Qnt-Mayo
U24 Porpho Qnt-Mayo
U24 Porphy Qnt-Mayo
U24 Uro Qnt-Mayo

CDM Code(s)

[Continued]

43764483 Porphyrins Quantitative Urine-Mayo
43864483 Porphyrins Quantitative Urine-Mayo

CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)
Protect from light
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
50.00 ML
Prep Agent(s)

Positive Amephetamine Drug Hold

Order Synonym(s)
Positive Amephetamine Drug Hold
Associated DTA(s)
Amphetamine Postive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Med GC/MS Conf
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Positive Barbiturate Drug Hold

Order Synonym(s)
Positive Barbiturate Drug Hold
Associated DTA(s)
Barbiturae Positive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)

[Continued]

Urine
Service Resource(s)
MCCG Med GC/MS Conf
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Positive Cocaine Drug Hold

Order Synonym(s)
Positive Cocaine Drug Hold
Associated DTA(s)
Cocaine Positive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Med GC/MS Conf
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Positive Methadone Drug Hold

Order Synonym(s)
Positive Methadone Drug Hold
Associated DTA(s)
Methadone Positive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Med GC/MS Conf
Specimen Type(s)
Specimen Container Instruction(s)

[Continued]

Urine — Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Positive Opiates Drug Hold

Order Synonym(s)

Positive Opiates Drug Hold

Associated DTA(s)

Opiates Positive Drug Hold

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Positive PCP Drug Hold

Order Synonym(s)

Positive PCP Drug Hold

Associated DTA(s)

PCP Positive Drug Hold

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Positive Propoxyphene Drug Hold

Order Synonym(s)
Positive Propoxyphene Drug Hold
Associated DTA(s)
Propoxyphene Positive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Service Resource(s)
Specimen Type(s)
Specimen Container Instruction(s)
Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Minimum Volume **Minimum Volume Unit**
Prep Agent(s)

Positive THC Drug Hold

Order Synonym(s)
Positive THC Drug Hold
Associated DTA(s)
THC Positive Drug Hold
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Med GC/MS Conf
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Post-Vasectomy Screen

Order Synonym(s)
Associated DTA(s)

[Continued]

Post-Vasectomy Screen
Post-Vasectomy Sperm Motility
Semen Analysis Post Vasectomy
Semen Comment
Sperm Count Post Vasectomy Screen
Sperm

CDM Code(s)

43735148 Semen Anal Post
43835148 Semen Anal Post

CPT Code(s)

89321 Semen analysis, presence and/or motility of sperm

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Micro Serology

Specimen Type(s)

SEMEN

Specimen Container Instruction(s)

Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Potassium Level

Order Synonym(s)

K Level
Potassium
Potassium Level

Associated DTA(s)

K Lvl

CDM Code(s)

43750224 POTASSIUM SERUM (K)
43850224 POTASSIUM SERUM (K)
43850225 Potassium Level

CPT Code(s)

84132 Potassium; serum

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

[Continued]

Blood Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Potassium Level 24 Hour Urine

Order Synonym(s)

24 Hour Urine Potassium Level
K Level 24 Hour Urine
Potassium Level 24 Hour Urine
Potassium Urine 24 Hr
Urine 24 Hour Potassium Level

Associated DTA(s)

TV Potassium
U Potassium
U24 Potassium

CDM Code(s)

43754096	POTASSIUM URINE 24HR
43854096	POTASSIUM URINE 24HR

CPT Code(s)

84133	Potassium; urine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Instruct the patient to void at the beginning of the collection period and discard this specimen.-Collect all urine including the final specimen voided at the end of the collection period.-Keep specimen refrigerated or on ice.-Container must be labeled with patient's name, date and collection period.

[Continued]

Potassium Level Body Fluid

Order Synonym(s)
Fluid Potassium Level
K Level Body Fluid
Potassium Body Fluid
Potassium Level Body Fluid

Associated DTA(s)
K Body Fl Type
K Fl Lvl

CDM Code(s)

43750320	Potassium Level Body Fluid
43850320	Potassium Level Body Fluid

CPT Code(s)

84132	Potassium; serum

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Potassium Level Urine Random

Order Synonym(s)
K Level Urine Random
Potassium Level Urine Random
Potassium Urine Random
Random Urine Potassium Level
Urine Random Potassium Level

Associated DTA(s)
U Potassium

CDM Code(s)

43754089	POTASSIUM URINE RANDOM
43854089	POTASSIUM URINE RANDOM

CPT Code(s)

84133	Potassium; urine

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Prealbumin

Order Synonym(s)
Prealbumin
Prealbumin Level

Associated DTA(s)
Pre Albumin

CDM Code(s)

43750287	PREALBUMIN
43850287	PREALBUMIN

CPT Code(s)

84134	Prealbumin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Primidone and Phenobarbital-Mayo

Order Synonym(s)
Mayo-Primidone and Phenobarbital, P
PRimidone and Phenobarbital Mayo
Primidone and Phenobarbital-Mayo

Associated DTA(s)
Phenobarb Lvl-Mayo
Primidone Lvl-Mayo

CDM Code(s)

43764871	Primidone and Phenobarbital-Mayo
43864871	Primidone and Phenobarbital-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Procalcitonin

Order Synonym(s)
Procalcitonin
Procalcitonin Level

Associated DTA(s)
Procalcitonin

CDM Code(s)

43755330	Procalcitonin
43855330	Procalcitonin

CPT Code(s)

82397	Chemiluminescent assay

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Vidas

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability:Ambient/Room Temp:2-4 hrs Refrigerated: 48 hrs Frozen: 6 mnths Heparin plasma acceptable Separate immediately

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.30	ML

Prep Agent(s)

Profile ANA

Order Synonym(s)
Anti-Nuclear Antibody Profile
Profile ANA

Associated DTA(s)
ANA Interp
Centromere IgG Ab
DNA IgG Ab
Histone IgG Ab
JO-1 IgG Ab
RNP IgG Ab
SM IgG Ab
SSA IgG Ab
SSB IgG Ab
Scl-70 IgG Ab

CDM Code(s)

43735091	ANA Profile
43835091	ANA Profile

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Profile for Liver ordered with Renal

Order Synonym(s)
Profile for Liver ordered with Renal

Associated DTA(s)
ALT/GPT Lvl

[Continued]

AST/GOT Lvl
Alk Phos Lvl
Conj Bili
TP Lvl
Total Bili

CDM Code(s)

43751142	Liver Profile without Albumin
43851143	Liver Profile

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Progesterone Level

Order Synonym(s)

Progesterone
Progesterone Level

Associated DTA(s)

Progesterone Lvl

CDM Code(s)

43753202	PROGESTERONE
43853202	PROGESTERONE

CPT Code(s)

84144	Progesterone

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults

[Continued]

MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Proinsulin-Mayo

Order Synonym(s)
Mayo-Proinsulin, P
Proinsulin Mayo
Proinsulin-Mayo

Associated DTA(s)
Proinsulin-Mayo

CDM Code(s)

43764488	Proinsulin-Mayo
43864488	Proinsulin-Mayo

CPT Code(s)

84206	Proinsulin-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Pre-chill Tube-Send on Ice

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Prolactin Level

Order Synonym(s)
Prolactin
Prolactin Level

Associated DTA(s)
Prolactin Lvl

CDM Code(s)

[Continued]

43753177 PROLACTIN
43853177 PROLACTIN

CPT Code(s)
84146 Prolactin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Prolactin with Dilution

Order Synonym(s)
Prolactin with Dilution

Associated DTA(s)
Prolactin with Dilution

CDM Code(s)
43753177 Prolactin
43853177 Prolactin

CPT Code(s)
84146 Prolactin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Propoxphene Confirmation by TLC

Order Synonym(s)

Propoxphene Confirmation by TLC

Associated DTA(s)

Propoxphene Confirmation by TLC

CDM Code(s)

43752195	Propoxphene Confirmation by TLC
43852195	Propoxphene Confirmation by TLC

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Propoxyphene Screen Urine

Order Synonym(s)

Prooxyphene Urine Screen
Propoxyphene Screen Urine
Urine Propoxyphene Screen

Associated DTA(s)

Propoxyphene Qual

CDM Code(s)

43752074	Propoxyphene Screen Urine
43852074	Propoxyphene Screen Urine

CPT Code(s)

80101	Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

[Continued]

Urine

Service Resource(s)

MCCG Hit 911

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Prostate Specific Ag, Diagnostic

Order Synonym(s)

PSA
PSA Diagnostic
Prostate Specific Ag, Diagnostic

Associated DTA(s)

PSA

CDM Code(s)

43756060	PROSTATE SPECIFIC ANTIGEN
43856060	PROSTATE SPECIFIC ANTIGEN

CPT Code(s)

84153	Prostate specific antigen (PSA); total

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 24 hrs Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Prostate Specific Ag, Screening

Order Synonym(s)

Associated DTA(s)

[Continued]

ACC PSA Screen
PSA Screening
Prostate Specific Ag, Screening
Screening PSA

Associated DTA(s)
PSA

CDM Code(s)

43756065	PSA Screen
43856065	PSA Screen

CPT Code(s)

G0103	PSA Screen

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated:24 hrs Remove from Cells

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Prostatic Acid Phosphatase-Mayo

Order Synonym(s)
Acid Phosphatase Prostatic-Mayo
Mayo-Prostatic Acid Phosphatase, S
PAP Mayo
Prostatic Acid Phosphatase-Mayo

Associated DTA(s)
PAP-Mayo

CDM Code(s)

43761213	Prostatic Acid Phosphatase-Mayo
43861213	Prostatic Acid Phosphatase-Mayo

CPT Code(s)

84066	Prostatic Acid Phosphatase-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Protein C Functional

Order Synonym(s)
Protein C
Protein C Activity
Protein C Functional
Protein C Functional Test

Associated DTA(s)
Protein C Funct

CDM Code(s)

43711150	Protein C Functional
43811150	Protein C Functional

CPT Code(s)

85303	Clotting inhibitors or anticoagulants; protein C, activity

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Protein Cerebrospinal Fluid

Order Synonym(s)
CSF Protein
Protein CSF
Protein Cerebrospinal Fluid
Total Protein Cerebrospinal Fluid

Associated DTA(s)
Protein CSF

CDM Code(s)

[Continued]

43750251 TOTAL PROTEIN CSF
43850251 TOTAL PROTEIN CSF

CPT Code(s)
84157 Protein, total, except by refractometry; other source (eg, s

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.20	ML

Prep Agent(s)

Protein Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Protein Level
Protein Level 24 Hour Urine
Protein Urine 24 Hr
Total Protein Level 24 Hour Urine (includes Total Volume)
Urine 24 Hour Protein Level

Associated DTA(s)
TV Protein
U Tot Protein Ran
U24 Tot Protein

CDM Code(s)
43754100 PROTEIN QUANT URINE
43850257 TOTAL PROTEIN

CPT Code(s)
84156 Protein, total, except by refractometry; urine

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
Total Protein, Urine 24hr A Total Volume is automatically done with this 24hr Urine. It is not necessary to order the Total Volume test separately.-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, makingcertain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Protein Level Urine Random

Order Synonym(s)	Associated DTA(s)
Protein Level Urine Random	U Tot Protein Ran
Protein Urine Random	
Random Urine Protein Level	
Total Protein Level Urine Random	
Urine Random Protein Level	

CDM Code(s)

43754100	PROTEIN QUANT URINE
43854100	PROTEIN QUANT URINE

CPT Code(s)

84156	Protein, total, except by refractometry; urine

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Urine samples should be analyzed within 2 Hrs of collection.Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

Protein S Functional

Order Synonym(s)
Protein S
Protein S Activity
Protein S Functional
Protein S Functional Test

Associated DTA(s)
Protein S Funct

CDM Code(s)

43711152	Protein S Functional
43811152	Protein S Functional

CPT Code(s)

85306	Clotting inhibitors or anticoagulants; protein S, free

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Proteinase 3 AB (PR3)-Mayo

Order Synonym(s)
Mayo-Proteinase 3 Ab (PR3), S
PR3 Antibody-Mayo
Proteinase 3 AB (PR3)-Mayo
Proteinase 3 AB PR3 Mayo

Associated DTA(s)
Proteinase 3 Ab-Mayo

CDM Code(s)

43764489	Proteinase 3 AB (PR3)-Mayo
43864489	Proteinase 3 AB (PR3)-Mayo

CPT Code(s)

83516	Proteinase 3 AB (PR3)-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Prothrombin G20210A Mutation-Mayo

Order Synonym(s)
Factor II Mutation mAyo
Factor II Mutation-Mayo
G20210A Mutation-Mayo
Mayo-Prothrombin G20210A Mutation, B
Prothrombin G20210A Mutation-Mayo
Prothrombin Gene Mutation-Mayo

Associated DTA(s)
PT Mutate Amend-Mayo
PT Mutate Intrp-Mayo
PT Mutate Mthd-Mayo
PT Mutate OrdDt-Mayo
PT Mutate RelDt-Mayo
PT Mutate RevBy-Mayo
PT Mutate Rslt-Mayo
PT Mutate Rsn-Mayo
PT Mutate Spec ID-Mayo
PT Mutate Spec-Mayo
PT Mutate Src-Mayo

CDM Code(s)

43764678	
43765106	PROTHROMBIN G20210A MUT-MAYO
43864678	
43865106	PROTHROMBIN G20210A MUT-MAYO

CPT Code(s)

81240	F2 (prothrombin, coagulation factor II) (eg, hereditary hype

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Fill tube to top. Do not spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Prothrombin Mixing Study

Order Synonym(s)
Mixiing Study PT
PT Mixing Study
Prothrombin Mixing Study

Associated DTA(s)
PT Mixing Interp

CDM Code(s)

43711055	MIXING PT
43811055	MIXING PT

CPT Code(s)

85611	MIXING PT

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Coag

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

Prothrombin Time

Order Synonym(s)
INR / PT
PT
PT/INR
Prothrombin Time
Protime

Associated DTA(s)
INR
PT

CDM Code(s)

43711035	PROTHROMBIN TIME (PT)
43811035	PROTHROMBIN TIME (PT)
43811036	Prothrombin Time

CPT Code(s)

85610	Prothrombin time;

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 24 hrs

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Protoporphyrins Fractionation, RBC-Mayo

Order Synonym(s)
Mayo-Protoporphyrins, Fractionation, WB
Protoporphyrins Fractionation, RBC-Mayo
Protoporpyrins Fractionation RBC Mayo
RBC Protoporphyrins Fractionation-Mayo

Associated DTA(s)
Protopor Frac-Mayo
Protopor Free-Mayo
Zinc Protopor-Mayo

CDM Code(s)

43764490	Protoporphyrins Fractionation, RBC-Mayo
43864490	Protoporphyrins Fractionation, RBC-Mayo

CPT Code(s)

84202	Protoporphyrins Fractionation, RBC-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
On Ice-Do not Spin

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

Prt Electrophoresis Cerebrospinal Fluid

Order Synonym(s)

Associated DTA(s)

[Continued]

Prt Electrophoresis Cerebrospinal Fluid w/interp	Albumin CSF Alpha1 CSF Alpha2 CSF Beta CSF CSF Prot Elect Interp by Gamma CSF Interp CSF TP CSF

CDM Code(s)

43755022	ELECTROPHORESIS PROTEIN w/Interp
43855022	ELECTROPHORESIS PROTEIN w/Interp

CPT Code(s)

84166	Protein; electrophoretic fractionation and quantitation, oth

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Electrophoresis

Specimen Type(s)	Specimen Container Instruction(s)
CSF	Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Prt Electrophoresis Serum w/Interp

Order Synonym(s)	Associated DTA(s)
Prt Electrophoresis Serum w/Interp	A1 Globulin A2 Globulin Alb Elect Beta Globulin Gamma Globulins Protein EL Interp Serum TP Elect Interp by TP Elect

CDM Code(s)

43755021	ELECTROPHORESIS PROTEIN w/Interp
43855021	ELECTROPHORESIS PROTEIN w/Interp

CPT Code(s)

84165	Protein; electrophoretic fractionation and quantitation, ser

Default Collection Method(s)

Venous Draw

Service Resource(s)

[Continued]

MCCG Electrophoresis

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Prt Electrophoresis Urine w/Interp

Order Synonym(s)
Prt Electrophoresis Urine w/Interp

Associated DTA(s)
U A1 Glob Elec
U A2 Glob Elec
U Alb Elec
U Beta Glob Elec
U Gamma Glob Elec
U Interp Elec
U TP Elec
U TP Elect Interp by

CDM Code(s)

43755022	ELECTROPHORESIS PROTEIN w/Interp
43855022	ELECTROPHORESIS PROTEIN w/Interp

CPT Code(s)

84166	Protein; electrophoretic fractionation and quantitation, ser

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Prt Total CSF

Order Synonym(s)

Associated DTA(s)

[Continued]

Prt Total CSF — Protein CSF

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

PSA Total and Free-Mayo

Order Synonym(s)

Mayo-PSA Total & Free, S
PSA Total and Free Mayo
PSA Total and Free-Mayo

Associated DTA(s)

Free PSA/PSA-Mayo
PSA Free-Mayo
PSA Total-Mayo

CDM Code(s)

43764491	PSA Total and Free-Mayo
43864491	PSA Total and Free-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Freeze serum within 3 hours

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Pseudocholinesterase

Order Synonym(s)
Cholinesterase
PCHE
Pseudocholinesterase
Pseudocholinesterase Level

Associated DTA(s)
PCHE

CDM Code(s)

43750072	Pseudocholinesterase
43850072	Pseudocholinesterase

CPT Code(s)

82480	Pseudocholinesterase

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Pseudocholinesterase Dibuc Inhib-Mayo

Order Synonym(s)
Dibucaine Inhibition/Pseudocholinesterase-Mayo
Mayo-Pseudocholinesterase Dibuc Inhib, S
Pseudocholinesterase Dibuc Inhib Mayo
Pseudocholinesterase Dibuc Inhib-Mayo

Associated DTA(s)
Dibucaine Inhib-Mayo
Pseudocholin-Mayo

CDM Code(s)

43764494	Pseudocholinesterase Dibuc Inhib-Mayo
43864494	Pseudocholinesterase Dibuc Inhib-Mayo

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

PT Heparinase Treated

Order Synonym(s)
PT Heparinase Treated
PT Heparinase Treated Level
Associated DTA(s)
INR Hep Treated
PT Hep Treated
CDM Code(s)

43711033	PT Heparinase Treated
43811033	PT Heparinase Treated

CPT Code(s)

85610	Prothrombin time;

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Blue
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

PTH Intra-operative "OR only"

Order Synonym(s)
Associated DTA(s)

[Continued]

PTH Intra-operative "OR only" PTH Turbo
Parathyroid Hormone Intra-operative "OR only"

CDM Code(s)
43756105 PTH Intra-operative "OR only"

CPT Code(s)
83970 Parathormone (parathyroid hormone)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect
MCCG Architect 2000

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Transport to lab immediately

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

PTH-Related Peptide-Mayo

Order Synonym(s)
Mayo-PTH-Related Peptide
PTH Related Peptide Mayo
PTH-Related Peptide-Mayo
PTH-Related Protein-Mayo

Associated DTA(s)
PTH Peptide-Mayo

CDM Code(s)
43764497 PTH-Related Peptide-Mayo
43864497 PTH-Related Peptide-Mayo

CPT Code(s)
82397 PTH-Related Peptide-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Pre-chill Tube-Send on Ice

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

PTT

Order Synonym(s)
Activated Partial Thromboplastin Time
PTT
PTT Level
Partial Thromboplastin Time

Associated DTA(s)
PTT

CDM Code(s)

43711041	PTT
43811041	PTT
43811042	PTT

CPT Code(s)

85730	Thromboplastin time, partial (PTT); plasma or whole blood

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 4 hrs if NOT on Heparin, 2 hrs if ON Heparin

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

PTT Heparinase Treated

Order Synonym(s)
PTT Heparinase Treated
PTT Heparinase Treated Level

Associated DTA(s)
PTT Hep Treated

CDM Code(s)

43711043	PTT Heparinase Treated
43811043	PTT Heparinase Treated

CPT Code(s)

85730	Thromboplastin time, partial (PTT); plasma or whole blood

Default Collection Method(s)
Venous Draw

Service Resource(s)

[Continued]

MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 4 hrs if NOTon Heparin, 2 hrs if ON Heparin

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

PTT Mixing Study

Order Synonym(s)
Mixing Study for PTT
PTT Mixing Study
PTT Mixing Study Test

Associated DTA(s)
PTT Mixing Interp

CDM Code(s)

43711050	MIXING PTT
43811050	MIXING PTT

CPT Code(s)

85732	Thromboplastin time, partial (PTT); substitution, plasma fra

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Coag

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability
Stability: Cannot be added on

Collection Class(es)
Coag

Minimum Volume	Minimum Volume Unit
8.00	ML

Prep Agent(s)

[Continued]

Purine & Pyrimidine Panel, Urine-Mayo

Order Synonym(s)
Purine & Pyrimidine Panel, Urine-Mayo

Associated DTA(s)
Purine & Pyrimidine Panel, UA-Mayo

CDM Code(s)

43764901	Purine Pyrimidine Panel Urine
43864901	Purine Pyrimidine Panel Urine

CPT Code(s)

83789	Mass spectrometry and tandem mass spectrometry (MS, MS/MS),

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Pyruvate, Blood

Order Synonym(s)
Pyruvate
Pyruvate, Blood
Pyruvic Acid

Associated DTA(s)
Pyruvate, Blood

CDM Code(s)

43761048	Pyruvate, Blood
43861048	Pyruvate, Blood

CPT Code(s)

84210	Pyruvate

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Schedule with Lab Mon-Fri 8am-4pm

Specimen Stability

Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit

[Continued]

3.00	ML

Prep Agent(s)

Must be collected between 8am and 4pm, Monday - Friday.Call Lab Sendout department prior to collection so that a tech canbe present at collection.NOTE: Blood collected before tech arrives cannot be tested.

Q Fever Antibody IgG and IgM-Mayo

Order Synonym(s)

Coxiella Burnetii IgG/IgM Antibody-Mayo
Mayo-Q Fever Ab, IgG and IgM, S
Q Fever Ab IgG and IgM Mayo
Q Fever Antibody IgG and IgM-Mayo

Associated DTA(s)

Q Fever Interp-Mayo
QFever/Phs1 IgG-Mayo
QFever/Phs1 IgM-Mayo
QFever/Phs2 IgG-Mayo
QFever/Phs2 IgM-Mayo

CDM Code(s)

43761626	Q Fever Antibody IgG and IgM-Mayo
43861626	Q Fever Antibody IgG and IgM-Mayo

CPT Code(s)

86638	Q Fever Antibody IgG and IgM-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Quantiferon G

Order Synonym(s)

Gamma Interferon for TB
LTBI
Latent TB by QuantiFERON
Latent Tuberculosis Infection
Quantiferon G
Quantiferon TB
Quantiferon TB G
TB by Quantiferon

Associated DTA(s)

Quantiferon Gold

CDM Code(s)

[Continued]

43765017 Quantiferon Gold
43865017 Quantiferon Gold

CPT Code(s)
86480 Tuberculosis test, cell mediated immunity measurement of gam

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
QTB

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Quantitative Cocaine

Order Synonym(s)
Qnt Stat Cocaine
Quantitative Cocaine
Stat Cocaine Quantitative

Associated DTA(s)
Cocaine Cutoff
Cocaine Qnt
Coll Date (Coca)

CDM Code(s)
43752072 Cocaine Quantitative
43852072 Cocaine Quantitative

CPT Code(s)
80102 Cocaine Quantitative

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Quantitative D Dimer

Order Synonym(s)

Associated DTA(s)

[Continued]

D-Dimer Quantitative
DDimer Quant
DDimer Quantitative
Quantitative D Dimer

D-Dimer Qnt

CDM Code(s)

43711062 Quantitative D Dimer
43811062 Quantitative D Dimer

CPT Code(s)

85379 Fibrin degradation products, D-dimer; quantitative

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 4 hrs

Collection Class(es)

Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Quantitative Marijuana (THC)

Order Synonym(s)

Quantitative Marijuana (THC)
THC GC/MS
THC Quantitative

Associated DTA(s)

Coll Date (THC)
Marijuana (THC) Qnt
THC Cutoff

CDM Code(s)

43752072 Quantitative Marijuana (THC)
43852072 Quantitative Marijuana (THC)

CPT Code(s)

80102 Quantitative Marijuana (THC)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Quantitative Urine Amphetamine

Order Synonym(s)
Amphetamines GC/MS
Quantitative Urine Amphetamine
U Qnt Amphetamine

Associated DTA(s)
Amph Cutoff
Amph Qnt
Coll Date (Ampha)

CDM Code(s)

43752072	Quantitative Urine Amphetamine
43852072	Quantitative Urine Amphetamine

CPT Code(s)

80102	Quantitative Urine Amphetamine

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Quantitative Urine Barbiturate

Order Synonym(s)
Barbituate Urine Quant
Barbiturate GC/MS
Quantitative Urine Barbiturate
U Qnt Barb

Associated DTA(s)
Barb Cutoff
Barbiturate Qnt
Coll Date (Barb)

CDM Code(s)

43752072	Quantitative Urine Barbiturate
43852072	Quantitative Urine Barbiturate

CPT Code(s)

80102	Quantitative Urine Barbiturate

Default Collection Method(s)

[Continued]

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Quantitative Urine Cocaine

Order Synonym(s)

Cocaine GC/MS
Quantitative Urine Cocaine
U Qnt Cocaine

Associated DTA(s)

Cocaine Cutoff
Cocaine Qnt
Coll Date (Coca)

CDM Code(s)

43752072	Quantitative Urine Cocaine
43852072	Quantitative Urine Cocaine

CPT Code(s)

80102	Quantitative Urine Cocaine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Med GC/MS Conf

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Quantitative Urine Opiates

Order Synonym(s)

Opiates GC/MS
Quantitative Urine Opiates
U Qnt Opiates

Associated DTA(s)

Coll Date (Opiate)
Opiate Cutoff
Opiates Qnt

CDM Code(s)

[Continued]

43752072 Quantitative Urine Opiates
43852072 Quantitative Urine Opiates

CPT Code(s)
80102 Quantitative Urine Opiates

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Quantitative Urine Phencyclidine (PCP)

Order Synonym(s)
PCP GC/MS
Quantitative PCP
Quantitative Urine Phencyclidine (PCP)
U Qnt PCP

Associated DTA(s)
Coll Date (PCP)
PCP Cutoff
PCP Qnt

CDM Code(s)
43752072 Quantitative Urine Phencyclidine (PCP)
43852072 Quantitative Urine Phencyclidine (PCP)

CPT Code(s)
80102 Quantitative Urine Phencyclidine (PCP)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Rapid DNA Extraction

Order Synonym(s)
Rapid DNA Extraction

Associated DTA(s)
Rapid DNA Extraction

CDM Code(s)
43760188 Rapid DNA Extraction
43860188 Rapid DNA Extraction

CPT Code(s)
83890 Molecular diagnostics; molecular isolation or extraction, ea

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Rapid Glycated Hemoglobin (For Assessmen

Order Synonym(s)
Rapid Glycated Hemoglobin (For Assessment Only)
Rapid Glycated Hgb
Rapid Hemoglobin A1C (For Assessment Only)

Associated DTA(s)
Rpd Hgb A1C

CDM Code(s)
43750307 Rapid Glycated Hemoglobin (For Assessment Only)
43850307 Rapid Glycated Hemoglobin (For Assessment Only)

CPT Code(s)
83036 Hemoglobin; glycosylated (A1C)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Rapid Urease Test

Order Synonym(s)
CLO Test
Rapid Urease
Rapid Urease Test

Associated DTA(s)
Final Rapid Urease Reading
Initial Rapid Urease Reading

CDM Code(s)

43730190	Rapid Urease Test
43830190	Rapid Urease Test

CPT Code(s)

87077	Culture, bacterial; aerobic isolate, additional methods requ

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Misc Micro Bench

Specimen Type(s)
TISSUE

Specimen Container Instruction(s)
Micro Media

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

RBC Morphology

Order Synonym(s)
RBC Morphology

Associated DTA(s)
Acan
Aniso
Baso Stip
Dacryo
Diff Comment
Dohle Bodies
Echino
Giant PLT
H-J Bodies
Hypo
Macro

[Continued]

Micro
Oval
Papp Bodies
Plt Est
Poik
Poly
RBC Morph
Rouleaux
Schisto
Sickle Cell
Smudge Cells
Sphero
Stomatocyte
Targ Cell
Toxic Gran

CDM Code(s)
NO CODE
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Man Diff
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Lavender
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

RE Urinalysis

Order Synonym(s)
RE Urinalysis

Associated DTA(s)
RE Microscopic?
U Amorphous
U Ascorbic Acid
U Bacteria
U Bilirubin
U Blood
U Broad Cast
U Budding Yeast
U CaCarb Crys
U CaPhos Crys
U Caox Crys

[Continued]

U Cellular Cast
U Clarity
U Color
U Cysteine Crys
U Epi Cell Cast
U Fat
U Fatty Cast
U Gluc
U Granular Cast
U Hyaline Cast
U Hyphenated Yeast
U Instrument Id
U Instrument Id Micro
U Ketones
U Leucine Crys
U Leuko Est
U Mucous
U Nitrite
U Non-Squamous Epithelial
U Oval Fat Bodies
U Protein
U RBC
U RBC Cast
U Renal Epi Cells
U SpGr
U Squam Epi Cells
U Trans Epi Cells
U Trichomonas
U Trple Phos Crys
U Tyrosine Crys
U Uric Acd Crys
U Urob
U WBC
U WBC Cast
U Waxy Cast
U pH
Urine Comment

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG AUW
MCCG Atlas
MCCG UF 100

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Red Blood Cell Enzyme Evaluation-Mayo

Order Synonym(s)
Erythrocyte Enzyme Evaluation-Mayo
Mayo-RBC Enzyme Evaluation
RBC Enzyme Evaluation Mayo
RBC Enzyme Evaluation-Mayo
Red Blood Cell Enzyme Evaluation-Mayo

Associated DTA(s)
G-6-PD Quant-Mayo
Gluc Phos Iso-Mayo
Hexokinase-Mayo
PK Lo Substrate-Mayo
Pyruvate Kinase-Mayo
RBC Enzyme Int-Mayo

CDM Code(s)

43764499	Red Blood Cell Enzyme Evaluation-Mayo
43864499	Red Blood Cell Enzyme Evaluation-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Reflex Bethesda Units

Order Synonym(s)
Reflex Bethesda Units

Associated DTA(s)
Bethesda Units-Mayo

CDM Code(s)

43764874	Reflex Bethesda Units
43864874	Reflex Bethesda Units

CPT Code(s)

85335	Factor inhibitor test

Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflex Brucella Ab Confirmation

Order Synonym(s)
Reflex Brucella Ab Confirmation

Associated DTA(s)
Brucella Ab Titer-Mayo

CDM Code(s)

43764199	Reflexed Bruce Ab Agglutination
43864199	Reflexed Bruce Ab Agglutination

CPT Code(s)

86622	Antibody; Brucella

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reflex Coag Factor VIII Assay Inhib Scre

Order Synonym(s)
Reflex Coag Factor VIII Assay Inhib Screen

Associated DTA(s)
Factor VIII Inh-Mayo

CDM Code(s)

43764875	Reflex Coag Factor VIII Assay Inhib Screen
43864875	Reflex Coag Factor VIII Assay Inhib Screen

CPT Code(s)

85335	Factor inhibitor test

Default Collection Method(s)

[Continued]

Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Blue
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

Reflex Cofactor Ristocetin-Mayo

Order Synonym(s)
Reflex Cofactor Ristocetin-Mayo
Associated DTA(s)
Ristocetin-Mayo
CDM Code(s)
43764514 Ristocetin Cofactor-Mayo
43864514 Ristocetin Cofactor-Mayo
CPT Code(s)
85245 Ristocetin Cofactor-Mayo
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Blue
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.50 ML
Prep Agent(s)

Reflex Free T4

Order Synonym(s)
Reflex Free T4
Associated DTA(s)
Free T4
CDM Code(s)
43753007 Reflex Free T4
43853007 Reflex Free T4
CPT Code(s)

[Continued]

84439 Thyroxine; free

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflex Glutathione, B

Order Synonym(s)
Reflex Glutathione, B

Associated DTA(s)
Glutathione, B-Mayo

CDM Code(s)
43764876 Reflex Glutathione, B
43864876 Reflex Glutathione, B

CPT Code(s)
82978 Glutathione

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflex HSV 1 IgM Titer-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

Reflex HSV 1 IgM Titer-Mayo

HSV Type 1 IgM Titer-Mayo

CDM Code(s)

43762713 HSV Type 1 IGM Ab Titer Mayo

43862713 HSV Type 1 IGM Ab Titer Mayo

CPT Code(s)

8669559 HSV Type 1 IGM Ab Titer Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflex HSV 2 IgM Titer-Mayo

Order Synonym(s)

Reflex HSV 2 IgM Titer-Mayo

Associated DTA(s)

HSV Type 2 IgM Titer-Mayo

CDM Code(s)

43762716 HSV Type 2 IGM Ab Titer Mayo

43862716 HSV Type 2 IGM Ab Titer Mayo

CPT Code(s)

8669659 HSV Type 2 IGM Ab Titer Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflex Special Coagulation Interpretatio

Order Synonym(s)

Associated DTA(s)

[Continued]

Reflex Special Coagulation Interpretation | Special Coagulation Interp

CDM Code(s)

43761883 Special Coagulation Interp
43861883 Special Coagulation Interp

CPT Code(s)

85390 Fibrinolysins or coagulopathy screen, interpretation and rep

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s) | **Specimen Container Instruction(s)**

Blood | Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume | **Minimum Volume Unit**

0.10 | ML

Prep Agent(s)

Reflex von Willebrand Factor Multimer-Ma

Order Synonym(s) | **Associated DTA(s)**

Reflex von Willebrand Factor Multimer-Mayo | von Willebrand Factor Multimer-Mayo

CDM Code(s)

43764576 Von Willebrand Factor Multimer
43864576 Von Willebrand Factor Multimer

CPT Code(s)

85247 Clotting; factor VIII, von Willebrand factor, multimetric an

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s) | **Specimen Container Instruction(s)**

Blood | Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume | **Minimum Volume Unit**

0.10 | ML

Prep Agent(s)

Reflexed B.pertussis Antibody IgM Immuno

Order Synonym(s) | **Associated DTA(s)**

[Continued]

Reflexed B.pertussis Antibody IgM Immunoblot-ARUP	B. pertussis, IgM Immunoblot FHA-ARUP B. pertussis, IgM Immunoblot PT-ARUP B.pertussis IgM Immunoblot-ARUP

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed B.pertussis Antibody, IgG Immun

Order Synonym(s)	Associated DTA(s)
Reflexed B.pertussis Antibody, IgG Immunoblot-ARUP	B.pertussis IgG Immunoblot-ARUP B.pertussis, IgG Immunoblot FHA-ARUP B.pertussis, IgG Immunoblot PT-ARUP B.pertussis, IgG Immunoblot PT100-ARUP

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Reflexed Collapsin-Mediator Protein-5-Ig

Order Synonym(s)
Reflexed Collapsin-Mediator Protein-5-IgG Wester Blot-Mayo

Associated DTA(s)
CRMP-5-IgG WBlot-Mayo

CDM Code(s)

43767598	CRMP-5-IgG West Blot Reflex
43867598	CRMP-5-IgG West Blot Reflex

CPT Code(s)
83107

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reflexed Cryptococcus Ag, CSF

Order Synonym(s)
Reflexed Cryptococcus Ag, CSF

Associated DTA(s)
Crypto Ag CSF-Mayo

CDM Code(s)

43767877	Reflexed Cryptococcus Ag, CSF
43867877	Reflexed Cryptococcus Ag, CSF

CPT Code(s)

86403	Particle agglutination; screen, each antibody

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Reflexed Cryptococcus Ag, S

Order Synonym(s)
Reflexed Cryptococcus Ag, S

Associated DTA(s)
Cryptococcal Ag-Mayo

CDM Code(s)
43764878 Reflexed Cryptococcus Ag, S
43864878 Reflexed Cryptococcus Ag, S

CPT Code(s)
86403 Particle agglutination; screen, each antibody

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed Flow Cytometry Interp, 9-15 Mar

Order Synonym(s)
Mayo-Reflexed Flow Cyto Interp, 9-15 Markers
Reflexed Flow Cytometry Interp, 9-15 Markers-Mayo

Associated DTA(s)
Flow Cyto Interp, 9-15-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Yellow ACD

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
6.00	ML

Prep Agent(s)

[Continued]

Reflexed Functional C3 Complement-Mayo

Order Synonym(s)
Mayo-Functional C3 Complement,S
Reflexed Functional C3 Complement-Mayo

Associated DTA(s)
C3, Functional-Mayo

CDM Code(s)

43764880	Reflexed Functional Complement C3-Mayo
43864880	Reflexed Functional Complement C3-Mayo

CPT Code(s)

86160	Complement; antigen, each component

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed Functional C4 Complement -Mayo

Order Synonym(s)
Mayo-Functional C4 Complement , S
Reflexed Functional C4 Complement -Mayo

Associated DTA(s)
C4, Functional-Mayo

CDM Code(s)

43764879	Reflexed Functional C4 Complement -Mayo
43864879	Reflexed Functional C4 Complement -Mayo

CPT Code(s)

86160	Complement; antigen, each component

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed GAD65 Antibody Assay-Mayo

Order Synonym(s)
Reflexed GAD65 Antibody Assay-Mayo

Associated DTA(s)
GAD65 Ab-Mayo

CDM Code(s)

43867597	GAD65 Ab - Reflex
43767597	GAD65 Ab - Reflex

CPT Code(s)
81596

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reflexed Ganglionic Acetylcholine Recept

Order Synonym(s)
Reflexed Ganglionic Acetylcholine Receptor (Alpha3) Antibody, Mayo

Associated DTA(s)
Ganglionic Neuronal ACh Receptor Ab, Mayo

CDM Code(s)

43767593	ACHhR Gangl Neur Ab Reflex
43867593	ACHhR Gangl Neur Ab Reflex

CPT Code(s)
84321

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reflexed HGB Electrophoresis Cascade Lev

Order Synonym(s)
Reflexed HGB Electrophoresis Cascade Level 2

Associated DTA(s)
Globin Elec. Confirms-Mayo
Hgb F, Red Cell Distrib, B.-Mayo
IEF Confirms-Mayo
Interpretation-Mayo
Unstable Hgb-Mayo

CDM Code(s)

43764881	Reflexed HGB Electrophoresis Cascade Level 2
43864881	Reflexed HGB Electrophoresis Cascade Level 2

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed Histoplasma Ab, S

Order Synonym(s)
Reflexed Histoplasma Ab, S

Associated DTA(s)
Histoplasma Ab, S-Mayo
Histoplasma Immunodiffusion-Mayo
Histoplasma Mycelial-Mayo
Histoplasma Yeast-Mayo

CDM Code(s)

43764886	Reflexed Histoplasma Ab, S
43864886	Reflexed Histoplasma Ab, S

CPT Code(s)

86698	Antibody; histoplasma

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed HIV Type 1 Ab, Immunofluorescen

Order Synonym(s)	Associated DTA(s)
Reflexed HIV Type 1 Ab, Immunofluorescence	HIV Type 1 Ab,Immunofluor-Mayo

CDM Code(s)

43764887	Reflexed HIV Type 1 Ab, Immunofluorescence
43864887	Reflexed HIV Type 1 Ab, Immunofluorescence

CPT Code(s)

86689	Antibody; HTLV or HIV antibody, confirmatory test (eg, Weste

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed HSV Ab, IgM, S by IFA

Order Synonym(s)	Associated DTA(s)
Reflexed HSV Ab, IgM, S by IFA	HSV Ab, IgM,S by IFA-Mayo

CDM Code(s)

43764888	Reflexed HSV Ab, IgM, S by IFA
43864888	Reflexed HSV Ab, IgM, S by IFA

CPT Code(s)

[Continued]

86694 Antibody; herpes simplex, non-specific type test

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed Immunofixation Cryoglobuline

Order Synonym(s)
Reflexed Immunofixation Cryoglobuline

Associated DTA(s)
Immunofixation Cryoglobulin-Mayo

CDM Code(s)
43764889 Reflexed Immunofixation Cryoglobuline
43864889 Reflexed Immunofixation Cryoglobuline

CPT Code(s)
86344 Leukocyte phagocytosis

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
2R(ng)1L

Specimen Handling Instruction(s)
Transport on heel warmer immediately

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reflexed Neuronal (VGKC) Autoantibody-Ma

Order Synonym(s)
Reflexed Neuronal (VGKC) Autoantibody-Mayo

Associated DTA(s)
Neuronal VGKC Ab-Mayo

CDM Code(s)

[Continued]

43767599 Neuronal VGKC Ab Reflex
43867599 Neuronal VGKC Ab Reflex

CPT Code(s)
81965

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reflexed NMO-IFA-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Reflexed NMO-IFA	NMO IFA-Mayo
Reflexed NMO-IFA-Mayo	

CDM Code(s)
43767601 NMO-IFA Reflex
43867601 NMO-IFA Reflex

CPT Code(s)
86255 Fluorescent noninfectious agent antibody; screen, each antib

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

[Continued]

Reflexed RBC Enzymes

Order Synonym(s)
Reflexed RBC Enzymes

Associated DTA(s)
Adeno Deaminase-Mayo
Adenylate Kinase, B-Mayo
Phosphofructokinase, RBC-Mayo
Phosphoglycerate Kinase,B-Mayo
Pyrimidine 5' Nucleotidase,B-Mayo
Triosephosphate Isomerase,B-Mayo

CDM Code(s)

43764890	Reflexed RBC Enzymes
43864890	Reflexed RBC Enzymes

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Relative Index

Order Synonym(s)
Relative Index

Associated DTA(s)
RINX

CDM Code(s)
NO CODE

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Renal Function Panel

Order Synonym(s)
Renal Function
Renal Function Panel

Associated DTA(s)
AGAP
Alb Lvl
BUN Lvl
Bun/Creat Ratio
CO2 Lvl
Calcium Lvl
Cl Lvl
Corr Calcium
Creat Lvl
GFR African Amer
GFR Non African Amer
Glucose Lvl
K Lvl
NA Lvl
Phos Lvl

CDM Code(s)

43751059	Renal Panel
43851059	Renal Panel

CPT Code(s)

80069	RNL FUNCJ PANEL

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)

[Continued]

Chem Auto

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

Renin Activity-Mayo

Order Synonym(s)
Mayo-Renin Activity, P
Renin Activity Mayo
Renin Activity-Mayo

Associated DTA(s)
Renin Activity-Mayo

CDM Code(s)
43763032 Renin Activity-Mayo
43863032 Renin Activity-Mayo

CPT Code(s)
84244 Renin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Pre-chill Tube-Send on Ice

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume **Minimum Volume Unit**
2.70 ML

Prep Agent(s)

Respiratory Syncitial Virus Antigen

Order Synonym(s)
RSV Ag
RSV Antigen
Respiratory Syncitial Virus Antigen

Associated DTA(s)
Internal QC
RSV Ag Interp
RSV Antigen

CDM Code(s)
43735135 Respiratory Syncitial Virus Antigen
43835135 Respiratory Syncitial Virus Antigen

CPT Code(s)
87420 Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)
Aspirate
Washing

Service Resource(s)

[Continued]

MCCG Micro Serology

Specimen Type(s)
NASAL ASP
NASAL WASH

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Reticulin Antibody-Mayo

Order Synonym(s)
Mayo-Reticulin Ab, S
Reticulin Ab Mayo
Reticulin Antibody-Mayo

Associated DTA(s)
Reticulin Ab-Mayo

CDM Code(s)

43764506	Reticulin Antibody-Mayo
43864506	Reticulin Antibody-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Reticulocyte Count

Order Synonym(s)
Retic Count
Reticulocyte Count

Associated DTA(s)
Absolute Retic
Immat Retic Fract
Retic Percent

CDM Code(s)

[Continued]

43710058 RETICULOCYTE COUNT
43810058 RETICULOCYTE COUNT

CPT Code(s)
85045 Blood count; reticulocyte, automated

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG LH 39
MCCG LH 42

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reticulocyte Count Manual

Order Synonym(s)
Reticulocyte Count Manual

Associated DTA(s)
Abs Retic
Retic Index
Retic Percent Man

CDM Code(s)
43710058 Reticulocyte Count Manual
43810058 Reticulocyte Count Manual

CPT Code(s)
85045 Blood count; reticulocyte, automated

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 3 days

Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10	ML

Prep Agent(s)

Rheumatoid Factor Quantitative

Order Synonym(s)	Associated DTA(s)
RA	RF Serum
RF	
Rhematoid Factor	
Rheumatoid Factor Quantitative	

CDM Code(s)

43753145	IMMUNOD:FUSION QUANT RF
43853145	IMMUNODEFICIENCY FUSION QTY RF

CPT Code(s)

86431	Rheumatoid factor; quantitative

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Immage 800

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Serum:Ambient/Rm Temp:8 hrs Refrig: 7days Plasma(Li Heparin :Ambient/Rm Temp:8 hrs Refrig: 3 days Cannot be frozen

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Rheumatoid Factor Quantitative Body Fl

Order Synonym(s)	Associated DTA(s)
Fluid Rheumatiod Factor	RF Body Fl Type
RA Body Fluid	RF Fl
RF Body Fluid	
RF Quant Body FLuid	
Rheumatoid Factor Quantitative Body Fl	

CDM Code(s)

43753175	FLUID IMMUNODIFUSION QUANT RF

[Continued]

43853175 FLUID IMMUNODIFUSION QUANT RF

CPT Code(s)

86431 FLUID IMMUNODIFUSION QUANT RF

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Immage 800

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Riveredge Urine Medical Drug Screen 10

Order Synonym(s)

RE U Med Drg Scrn 10
Riveredge Urine Medical Drug Screen 10

Associated DTA(s)

Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Date of Collection
Methadone Lvl
Opiates
PCP
Propoxyphene Qual
RE U pH
THC
U 10 Med Drg Scrn Comment RE
U Alcohol
Urine Creatinine

CDM Code(s)

43752096 Riveredge Urine Medical Drug Screen 10
43852096 Riveredge Urine Medical Drug Screen 10

CPT Code(s)

G0431 Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116

[Continued]

MCCG DXC 117
MCCG MGC240

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Riveredge Urine Medical Drug Screen 11

Order Synonym(s)
RE U Med Drg Scrn 11
Riveredge Urine Medical Drug Screen 11

Associated DTA(s)
Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Date of Collection
Methadone Lvl
Opiates
Oxycodone Qual
PCP
Propoxyphene Qual
RE U pH
THC
U 11 Med Drg Scrn Comment RE
U Alcohol
Urine Creatinine

CDM Code(s)

43752097	Riveredge Urine Medical Drug Screen 11
43852097	Riveredge Urine Medical Drug Screen 11

CPT Code(s)

G0431	Drug screen, qualitative; single drug class method (eg.immu)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG MGC240

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

RNP IgG Autoantibodies

Order Synonym(s)
RNP IgG Ab
RNP IgG Autoantibodies

Associated DTA(s)
RNP IgG Ab
RNP IgG Interp

CDM Code(s)

43735084	RNP Ab
43835084	RNP Ab

CPT Code(s)

86235	Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Rocky Mountain Spotted Fever Antibody

Order Synonym(s)
Rickettsia Titer
Rocky Mountain Spotted Fever Ab
Rocky Mountain Spotted Fever Antibody

Associated DTA(s)
RMSF Ab Interp
RMSF Screen
RMSF Titer

CDM Code(s)

43735152	R M S F AB
43835152	RMSF Ab

CPT Code(s)

86000	Agglutinins, febrile (eg, Brucella, Francisella, Murine typh

Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Rotavirus Antigen Stool

Order Synonym(s)	Associated DTA(s)
Fecal Rotavirus Antigen	Internal QC
Rotavirus Ag Stool	Rota Ag Stl
Rotavirus Antigen Stool	
Stool Rotavirus Antigen	

CDM Code(s)

43735077	ROTAVIRUS ANTIGEN
43835077	Stl Rotavirus Ag

CPT Code(s)

87425	Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Micro Serology

Specimen Type(s)	Specimen Container Instruction(s)
FECES	Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

RPR Syphilis Screening Test

Order Synonym(s)	Associated DTA(s)

[Continued]

RPR
RPR Syphilis Screening Test
Serologic Test for Syphilis (RPR)
Syphilis Screening Test

RPR
RPR Titer

CDM Code(s)

43735062	RPR BLOOD
43835062	RPR Syphilis Screening Test

CPT Code(s)

86592	Syphilis test; qualitative (eg, VDRL, RPR, ART)

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Serology Bench
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 72 hrs Refrigerated: 5 days
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

RSV Antibody IgG/IgM-Mayo

Order Synonym(s)
Mayo-Respiratory Syncytial Virus, IgG/M
RSV Ab IgG IgM Mayo
RSV Antibody IgG/IgM-Mayo
Respiratory Syncytial Virus Ab IgG/IgM-Mayo
Associated DTA(s)
RSV Ab-Mayo
RSV IgG-Mayo
RSV IgM-Mayo
CDM Code(s)

43764516	RSV Antibody IgG/IgM-Mayo
43864516	RSV Antibody IgG/IgM-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Rubella Antibody IgM-ARUP

Order Synonym(s)
Rubella Ab IgM-ARUP
Rubella Antibody IgM-ARUP

Associated DTA(s)
Rubella IgM-ARUP

CDM Code(s)

43762715	Rubella Antibody IgM
43862715	Rubella Antibody IgM

CPT Code(s)

86762	Antibody; rubella

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Rubella Total (IGG/IGM) Antibody

Order Synonym(s)
Rubella Immune Status
Rubella Screen
Rubella Total (IGG/IGM) Antibody

Associated DTA(s)
Rubella (IgG/IgM) Scrn

CDM Code(s)

43735082	RUBELLA ANTIBODY SCREEN
43835082	Rubella, Total (IGG/IGM) Antibody

CPT Code(s)

86762	Antibody; rubella

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Rubeola (Measles) Antibody IgG

Order Synonym(s)	Associated DTA(s)
Rubeola (Measles) Ab IgG	Rubeola Ab IgG
Rubeola (Measles) Antibody IgG	Rubeola Ab Interp

CDM Code(s)

43755310	Rubeola Antibody IgG
43855310	Rubeola Antibody IgG

CPT Code(s)

86765	Rubeola Antibody IgG

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Vidas

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Rubeola (Measles) Antibody IgG and IgM,

Order Synonym(s)	Associated DTA(s)

[Continued]

CSF Rubeola (Measles) Ab IgG/M-Mayo
Mayo-Rubeola (Measles) Ab, IgG&IgM, CSF
Rubeola (Measles) Antibody IgG and IgM, CSF-Mayo
Rubeola Ab IgG IgM
Rubeola Ab CSF-Mayo
Rubeola IgG CSF-Mayo
Rubeola IgM CSF-Mayo

CDM Code(s)

43764519 Rubeola (Measles) Antibody IgG and IgM, CSF-Mayo
43864519 Rubeola (Measles) Antibody IgG and IgM, CSF-Mayo

CPT Code(s)

Default Collection Method(s)

Sterile Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

CSF

Specimen Container Instruction(s)

Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.30	ML

Prep Agent(s)

Rubeola (Measles) Antibody IgM-Mayo

Order Synonym(s)

Mayo-Rubeola (Measles) Ab, IgM, S
Rubeola (Measles) Antibody IgM-Mayo
Rubeola Ab IgM Mayo

Associated DTA(s)

Rubeola IgM-Mayo

CDM Code(s)

43764524 Rubeola (Measles) Antibody IgM-Mayo
43864524 Rubeola (Measles) Antibody IgM-Mayo

CPT Code(s)

86765 Rubeola (Measles) Antibody IgM-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

0.50 ML

Prep Agent(s)

S pneumoniae Antibody IgG, 23 serotypes-

Order Synonym(s)

Mayo-S. pneumoniae IgG Ab,23 serotypes,S
Pneumococcal Ab IgG, 23 Serotypes-Mayo
S pneumoniae Ab IgG 23 serotypes Mayo
S pneumoniae Antibody IgG, 23 serotypes-Mayo
Strep pneumoniae Ab IgG, 23 Serotypes-Mayo

Associated DTA(s)

S pneumo 1 Ab-Mayo
S pneumo 10A Ab-Mayo
S pneumo 11A Ab-Mayo
S pneumo 12F Ab-Mayo
S pneumo 14 Ab-Mayo
S pneumo 15B Ab-Mayo
S pneumo 17F Ab-Mayo
S pneumo 18C Ab-Mayo
S pneumo 19A Ab-Mayo
S pneumo 19F Ab-Mayo
S pneumo 2 Ab-Mayo
S pneumo 20 Ab-Mayo
S pneumo 22F Ab-Mayo
S pneumo 23F Ab-Mayo
S pneumo 3 Ab-Mayo
S pneumo 33F Ab-Mayo
S pneumo 4 Ab-Mayo
S pneumo 5 Ab-Mayo
S pneumo 6B Ab-Mayo
S pneumo 7F Ab-Mayo
S pneumo 8 Ab-Mayo
S pneumo 9N Ab-Mayo
S pneumo 9V Ab-Mayo

CDM Code(s)

43764750 S pneumoniae Antibody IgG, 23 serotypes for Ages > 6 years-M
43864750 S pneumoniae Antibody IgG, 23 serotypes for Ages > 6 years-M

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**

5.00 ML

Prep Agent(s)

[Continued]

Saccharomyces cerevisiae Ab IgA-Mayo

Order Synonym(s)
Mayo-Saccharomyces cerevisiae Ab, IgA, S
Saccharomyces cerevisae Ab IgA Mayo
Saccharomyces cerevisiae Ab IgA-Mayo

Associated DTA(s)
S cerevis IgA-Mayo

CDM Code(s)

43764527	Saccharomyces cerevisiae Ab IgA-Mayo
43864527	Saccharomyces cerevisiae Ab IgA-Mayo

CPT Code(s)

83520	Saccharomyces cerevisiae Ab IgA-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Salicylate Level

Order Synonym(s)
Aspirin Level
Salicylate
Salicylate Level

Associated DTA(s)
Salicylate Lvl

CDM Code(s)

43752069	Salicylate Level
43852069	Salicylate Level

CPT Code(s)

80196	Salicylate

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116

[Continued]

MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

SCL - 70 IgG Autoantibodies

Order Synonym(s)
Antibody to SCL - 70
SCL - 70 IgG Autoantibodies
SCL 70 IgG Ab

Associated DTA(s)
Scl-70 Ab Interp
Scl-70 IgG Ab

CDM Code(s)

43735086	SCL - 70 IgG Autoantibodies
43835086	SCL - 70 IgG Autoantibodies

CPT Code(s)

86235	Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Screen ANA

Order Synonym(s)

Associated DTA(s)

[Continued]

Screen ANA ANA Screen

CDM Code(s)

43735001 ANA Screen
43835001 ANA Screen

CPT Code(s)

86038 Antinuclear antibodies (ANA);

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Sedimentation Rate

Order Synonym(s)	Associated DTA(s)
ESR	Sed Rate
Sed Rate	
Sedimentation Rate	

CDM Code(s)

43710063 SED RATE (ESR)
43810063 SED RATE (ESR)
43810064 Sedimentation Rate

CPT Code(s)

85651 Sedimentation rate, erythrocyte; non-automated

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Man Hemo

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Lavender

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 2 hrs

Collection Class(es)

Hemo Auto

Minimum Volume	Minimum Volume Unit

[Continued]

1.50 ML

Prep Agent(s)

Select CABG Study

Order Synonym(s)
Select CABG Study

Associated DTA(s)
Select CABG Study

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Selenium Level-Mayo

Order Synonym(s)
Mayo-Selenium, S
Selenium Level-Mayo
Selenium Mayo

Associated DTA(s)
Selenium Lvl-Mayo

CDM Code(s)

43761157	Selenium Level-Mayo
43861157	Selenium Level-Mayo

CPT Code(s)

84255	Selenium Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
RylPlain

Specimen Handling Instruction(s)
Pour off serum

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Semen Analysis

Order Synonym(s)	Associated DTA(s)
Semen Analysis	Absolute Sperm Count
Semen Exam	Mod Progress Motility
	No Progress Motility
	Normal Forms
	Patient's Spouse
	Rapid Progress Motility
	Semen Comment
	Semen Dilution
	Semen Viscosity
	Semen Volume
	Slow Progress Motility
	Sperm Count
	Sperm Motility
	Sperm Viability

CDM Code(s)

43735147	SEMEN ANALYSIS
43835147	SEMEN ANALYSIS

CPT Code(s)

89320	Semen analysis; complete (volume, count, motility, and diffe

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Micro Serology

Specimen Type(s)	Specimen Container Instruction(s)
SEMEN	Clean Container

Specimen Handling Instruction(s)
Transport to lab immediately

Specimen Stability

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Serotonin 24 Hour Urine-Mayo

Order Synonym(s)	Associated DTA(s)

[Continued]

24 Hr Urine 5-HT-Mayo
24 Hr Urine Serotonin-Mayo
5-HT 24 Hr Urine-Mayo
Mayo-Serotonin, 24 Hr, U
Serotonin 24 Hour Urine-Mayo
Serotonin Urine 24 Hr Mayo
Urine 24 Hr 5-HT-Mayo
Urine 24 Hr Serotonin-Mayo
Hrs Serotonin-Mayo
TV Serotonin-Mayo
U24 Serotonin-Mayo

CDM Code(s)

43764529	Serotonin 24 Hour Urine-Mayo
43864529	Serotonin 24 Hour Urine-Mayo

CPT Code(s)

84260	Serotonin 24 Hour Urine-Mayo

Default Collection Method(s)
Urine
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Urine
Specimen Container Instruction(s)
24 Hr Container
Specimen Handling Instruction(s)
Preservative req; refrig while collect
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Serotonin-Mayo

Order Synonym(s)
Mayo-Serotonin, S
Serotonin Mayo
Serotonin-Mayo
Associated DTA(s)
Serotonin-Mayo
CDM Code(s)
43764529
43864529
CPT Code(s)
84260
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Serum Folate ordered with RBC Folate

Order Synonym(s)
Serum Folate ordered with RBC Folate

Associated DTA(s)
Fol for RBC Fol

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Serum Immunoelectrophoresis w/Interp

Order Synonym(s)
Serum Immunoelectrophoresis w/Interp

Associated DTA(s)
IEP IgA
IEP IgG
IEP IgM
IEP Interp
IEP Total Protein
Serum IEP Interp by

CDM Code(s)

43755031	IMMUNO ELECTROPHORESIS ONLY w/Interp
43855031	IMMUNO ELECTROPHORESIS ONLY w/Interp

CPT Code(s)

[Continued]

86334 IMMUNO ELECTROPHORESIS ONLY

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Serum Total Protein

Order Synonym(s)
Serum Total Protein

Associated DTA(s)
TP Lvl

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Sex Hormone Binding Globulin-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

SHBG-ARUP
Sex Hormone Binding Globulin-ARUP
Sex Hormone Binding Globulin-ARUP

CDM Code(s)

43767608	Sex Hormone Binding Globulin
43867608	Sex Hormone Binding Globulin

CPT Code(s)

84270	Sex hormone binding globulin (SHBG)

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)
Seperate serum ASAP
Specimen Stability
Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Sex Hormone Binding Globulin-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Sex Hormone Binding Globulin, S	SHBG-Mayo
SHBG-Mayo	
SHGB-Mayo	
Sex Hormone Binding GLobulin Mayo	
Sex Hormone Binding Globulin-Mayo	

CDM Code(s)

43764531	Sex Hormone Binding Globulin-Mayo
43864531	Sex Hormone Binding Globulin-Mayo

CPT Code(s)

84270	Sex Hormone Binding Globulin-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)

[Continued]

Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
1.00 ML

Prep Agent(s)

Shiga Toxin Stool

Order Synonym(s)
Shiga Toxin
Shiga Toxin Stool
Stool Shiga Toxin

Associated DTA(s)
Shiga Toxin
Shiga Toxin Interp

CDM Code(s)
43730110 Shiga Toxin Stool
43830110 Shiga Toxin Stool

CPT Code(s)
87427 Infectious agent antigen detection by enzyme immunoassay tec

Default Collection Method(s)
Clean Container

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

Prep Agent(s)

Sickle Cell Screen

Order Synonym(s)
Sickle Cell
Sickle Cell Screen

Associated DTA(s)
Sickle Screen

CDM Code(s)
43710069 SICKLE CELL SCREEN
43810069 SICKLE CELL SCREEN

CPT Code(s)
85660 Sickle Cell Screen

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Man Hemo

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)

Specimen Stability
Stability: Refrigerated: 2 weeks

Collection Class(es)

[Continued]

Hemo Auto

Minimum Volume **Minimum Volume Unit**
0.10 ML

Prep Agent(s)

Sirolimus Level-Mayo

Order Synonym(s)
Mayo-Sirolimus, B
Rapamycin Level-Mayo
Sirolimus Level-Mayo
Sirolimus Mayo

Associated DTA(s)
Sirolimus Dose-Mayo
Sirolimus Ds Dt-Mayo
Sirolimus Ds Tm-Mayo
Sirolimus Lvl-Mayo

CDM Code(s)
43764891 Sirolimus Level-Mayo
43864891 Sirolimus Level-Mayo

CPT Code(s)
80195 Sirolimus

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**
2.00 ML

Prep Agent(s)

SM IgG Autoantibodies

Order Synonym(s)
SM IgG Ab
SM IgG Autoantibodies
Smith IgG Autoantibodies

Associated DTA(s)
SM IgG Ab
SM IgG Ab Interp

CDM Code(s)
43735085 SM IgG Autoantibodies
43835085 SM IgG Autoantibodies

CPT Code(s)
86235 Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Serology Bench

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Smear AFB

Order Synonym(s)	Associated DTA(s)
AFB Smear	SM AFB
Acid Fast Smear	
Mycobacterial Smear	
SM AFB	
Smear AFB	
TB Smear	
TB Stain	

CDM Code(s)

43730072	AFB Smear
43830072	AFB Smear

CPT Code(s)

87206	Smear, primary source with interpretation; fluorescent and/o

Default Collection Method(s)

Aspirate
Biopsy
Clean Container
Micro Swab
Sterile Procedure
Washing

Service Resource(s)

Specimen Type(s)	Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume	Minimum Volume Unit

Prep Agent(s)

Smear Fecal WBC's

Order Synonym(s)	Associated DTA(s)

[Continued]

Fecal Leukocyte Stain
Fecal WBC Smear
Leukocyte, Fecal
Smear Fecal WBC's
Stool for Leukocytes
Stool for WBC's
WBC's , Stool Smear
WBC's Stool

Fecal Smr WBC's

CDM Code(s)

43730154	Smear Fecal WBC's
43830154	Smear Fecal WBC's

CPT Code(s)

89055	Smear Fecal WBC's

Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Misc Micro Bench
Specimen Type(s)
FECES
Specimen Container Instruction(s)
Para Pak Clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Smear to be Held by Hematology

Order Synonym(s)
Peripheral Smear to be Held by Hematology
Smear to be Held by Hematology
Associated DTA(s)
Smear to Hold
CDM Code(s)
NO CODE
CPT Code(s)
Default Collection Method(s)
Slide
Service Resource(s)
MCCG Sp Hemo
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Slide
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Hemo Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10	ML

Prep Agent(s)

Smooth Muscle Antibody-Mayo

Order Synonym(s)
- Actin-Mayo
- Anti-Smooth Muscle Antibody-Mayo
- Mayo-Anti-Smooth Muscle Ab
- Smooth Muscle Antibody-Mayo

Associated DTA(s)
- SMA Screen-Mayo

CDM Code(s)
- 43762660
- 43862660

CPT Code(s)
- 86256 Fluorescent noninfectious agent antibody; titer, each antibo

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Mayo Medical

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Sodium Level

Order Synonym(s)
- Na Level
- Sodium
- Sodium Level

Associated DTA(s)
- NA Lvl

CDM Code(s)
- 43750241 Sodium Level
- 43850241 Sodium Level
- 43850242 Sodium Level

CPT Code(s)
- 84295 Sodium; serum

Default Collection Method(s)
- Venous Draw

Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Sodium Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Sodium Level
Na Level 24 Hour Urine
Sodium Level 24 Hour Urine
Sodium Urine 24 Hr
Urine 24 Hour Sodium Level

Associated DTA(s)
TV Sodium
U Sodium Rand
U24 Sodium

CDM Code(s)

43754112	SODIUM URINE 24HR
43854112	SODIUM URINE 24HR

CPT Code(s)

84300	Sodium; urine

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
-Obtain urine containers from lab with appropriate preservative for test (2 containers for 24 hour collections and 1 container for 12 hour or shorter collections).-Patient should be instructed to empty bladder at the start time and discard urine. Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Sodium Level Body Fluid

Order Synonym(s)
Fluid Sodium Level
Na Level Body Fluid
Sodium Body Fluid
Sodium Level Body Fluid

Associated DTA(s)
Sodium Fl
Sodium Fl Type

CDM Code(s)

43750310	Sodium Level Body Fluid
43850310	Sodium Level Body Fluid

CPT Code(s)

84302	Sodium Level Body Fluid

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Sodium Level Urine Random

Order Synonym(s)
Na Level Urine Random

Associated DTA(s)
U Sodium Rand

[Continued]

Random Urine Sodium Level
Sodium Level Urine Random
Sodium Urine Random
Urine Random Sodium Level

CDM Code(s)

43754105 SODIUM URINE RANDOM
43854105 SODIUM URINE RANDOM

CPT Code(s)

84300 Sodium; urine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Soluble Transferrin Receptor (sTfR)-Mayo

Order Synonym(s)

Mayo-Soluble Transferrin Receptor (sTfR)
Soluble Transferrin Receptor (sTfR)-Mayo
Soluble Transferrin Receptor Mayo

Associated DTA(s)

Sol Trn Rcpt-Mayo

CDM Code(s)

43764533 Soluble Transferrin Receptor (sTfR)-Mayo
43864533 Soluble Transferrin Receptor (sTfR)-Mayo

CPT Code(s)

84238 Soluble Transferrin Receptor (sTfR)-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Specific Gravity Body Fluid

Order Synonym(s)
Fluid Specific Gravity
Specific Gravity Body Fluid
Specific Gravity Body Fluid Test

Associated DTA(s)
Spec Grav Fl
Spec Grav Fl Type

CDM Code(s)

43720018	Specific Gravity Body Fluid
43820018	Specific Gravity Body Fluid

CPT Code(s)

84315	Specific gravity (except urine)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Fluids

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Hemo Flds

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Specific Gravity Urine

Order Synonym(s)
Specific Gravity Urine
Specific Gravity Urine Test
Urine Specific Gravity

Associated DTA(s)
U SpGr

CDM Code(s)

43720030	Specific Gravity Urine
43820030	Specific Gravity Urine

CPT Code(s)

81003	Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)
Urine

Service Resource(s)

[Continued]

MCCG Atlas
MCCG Man UA

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Specimen 1 Hour GTT

Order Synonym(s)
Specimen 1 Hour GTT

Associated DTA(s)
1 Hour Glucose

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
*Outreach Gray
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Gray (K Ox/NaFl) Top Tube
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Specimen 2 Hour GTT

Order Synonym(s)
Specimen 2 Hour GTT

Associated DTA(s)
2 Hour Glucose

CDM Code(s)

CPT Code(s)

[Continued]

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Specimen 3 Hour GTT

Order Synonym(s)	Associated DTA(s)
Specimen 3 Hour GTT	3 Hour Glucose

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Specimen 4 Hour GTT

Order Synonym(s)
Specimen 4 Hour GTT

Associated DTA(s)
4 Hour Glucose

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
*Outreach Gray
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Gray (K Ox/NaFl) Top Tube
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Specimen 5 Hour GTT

Order Synonym(s)
Specimen 5 Hour GTT

Associated DTA(s)
5 Hour Glucose

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
*Outreach Gray
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Gray (K Ox/NaFl) Top Tube
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Specimen Fasting GTT

Order Synonym(s)
Specimen Fasting GTT

Associated DTA(s)
Fasting Gluc Lvl

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
*Outreach Gray	Gray (K Ox/NaFl) Top Tube
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Srm Thyroglobulin

Order Synonym(s)
Srm Thyroglobulin

Associated DTA(s)
Thyroglobulin

CDM Code(s)

43761333	THYROGLOBULIN
43861049	THYROGLOBULIN

CPT Code(s)

43861333	THYROGLOBULIN

Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

SRY, Yp11.3, FISH-Mayo

Order Synonym(s)
Mayo-SRY, Yp11.3, FISH
SRY Yp11.3 FISH Mayo
SRY, Yp11.3, FISH-Mayo

Associated DTA(s)
SRY Amend-Mayo
SRY Consult-Mayo
SRY Interp-Mayo
SRY Method-Mayo
SRY Order Dt-Mayo
SRY Refer Rsn-Mayo
SRY Rel Dt-Mayo
SRY Result-Mayo
SRY Source-Mayo
SRY Spec ID-Mayo
SRY Specimen-Mayo

CDM Code(s)

43764534	SRY, Yp11.3, FISH-Mayo
43864534	SRY, Yp11.3, FISH-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Grn-Sodium Hep

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume **Minimum Volume Unit**

[Continued]

2.00 ML

Prep Agent(s)

SS - A IgG Autoantibodies

Order Synonym(s)
- Anti-SSA Antibodies
- RO IgG Autoantibodies
- Ro Antibodies
- SS - A IgG Autoantibodies
- SS A IgG Ab
- SSA Antibodies

Associated DTA(s)
- SSA IgG Ab
- SSA IgG Ab Interp

CDM Code(s)

43735081	SS-A Ab
43835081	SS-A Ab

CPT Code(s)

86235	Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG Serology Bench

Specimen Type(s)
- *Outreach Gold
- Blood

Specimen Container Instruction(s)
- Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

SS - B IgG Autoantibodies

Order Synonym(s)
- Anti-SSB Antibodies
- LA IgG Autoantibodies
- La Antibodies
- SS - B IgG Autoantibodies
- SS B IgG Ab
- SSB Antibodies

Associated DTA(s)
- SSB IgG Ab
- SSB IgG Ab Interp

CDM Code(s)

43735083	SS - B IgG Autoantibodies
43835083	SS - B IgG Autoantibodies

CPT Code(s)

[Continued]

86235 Extractable nuclear antigen, antibody to, any method (eg, nR

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

ST2S-Mayo

Order Synonym(s)
IL-33 Ligand ST2
IL-33 Receptor ST2
ST2S Mayo
ST2S-Mayo
Soluble ST2

Associated DTA(s)
ST2S

CDM Code(s)
43767591 ST2-Mayo
43867591 ST2-Mayo

CPT Code(s)
83520 Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
No Gel

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Stat HIV (Infec Control or L & D)

Order Synonym(s)

Associated DTA(s)

[Continued]

Stat HIV (Infec Control or L & D) Stat HIV

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Man Sp Chem

Specimen Type(s) **Specimen Container Instruction(s)**

Blood Lavender

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Stone Analysis-Mayo

Order Synonym(s)

Kidney Stone Analysis-Mayo
Mayo-Stone Analysis
Renal Stone Analysis-Mayo
Stone Analysis Mayo
Stone Analysis-Mayo

Associated DTA(s)

Stn Anl 1st-Mayo
Stn Anl 2nd-Mayo
Stn Anl 3rd-Mayo
Stn Anl Calculi-Mayo
Stn Anl Comment-Mayo
Stn Anl Nid Mjr-Mayo
Stn Anl Nid Mnr-Mayo
Stn Anl Shl Mjr-Mayo
Stn Anl Shl Mnr-Mayo
Stn Anl Source-Mayo
Stn Anl Weight-Mayo

CDM Code(s)

43761887
43861887

CPT Code(s)

82365 Calculus; infrared spectroscopy

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s) **Specimen Container Instruction(s)**

STONE Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

[Continued]

Mayo Room Temp Roch Send Outs

Minimum Volume **Minimum Volume Unit**

1.00 ML

Prep Agent(s)

Strep pneumo Antigen, Ur-Mayo

Order Synonym(s)

Pneumococcal Antigen, Urine-Mayo
Pneumococcus antigen, Urine-Mayo
S pneumo Antigen, Urine-Mayo
S pneumoniae Ag, Urine-Mayo
Strep pneumo Antigen, Ur-Mayo

Associated DTA(s)

S pneumo Ag, Ur-Mayo

CDM Code(s)

43767584 STREP PNEUMO AG URINE
43867584 STREP PNEUMO AG URINE

CPT Code(s)

87899 Infectious agent antigen detection by immunoassay with direc

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**

2.00 ML

Prep Agent(s)

Striational (Striated Muscle) Antibody-M

Order Synonym(s)

Anti-Striated Muscle Antibody-Mayo
Mayo-Striational (Striated Muscle) Ab, S
Striated Muscle Ab Mayo
Striational (Striated Muscle) Antibody-Mayo

Associated DTA(s)

Striate Mscl Ab-Mayo

CDM Code(s)

43761325 Striational (Striated Muscle) Antibody-Mayo
43861325 Striational (Striated Muscle) Antibody-Mayo

CPT Code(s)

83520 Immunoassay, analyte, quantitative; not otherwise specified

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Subtelomeric Region Anomalies, FISH-Mayo

Order Synonym(s)

FISH Subtelomere/Telomere-Mayo
Mayo-Subtelomeric Region Anomalies, FISH
Subtelomeric FISH Mayo
Subtelomeric Region Anomalies, FISH-Mayo
Telomere FISH-Mayo

Associated DTA(s)

Sub Reg Amend-Mayo
Sub Reg Cnslt-Mayo
Sub Reg Interp-Mayo
Sub Reg Method-Mayo
Sub Reg Ord Dt-Mayo
Sub Reg Ref Rsn-Mayo
Sub Reg Result-Mayo
Sub Reg Rpt Dt-Mayo
Sub Reg Source-Mayo
Sub Reg Spec ID-Mayo
Sub Reg Spec-Mayo

CDM Code(s)

43764782	Subtelomeric Region Anomalies, FISH-Mayo
43864782	Subtelomeric Region Anomalies, FISH-Mayo

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Grn-Sodium Hep

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Sulfate 24 Hr Urine-Mayo

Order Synonym(s)
24 Hr Urine Sulfate-Mayo
Mayo-Sulfate, 24 Hr Urine
Sulfate 24 Hr Urine Mayo
Sulfate 24 Hr Urine-Mayo
Urine Sulfate 24 Hr-Mayo

Associated DTA(s)
Hrs Sulfate-Mayo
TV Sulfate-Mayo
U24 Sulfate-Mayo
Ur Sulfate-Mayo

CDM Code(s)

43764542	Sulfate Urine-Mayo
43864542	Sulfate Urine-Mayo

CPT Code(s)

84392	Sulfate Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)
NO Random. Refrige. pH 4.5-8

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Susceptibility Panel, Yeast-Mayo

Order Synonym(s)
Susceptibility Panel, Yeast-Mayo

Associated DTA(s)
Yeast Susceptibility-mayo

CDM Code(s)

43765078	Susceptibility Panel, Yeast
43865078	Susceptibility Panel, Yeast

CPT Code(s)

87186	Susceptibility studies, antimicrobial agent; microdilution o

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Other Source

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Susceptibility, Aerobic, MIC-Mayo

Order Synonym(s)
Susceptibility, Aerobic, MIC-Mayo
Associated DTA(s)
Susceptibility, Aerobic, MIC
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Other Source
Specimen Container Instruction(s)
Sterile Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs
Minimum Volume **Minimum Volume Unit**
1.00 ML
Prep Agent(s)

Sweat Chloride Analysis

Order Synonym(s)
Chloride Sweat Analysis
Iontophoresis
Sweat Chloride
Sweat Chloride Analysis
Associated DTA(s)
Sweat Chloride
CDM Code(s)
43756054 SWEAT TEST IONTO
43856054 SWEAT TEST IONTO
CPT Code(s)
84295 Sodium; serum
Default Collection Method(s)
Clean Container
Service Resource(s)
MCCG Sp Chem Sch Proc
Specimen Type(s)
SWEAT
Specimen Container Instruction(s)
Clean Container
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Schedule with Laboratory prior to colle

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
0.20	ML

Prep Agent(s)

Sweat Chloride tests must be scheduled. Please call the Lab,ext 2517, to schedule this test.

Sweat Chloride Collection

Order Synonym(s)

Sweat Chloride Collection

Associated DTA(s)

Analyzer Cleaning Performed
Analyzer Used
Exp Date Sweat Chloride Reagent
Lot # Sweat Chloride Reagent
Sweat Chloride Duration #1
Sweat Chloride Duration #2

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Sp Chem Sch Proc

Specimen Type(s)

SWEAT

Specimen Container Instruction(s)

Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Special

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

T Cell Gene Rearrangement PCR-US Labs

Order Synonym(s)

T Cell Gene Rearrangement PCR-US Labs

Associated DTA(s)

T Cell Gene Rearrange PCR-US Labs

CDM Code(s)

43767551	T Cell Gene Rearrangement PCR
43765111	T Cell Gene Rearrangement PCR
43867551	T Cell Gene Rearrangement PCR
43865111	T Cell Gene Rearrangement PCR

CPT Code(s)

83891	T Cell Gene Rearrangement PCR

Default Collection Method(s)

[Continued]

Sterile Procedure
Venous Draw

Service Resource(s)
MCCG US Labs

Specimen Type(s)
BONE MARROW
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

T- & B-Cell QN by Flow Cytometry-Mayo

Order Synonym(s)
Mayo-T- & B-Cell QN by Flow Cytometry
T B Cell QN by Flow Mayo
T- & B-Cell QN by Flow Cytometry-Mayo

Associated DTA(s)
%CD16+CD56-Mayo
%CD19-Mayo
%CD3-Mayo
%CD4-Mayo
%CD8-Mayo
CD16+CD56 Count-Mayo
CD19 Count-Mayo
CD3 Count-Mayo
CD4 Count-Mayo
CD4/CD8 Ratio-Mayo
CD45 Lymph Ct-Mayo
CD8 Count-Mayo
T/B-Cell Qn Cmnt-Mayo
T/B-Cell Qn-Mayo

CDM Code(s)

43764544	T- & B-Cell QN by Flow Cytometry-Mayo
43864544	T- & B-Cell QN by Flow Cytometry-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)

[Continued]

Mayo Room Temp Roch Send Outs

Minimum Volume **Minimum Volume Unit**

3.00 ML

Prep Agent(s)

T3 Uptake

Order Synonym(s)

T3 Uptake

T3 Uptake Level

Associated DTA(s)

TUP

CDM Code(s)

43753106 T3 UPTAKE

43853106 T3 UPTAKE

CPT Code(s)

84479 Thyroid hormone (T3 or T4) uptake or thyroid hormone binding

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect

MCCG Architect 2000

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 8 hrs Refrigerated: 14 days Frozen: 30 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

T4

Order Synonym(s)

T4

T4 Level

Thyroxine

Associated DTA(s)

T4

CDM Code(s)

43753111 T4

43853111 T4

CPT Code(s)

84436 Thyroxine; total

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 6 days Frozen: Greater than 6 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

T4 Free

Order Synonym(s)

Free T4
Free Thyroxine
T4 Free
T4 Free Level

Associated DTA(s)

Free - T4

CDM Code(s)

43753007	T4 Free
43853007	T4 Free

CPT Code(s)

84439	Thyroxine; free

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Tacrolimus Level-Mayo

Order Synonym(s)
Mayo-Tacrolimus, B
Prograf Level-Mayo
Tacrolimus Level-Mayo
Tacrolimus Mayo

Associated DTA(s)
Tacro Dose Dt-Mayo
Tacro Dose Tm-Mayo
Tacrolimus Dose-Mayo
Tacrolimus Lvl-Mayo

CDM Code(s)

43764549	Tacrolimus Level-Mayo
43864549	Tacrolimus Level-Mayo

CPT Code(s)

80197	Tacrolimus Level-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Test Cancelled

Order Synonym(s)
Test Cancelled

Associated DTA(s)

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Service Resource(s)

Specimen Type(s)

Specimen Container Instruction(s)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Minimum Volume **Minimum Volume Unit**

[Continued]

Prep Agent(s)

Testosterone (Total, Bio, Free)-Mayo

Order Synonym(s)
Mayo-Testosterone, Total, Bio, Free, S
Testosterone (Total, Bio, Free)-Mayo
Testosterone Total Free Mayo

Associated DTA(s)
%Testoster Free-Mayo
TST Free pg/mL-Mayo
Testoster Bio-Mayo
Testoster Free-Mayo
Testoster GP-Mayo
Testoster Tot-Mayo

CDM Code(s)
43761276
43861276

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)
Do not use gel barrier tubes

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
7.00	ML

Prep Agent(s)

Testosterone Free/Total Pediatric -ARUP

Order Synonym(s)
Pediatric-Testosterone Free/Total-ARUP
Testosterone Free/Total Pediatric -ARUP

Associated DTA(s)
Sex Hormone Binding Globulin-ARUP
Testosterone Fr/Ttl, Ped-ARUP
Testosterone, Ped-ARUP

CDM Code(s)
43767606 Testosterone Tot Free Child/Female
43867606 Testosterone Tot Free Child/Female

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)
*Outreach Gold

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

[Continued]

Blood

Specimen Handling Instruction(s)

Seperate serum ASAP

Specimen Stability

Collection Class(es)

ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Testosterone Level Total

Order Synonym(s)

Testosterone Level Total
Testosterone Total
Total Testerone Level

Associated DTA(s)

Testoster Total

CDM Code(s)

43753203	TESTOSTERONE
43853203	TESTOSTERONE TOTAL

CPT Code(s)

84403	TESTOSTERONE

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Testosterone Total Pediatric-ARUP

Order Synonym(s)

Associated DTA(s)

[Continued]

Pediatric-Testosterone Total-ARUP
Testosterone Total Pediatric-ARUP
Testosterone, Ped-ARUP

CDM Code(s)

43767607	Testosterone Total Child Female
43867607	Testosterone Total Child Female

CPT Code(s)

84403	Testosterone; total

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)
Seperate serum ASAP
Specimen Stability
Collection Class(es)
ARUP Refrig

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Tetanus Toxoid Antibody IgG-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Tetanus Toxoid IgG Ab, S	Tetanus IgG-Mayo
Tetanus Toxoid Ab IgG Mayo	
Tetanus Toxoid Antibody IgG-Mayo	

CDM Code(s)

43762492	Tetanus Toxoid Antibody IgG-Mayo
43862492	Tetanus Toxoid Antibody IgG-Mayo

CPT Code(s)

86774	Tetanus Toxoid Antibody IgG-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit

[Continued]

0.50	ML
1.00	ML

Prep Agent(s)

Tetanus/Diptheria Toxoid Antibodies-Mayo

Order Synonym(s)
Tetanus Diptheria Toxoid Ab-Mayo
Tetanus/Diptheria Toxoid Antibodies-Mayo

Associated DTA(s)
Tetanus/Diptheria Toxoid Ab-Mayo

CDM Code(s)

43762486	Tetanus/Diptheria Toxoid Antibodies-Mayo
43862486	Tetanus/Diptheria Toxoid Antibodies-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

THC Confirmation by TLC

Order Synonym(s)
THC Confirmation by TLC

Associated DTA(s)
THC by TLC Confirmation

CDM Code(s)

43752195	Confirmation THC by TLC
43852195	Confirmation THC by TLC

CPT Code(s)

80102	Drug confirmation, each procedure

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Med GC/MS Conf

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

THC Quantitative Riveredge

Order Synonym(s)
THC Quant RE
THC Quantitative Riveredge

Associated DTA(s)
THC Qnt RE

CDM Code(s)
NO CODE

CPT Code(s)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Abbott Axy
MCCG MGC240

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Tox Medical

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Theophylline Level

Order Synonym(s)
Aminophylline Level
Theophylline
Theophylline Level

Associated DTA(s)
Theophylline Lvl

CDM Code(s)

43752081	Theophylline Level
43852081	Theophylline Level
43852082	Theophylline Level

CPT Code(s)

80198	Theophylline

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
-Peak specimen of solution/rapid dissolution tablet is collected 2 hours after dose.-Peak specimen of slow release preparation (Slo-phyllin etc) is collected 4 hours after dose.-Peak specimen of Theo-Dur is collected 3 - 7 hours after dose.-Peak specimen IV is collected 30 minutes after completion of dose.-Trough specimen is collected immediately (less than 30 minutes) before dose.

Thiamin Level Whole Blood-Mayo

Order Synonym(s)
Mayo-Thiamin (Vitamin B1), WB
Thiamin Level Whole Blood-Mayo
Vitamin B1 Whole Blood Mayo
Vitamin B1 Whole Blood-Mayo

Associated DTA(s)
Thiamin Lvl Cmnt-Mayo
Thiamin Lvl-Mayo

CDM Code(s)

43760130	Thiamin Level Whole Blood-Mayo
43860130	Thiamin Level Whole Blood-Mayo

CPT Code(s)

84425	Thiamine (Vitamin B-1)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Collect on ice;protect from light

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Thiopurine Methyltransferase Level RBC-M

Order Synonym(s)
Mayo-Thiopurine Methyltransferase, RBC
TPMT Activity, RBC-Mayo
TPMT Enzyme Activity Level-Mayo
TPMT Enzyme, RBC-Mayo
TPMT Level RBC-Mayo
TPMT Level, RBC-Mayo
TPMT Phenotype, RBC-Mayo
Thiopurine Methyltransferase Level RBC-Mayo
Thiopurine Methyltransferase RBC Mayo

Associated DTA(s)
Thio Methyltran-Mayo

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)
Do Not Spin
Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Thrombin Time

Order Synonym(s)
Thrombin
Thrombin Time

Associated DTA(s)
Thrombin Time

CDM Code(s)

43711075	THROMBIN TIME
43811075	THROMBIN TIME

CPT Code(s)

85670	THROMBIN TIME

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Coag Conx
MCCG Stago 267
MCCG Stago 268

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 4 hrs

Collection Class(es)

Coag

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Thromboelastograph

Order Synonym(s)

TEG
TEG (Thromboelastograph)
Thromboelastograph

Associated DTA(s)

TEGAA
TEGK
TEGMA
TEGR

CDM Code(s)

43711019	THROMBOELASTOGRAPHY
43811019	Thromboelastograph

CPT Code(s)

85576	Platelet, aggregation (in vitro), each agent

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG TEG 1
MCCG TEG 2
MCCG TEG 3
MCCG TEG 4

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Transport to lab immediately

Specimen Stability

Stability: Cannot be added on

Collection Class(es)

Coag

Minimum Volume	Minimum Volume Unit

[Continued]

1.00	ML

Prep Agent(s)

Thyroid Profile (TU, T4, FTI)

Order Synonym(s)	Associated DTA(s)
T3, T4, FTI (Thyroid Profile)	FTI
Thyroid Function	T4
Thyroid Panel T3 uptake T4 FTI	TUP
Thyroid Profile (TU, T4, FTI)	

CDM Code(s)

43753118	T3 AND T4
43853118	T3 AND T4 AND FTI

CPT Code(s)

84479	Thyroid hormone (T3 or T4) uptake or thyroid hormone binding

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 6 days Frozen: greater than 6 days Remove from Cells

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Thyroid Stimulating Immunoglobulins-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Thyroid-Stimulating Immunoglob, S	TSI-Mayo
TSI-Mayo	
Thyroid Stimulating Immunoglobulins Mayo	
Thyroid Stimulating Immunoglobulins-Mayo	

CDM Code(s)

43764552	Thyroid Stimulating Immunoglobulins-Mayo

[Continued]

43864552 Thyroid Stimulating Immunoglobulins-Mayo

CPT Code(s)

84445 Thyroid Stimulating Immunoglobulins-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML
1.00	ML

Prep Agent(s)

Thyrotropin Receptor Antibody-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Thyrotropin Receptor Ab, S	Thyro Recept Ab-Mayo
TBII	
TBII-Mayo	
TSH Receptor Antibody	
Thyrotropin Receptor Antibody-Mayo	

CDM Code(s)

43764553 Thyrotropin Receptor Antibody-Mayo

43864553 Thyrotropin Receptor Antibody-Mayo

CPT Code(s)

83519 Thyrotropin Receptor Antibody-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

[Continued]

Thyroxine Binding Globulin-Mayo

Order Synonym(s)
TBG-Mayo
Thyroxine Binding Globulin Level-Mayo
Thyroxine Binding Globulin-Mayo

Associated DTA(s)
TBG

CDM Code(s)

43761392	Thyroxine Binding Globulin
43861392	Thyroxine Binding Globulin

CPT Code(s)

84442	Thyroxine binding globulin (TBG)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Timed (Random) Cortisol

Order Synonym(s)
Cortisol Random
Cortisol Random (Timed)
Random (Timed) Cortisol
Timed (Random) Cortisol

Associated DTA(s)
Cortisol Timed

CDM Code(s)

43753200	CORTISOL TIMED
43853200	CORTISOL TIMED

CPT Code(s)

82533	Cortisol; total

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults

[Continued]

MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Tissue Transglutaminase Antibody IgA and

Order Synonym(s)	Associated DTA(s)
Mayo-Tissue Transglutaminase Ab, IgA/IgG	TTG IgA-Mayo
TTG IgA and IgG-Mayo	TTG IgG-Mayo
Tissue Transglutaminase Ab IgA IgM Mayo	
Tissue Transglutaminase Antibody IgA and IgG-Mayo	
Transglutaminase IgG and IgA Antibody-Mayo	

CDM Code(s)

43764561	Tissue Transglutaminase Antibody IgA and IgG-Mayo
43864561	Tissue Transglutaminase Antibody IgA and IgG-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Tissue Transglutaminase Antibody IgA-May

Order Synonym(s)	Associated DTA(s)

[Continued]

Mayo-Tissue Transglutaminase Ab, IgA, S
TTG IgA-Mayo
TTG IgA Antibody-Mayo
Tissue Transglutaminase Ab IgA Mayo
Tissue Transglutaminase Antibody IgA-Mayo
Transglutaminase IgA Antibody-Mayo

CDM Code(s)

43760128	Tissue Transglutaminase Antibody IgA-Mayo
43860128	Tissue Transglutaminase Antibody IgA-Mayo

CPT Code(s)

83516	Immunoassay for analyte other than infectious agent antibody

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Tobramycin Level Peak

Order Synonym(s)	Associated DTA(s)
Peak Tobramycin Level	Tobra Ds Tm
Tobramycin Level Peak	Tobramycin Pk
Tobramycin Peak	

CDM Code(s)

43752087	Tobramycin Level Peak
43852087	Tobramycin Level Peak

CPT Code(s)

80200	Tobramycin

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)

[Continued]

Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Peak specimens should be collected 15 - 30 minutes after an infusion is complete or 30 - 60 minutes after an IM dose.

Tobramycin Level Trough

Order Synonym(s)	Associated DTA(s)
Tobramycin Level Trough	Tobra Ds Tm
Tobramycin Trough	Tobramycin Tr
Trough Tobramycin Level	

CDM Code(s)

43752087	Tobramycin Level Trough
43852087	Tobramycin Level Trough

CPT Code(s)

80200	Tobramycin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Trough specimens should be collected within 30 minutes of the next scheduled dose.

Tobramycin Random Level

Order Synonym(s)
Random Tobramycin Level
Tobramycin Random
Tobramycin Random Level

Associated DTA(s)
Tobra Ds Tm
Tobra Rand

CDM Code(s)

43752087	Tobramycin Random Level
43852087	Tobramycin Random Level

CPT Code(s)

80200	Tobramycin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Topiramate Level-Mayo

Order Synonym(s)
Mayo-Topiramate, S
Topiramate Level-Mayo
Topiramate Mayo

Associated DTA(s)
Topiramate Lvl-Mayo

CDM Code(s)

[Continued]

43760100 Topiramate Level-Mayo
43860100 Topiramate Level-Mayo

CPT Code(s)
80201 Topiramate

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Torch IgM (without Rubella)-Mayo

Order Synonym(s)
Torch IGM(No Rubella)-Mayo
Torch IgM (without Rubella)-Mayo

Associated DTA(s)
Torch IgM-Mayo

CDM Code(s)
43765055 Torch IgM without Rubella-Mayo
43865055 Torch IgM without Rubella-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Total Bilirubin Level Body Fluid

Order Synonym(s)

Associated DTA(s)

[Continued]

Bilirubin Level Body Fluid
Bilirubin Total Body Fluid
Fluid Total Bilirubin Level
Total Bilirubin Level Body Fluid

Bilirubin Fl Type
Tot Bili Fl

CDM Code(s)

43750390	FLUID TOTAL BILIRUBIN
43850390	BILIRUBIN TOTAL

CPT Code(s)

82247	Bilirubin; total

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
Specimen Type(s)
FLUID
Specimen Container Instruction(s)
FLD
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Total Chol/HDL Chol Ratio

Order Synonym(s)
Chol HDL Ratio
Total Chol/HDL Chol Ratio
Associated DTA(s)
TC/HDL
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)
Specimen Handling Instruction(s)
Specimen Stability

[Continued]

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Total Protein 24 Hr Urine & Creatinine 2

Order Synonym(s)	Associated DTA(s)
24 Hr Urine Total Protein & Creatinine(Includes Ratio)	24 Hr Ur Prot/Creat Ratio
24 Hr Urine Total Protein & Creatinine(includes Ratio)	TV Creatinine
Total Protein 24 Hr Urine & Creatinine 24 Hr Urine	TV Protein
Urine 24 Hr Total Protein & Creatinine(Includes Ratio)	U Creat Random
Urine 24 hourTotal Protein & Creatinine(Includes Ratio)	U Tot Protein Ran
	U24 Creat
	U24 Tot Protein

CDM Code(s)

43754056	Creatinine; other source
43854056	Creatinine; other source

CPT Code(s)

82570	Creatinine; other source

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Total Protein Level

Order Synonym(s)	Associated DTA(s)
Protein Total	TP Lvl
TP Level	

[Continued]

Total Protein Level

CDM Code(s)

43750246 TOTAL PROTEIN SERUM
43850246 TOTAL PROTEIN SERUM

CPT Code(s)

84155 Protein, total, except by refractometry; serum

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Total Protein Level Body Fluid

Order Synonym(s)	Associated DTA(s)
Fluid Total Protein Level	TP Body Fl Type
Protein Body FLuid	TP Fl
Protein Level Body Fluid	
Total Protein Level Body Fluid	

CDM Code(s)

43750380 FLUID TOTAL PROTEIN
43850380 TOTAL PROTEIN CSF

CPT Code(s)

84157 Protein, total, except by refractometry; other source (eg, s

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000

[Continued]

MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Total Protein Random Urine & Creatinine

Order Synonym(s)
Protein/Creatinine Ratio Urine
Random Urine Protein & Creatinine(Includes Ratio)
Spot Protein/Creatinine Ratio Urine
Total Protein Random Urine & Creatinine Random Urine
Urine Protein & Creatinine Random(Includes Ratio)

Associated DTA(s)
U Creat Random
U Protein/U Creat Ratio
U Tot Protein Ran

CDM Code(s)

43754055	Creatinine; other source
43854055	Creatinine; other source

CPT Code(s)

82570	Creatinine; other source

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Total T3

Order Synonym(s)
T3 Total
Total T3
Total Triiodothyronine
Triiodothyronine Total

Associated DTA(s)
Total T3

CDM Code(s)

43753125	TRUE T3
43853125	TRUE T3

CPT Code(s)

84480	Triiodothyronine T3; total (TT-3)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Total Volume - Generic

Order Synonym(s)
Total Volume - Generic

Associated DTA(s)
TV Urine

CDM Code(s)

43754044	Timed Ur Volume Measure
43854044	Timed Ur Volume Measure

CPT Code(s)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Man Chem

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine 24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Toxoplasma Antibody IgG

Order Synonym(s)

Toxoplasma Ab IgG
Toxoplasma Antibody IgG
Toxoplasma Gondii IgG Serology

Associated DTA(s)

Toxoplasma IgG

CDM Code(s)

43735157	TOXOPLASMA IGG ANTIBODY
43835157	TOXOPLASMA IGG ANTIBODY

CPT Code(s)

86777	Antibody; Toxoplasma

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Vidas

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML
0.50	ML

Prep Agent(s)

Toxoplasma Antibody IgM

Order Synonym(s)

Toxoplasma Ab IgM
Toxoplasma Antibody IgM

Associated DTA(s)

Toxoplasma IgM

CDM Code(s)

[Continued]

43735156 TOXOPLASMA IGM ANTIBODY
43835156 TOXOPLASMA IGM ANTIBODY

CPT Code(s)
86778 Antibody; Toxoplasma, IgM

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Vidas

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Toxoplasma Gondii Fluid by PCR-Mayo

Order Synonym(s)
Amniotic Fluid Toxoplasma gondii by PCR-Mayo
CSF Toxoplasma gondii by PCR-Mayo
Mayo-Toxoplasma gondii by PCR, CSF
Toxoplasma Gondii Fluid PCR Mayo
Toxoplasma Gondii Fluid by PCR-Mayo

Associated DTA(s)
Specimen Source Toxopl gondii-Mayo
T Gondii Fl-Mayo

CDM Code(s)
43762494 Toxoplasma Gondii CSF by PCR-Mayo
43862494 Toxoplasma Gondii CSF by PCR-Mayo

CPT Code(s)
87798 Infectious agent detection by nucleic acid (DNA or RNA), not

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
AMNIOTIC FL
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)
Do Not Spin

Specimen Stability

Collection Class(es)

[Continued]

Mayo Refrig Roch Send Outs

Minimum Volume **Minimum Volume Unit**

0.50 ML

Prep Agent(s)

Transferrin

Order Synonym(s)

Transferrin

Transferrin Level

Associated DTA(s)

Transferrin

CDM Code(s)

43756056 TRANSFERRIN

43856056 TRANSFERRIN

CPT Code(s)

84466 Transferrin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000

MCCG DL2000 AutoResults

MCCG DL2000 ManualResults

MCCG DXC 116

MCCG DXC 117

Specimen Type(s)

*Outreach Gold

Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume **Minimum Volume Unit**

0.10 ML

Prep Agent(s)

Trichinella Antibody-Mayo

Order Synonym(s)

Mayo-Trichinella Ab, S

Trichinella Ab Mayo

Trichinella Antibody-Mayo

Associated DTA(s)

Trichinella Ab-Mayo

CDM Code(s)

43761651 Trichinella Antibody-Mayo

[Continued]

43861651 Trichinella Antibody-Mayo

CPT Code(s)

86784 Trichinella Antibody-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Triglyceride Fluid

Order Synonym(s)

Fluid Triglyceride
Triglyceride Fluid

Associated DTA(s)

Trig Fl
Triglyceride Fl Type

CDM Code(s)

43750263 Triglyceride Fluid
43850263 Triglyceride Fluid

CPT Code(s)

84478 Triglyceride

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Triglycerides

Order Synonym(s)
Triglyceride
Triglycerides

Associated DTA(s)
TGL

CDM Code(s)

43750262	TRIGLYCERIDES
43850262	TRIGLYCERIDES

CPT Code(s)

84478	Triglycerides

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Troponin I

Order Synonym(s)
Troponin I
Troponin I Level

Associated DTA(s)
Troponin I

CDM Code(s)

43753099	TROPONIN I
43853099	TROPONIN I

CPT Code(s)

84484	Troponin, quantitative

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Trypsin Screen Stool

Order Synonym(s)	Associated DTA(s)
Feces Trypsin Screen	Trypsin Lvl
Stool Trypsin Screen	
Trypsin Screen Stool	
Trypsin Stool Screen	

CDM Code(s)

43730168	TRYPSIN FECES
43830168	TRYPSIN FECES

CPT Code(s)

84488	TRYPSIN FECES

Default Collection Method(s)

Clean Container

Service Resource(s)

MCCG Misc Micro Bench

Specimen Type(s)	Specimen Container Instruction(s)
FECES	Para Pak Clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Misc Micro

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[Continued]

TSH

Order Synonym(s)
TSH
TSH Level
Thyroid Stimulating Hormone

Associated DTA(s)
TSH

CDM Code(s)

43753121	TSH
43853121	TSH

CPT Code(s)

84443	Thyroid stimulating hormone (TSH)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

TSH High Sensitivity

Order Synonym(s)
TSH High Sensitivity
TSH High Sensitivity Level

Associated DTA(s)
TSH 3rd Gener

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults

[Continued]

MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

TSH Reflex Order

Order Synonym(s)
TSH Reflex Order
TSH, Reflex
Thyroid Cascade Reflex Panel

Associated DTA(s)
TSH Reflex

CDM Code(s)
43753121
43853121

CPT Code(s)
84443 Thyroid stimulating hormone (TSH)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit

[Continued]

0.10	ML

Prep Agent(s)

Tubes Received

Order Synonym(s)
- Tubes Receive
- Tubes Received

Associated DTA(s)
- Blood Culture
- Blue
- Gold SST
- Gray Microtainer
- Gray Tube
- Green (LiHep) Microtainer
- Green Li Heparin Tube
- Green Na Heparin Tube
- Lavender Microtainer
- Lavender Tube
- Navy EDTA Tube
- Navy Tube
- Other Blood Tube
- Pearl Tube
- Pink
- Red Microtainer
- Red Tube
- Serum/Plasma Pour off Tube
- Tan EDTA
- Tiger Top
- Urine
- Urine 24 Hr
- Urine Culture
- Yellow A Tube
- Yellow B Tube

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
- Venous Draw

Service Resource(s)
- MCCG DL 2000
- MCCG Outreach

Specimen Type(s)
- Blood

Specimen Container Instruction(s)
- Varies

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
- Offsite

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

[Continued]

Ur Immunoelectrophoresis w/Interp

Order Synonym(s)
Ur Immunoelectrophoresis w/Interp

Associated DTA(s)
U IEP Interp
U IEP Interp by
U TP IEP

CDM Code(s)
43755032 IMMUNO ELECTROPHORESIS ONLY w/Interp
43855032 IMMUNO ELECTROPHORESIS ONLY w/Interp

CPT Code(s)
86335 IMMUNO ELECTROPHORESIS ONLY

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Electrophoresis

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Ur Total Protein

Order Synonym(s)
Ur Total Protein

Associated DTA(s)
U Tot Protein Ran

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Urea Nitrogen Level 24 Hour Urine

Order Synonym(s)	Associated DTA(s)
24 Hour Urine Urea Nitrogen Level	TV Urea
Urea Nitrogen Level 24 Hour Urine	U Urea Nitrog
Urea Nitrogen Urine 24 Hr	U24 Urea Nitrog
Urine 24 Hour Urea Nitrogen Level	

CDM Code(s)

43754122	UREA URINE 24HR
43854122	UREA URINE 24HR

CPT Code(s)

84540	Urea nitrogen, urine

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)	Specimen Container Instruction(s)
Urine	24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
-Obtain 2 urine containers from lab. No preservative is required.-Patient should be instructed to empty bladder at the start time and discard urine. -Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Urine must be kept refrigerated or on ice.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Urea Nitrogen Level Body Fluid

Order Synonym(s)	Associated DTA(s)

[Continued]

Fluid BUN Level
Urea Nitrogen Body Fluid
Urea Nitrogen Level Body Fluid

Urea Fl Type
Urea Nitrog Fl

CDM Code(s)

43750355 FLUID BUN
43850355 FLUID BUN

CPT Code(s)

84520 Urea nitrogen; quantitative

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Urea Nitrogen Level Urine Random

Order Synonym(s)

Random Urine Urea Nitrogen Level
Urea Nitrogen Level Urine Random
Urea Nitrogen Urine Random
Urine Random Urea Nitrogen Level

Associated DTA(s)

U Urea Nitrog

CDM Code(s)

43754116 UREA URINE RANDOM
43854116 UREA URINE RANDOM

CPT Code(s)

84540 Urea nitrogen, urine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Urine	Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Uric Acid

Order Synonym(s)

Uric Acid
Uric Acid Level

Associated DTA(s)

Uric Acid

CDM Code(s)

43750272	URIC ACID SERUM
43850272	URIC ACID SERUM

CPT Code(s)

84550	Uric acid; blood

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Reminder: For accurate results - patients receiving Elitek (Rasburicase) must have collection tube pre-chilled and the specimen must be sent to the lab on ice.

[Continued]

Uric Acid Level 24 Hour Urine

Order Synonym(s)
24 Hour Urine Uric Acid Level
Uric Acid Level 24 Hour Urine
Uric Acid Urine 24 Hr
Urine 24 Hour Uric Acid Level

Associated DTA(s)
TV Uric Acid
U Uric Acid
U24 Uric Acid

CDM Code(s)

43754131	URIC ACID URINE 24HR
43854131	URIC ACID URINE 24HR

CPT Code(s)

84560	Uric acid; other source

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)
-Obtain 2 urine containers from lab. No preservative is required.-Patient should be instructed to empty bladder at the start time and discard urine. -Collect in the specified container all subsequent urine for designated time, making certain patient voids exactly at stop time and includes this urine in the timed specimen.-Do Not refrigerate urine.-Patient's name, MR# & Collection Time (Start & Stop) must be on all urine containers submitted.

Uric Acid Level Body Fluid

Order Synonym(s)
FLuid Uric Acid Level
Fluid Uric Acid Level
Uric Acid Body Fluid
Uric Acid Level Body Fluid

Associated DTA(s)
Uric Acid Fl
Uric Acid Fl Type

CDM Code(s)

43750370	Uric Acid Level Body Fluid
43850370	Uric Acid Level Body Fluid

CPT Code(s)

[Continued]

84560 Uric Acid Level Body Fluid

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
FLUID

Specimen Container Instruction(s)
FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Uric Acid Level Urine Random

Order Synonym(s)
Random Urine Uric Acid Level
Uric Acid Level Urine Random
Uric Acid Urine Random
Urine Random Uric Acid Level

Associated DTA(s)
U Uric Acid

CDM Code(s)
43754126 URIC ACID URINE RANDOM
43854126 URIC ACID URINE RANDOM

CPT Code(s)
84560 URIC ACID URINE RANDOM

Default Collection Method(s)
Urine

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Urine samples should be analyzed within 2 Hrs of collection.Refrigerate all timed specimens until the collection time is completed.

Collection Class(es)

[Continued]

Chem Urine

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Urinalysis

Order Synonym(s)	Associated DTA(s)
UA	Microscopic?
Urinalysis	U Amorphous
Urinalysis with Microscopic if Indicated	U Ascorbic Acid
Urinalysis, Routine Reflex	U Bacteria
	U Bilirubin
	U Blood
	U Broad Cast
	U Budding Yeast
	U CaCarb Crys
	U CaPhos Crys
	U Caox Crys
	U Cellular Cast
	U Clarity
	U Color
	U Cysteine Crys
	U Epi Cell Cast
	U Fat
	U Fatty Cast
	U Gluc
	U Granular Cast
	U Hyaline Cast
	U Hyphenated Yeast
	U Instrument Id
	U Instrument Id Micro
	U Ketones
	U Leucine Crys
	U Leuko Est
	U Mucous
	U Nitrite
	U Non-Squamous Epithelial
	U Oval Fat Bodies
	U Protein
	U RBC
	U RBC Cast
	U Reduc Subst
	U Renal Epi Cells
	U SpGr

[Continued]

U Squam Epi Cells
U Trans Epi Cells
U Trichomonas
U Trple Phos Crys
U Tyrosine Crys
U Uric Acd Crys
U Urob
U WBC
U WBC Cast
U Waxy Cast
U pH
Urine Comment

CDM Code(s)

43720028	URINALYSIS ROUTINE
43820028	URINALYSIS ROUTINE
43820029	Urinalysis

CPT Code(s)

81001	Urinalysis, by dip stick or tablet reagent for bilirubin, gl

Default Collection Method(s)

Urine

Service Resource(s)

MCCG AUW
MCCG Atlas
MCCG Clinitek Status
MCCG UF 100

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 4 hrs Refrigerated: 24 hrs

Collection Class(es)

Urinalysis

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Urine Medical Drug Screen 7

Order Synonym(s)

Drug Screen 7 Urine
Medical Drug Screen 7 Urine
Urine Medical Drug Screen 7

Associated DTA(s)

Amphetamines
Barbiturate
Benzodiazepine
Cocaine
Medical Drug Comment

[Continued]

Opiates
PCP
THC

CDM Code(s)

43752094 Urine Medical Drug Screen 7
43852094 Urine Medical Drug Screen 7

CPT Code(s)

G0431 Drug screen, qualitative; single drug class method (eg, immu

Default Collection Method(s)

Urine

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Urine

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Urine Microscopic for Riveredge

Order Synonym(s)

Urine Microscopic for Riveredge

Associated DTA(s)

U Ammon Biur Crys
U Amorph Phos Crys
U Amorph Urate Crys
U Bacteria
U CaCarb Crys
U CaPhos Crys
U Caox Crys
U Clue Cells
U Crse Gran Cast
U Epi Cell Cast
U Fine Gran Cast
U Hyaline Cast
U Hyphenated Yeast
U RBC
U RBC Cast
U Renal Epi Cells
U Squam Epi Cells

[Continued]

U Trans Epi Cells
U Trichomonas
U Trple Phos Crys
U Unclass Cast
U Uric Acd Crys
U WBC
U WBC Cast
U Yeast
Urine Comment

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG AUW
MCCG UF 100
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Urine order for Protein 14-3-3

Order Synonym(s)
Urine order for Protein 14-3-3
Associated DTA(s)
Urine for Protein 14-3-3
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Container
Service Resource(s)
MCCG Other Ref Lab
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine Prion
Specimen Handling Instruction(s)
Freeze specimen immediately
Specimen Stability
Collection Class(es)
Prion Froze

Minimum Volume	Minimum Volume Unit
100.00	ML

Prep Agent(s)

[Continued]

Urine Pregnancy

Order Synonym(s)
Beta hCG Qualitative Urine
Pregnancy Test Urine
Pregnancy Urine
Urine Beta hCG Qualitative
Urine Pregnancy
hCG Qualitative Urine

Associated DTA(s)
U Pregnancy Ql HCG

CDM Code(s)

43720044	PREG SCREEN (HCG)
43820044	PREG SCREEN (HCG)
43820045	Urine Pregnancy

CPT Code(s)

81025	Urine pregnancy test, by visual color comparison methods

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Man UA

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability
Stability: Refrigerated: 48 hrs

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Uroporphyrinogen III Synthase, RBC-Mayo

Order Synonym(s)
Mayo-Uroporphyrinogen III Synthase, RBC
Uroporphyinogen III Synthase RBC Mayo
Uroporphyrinogen III Synthase, RBC-Mayo

Associated DTA(s)
UPG III Syn-Mayo

CDM Code(s)

43764565	Uroporphyrinogen III Synthase, RBC-Mayo
43864565	Uroporphyrinogen III Synthase, RBC-Mayo

CPT Code(s)

82657	Uroporphyrinogen III Synthase, RBC-Mayo

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Grn-Sodium Hep

Specimen Handling Instruction(s)

On Ice-Do not Spin

Specimen Stability

Collection Class(es)

Mayo Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Urovysion, Ur-Mayo

Order Synonym(s)	Associated DTA(s)
Bladder Cancer FISH testing, Ur-Mayo	Urovysion,Ur-Mayo
FISH Urothelial Cancer, Ur-Mayo	
FISH for Bladder Cancer, Ur-Mayo	
Urothelial Cancer FISH, Ur-Mayo	
Urovysion, Ur-Mayo	

CDM Code(s)

43767585	UROTHELIAL CANCER FISH TESTING
43867585	UROTHELIAL CANCER FISH TESTING

CPT Code(s)

88120	Cytopathology, in situ hybridization (eg, FISH), urinary tra

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Urine	Clean Container

Specimen Handling Instruction(s)

Preservative required

Specimen Stability

Preservative (PreservCyt) needed

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
30.00	ML

Prep Agent(s)

Valproic Acid Level

Order Synonym(s)	Associated DTA(s)

[Continued]

Depakene/Depakote Level
Valporic Acid
Valproic Acid Level
Valproic Acid Lvl

CDM Code(s)

43752092 Valproic Acid Level
43852092 Valproic Acid Level

CPT Code(s)

80164 Dipropylacetic acid (valproic acid)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Enter Prep # 5 in TDS for trough & peak specimens:-Trough specimen is collected immediately (less than 30 minutes) before dose.-Peak fasting specimen is collected 60 - 90 minutes post dose.-Peak nonfasting specimen is collected 2 - 3 hours post dose.

Vancomycin Level Body Fluid

Order Synonym(s)

Fluid Vancomycin Level
Vancomycin Body Fluid
Vancomycin Level Body Fluid

Associated DTA(s)

Vanco Fl Lvl
Vanco Fl Type

CDM Code(s)

43752125 Vancomycin Level Body Fluid
43852125 Vancomycin Level Body Fluid

CPT Code(s)

[Continued]

80202 Vancomycin Level Body Fluid

Default Collection Method(s)

Sterile Procedure

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117

Specimen Type(s)

FLUID

Specimen Container Instruction(s)

FLD

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Flds

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Vancomycin Level Peak

Order Synonym(s)

Peak Vancomycin Level
Vancomycin Level Peak
Vancomycin Peak

Associated DTA(s)

Vanco Ds Tm
Vanco Pk

CDM Code(s)

43752045 Vancomycin Level Peak
43852045 Vancomycin Level Peak

CPT Code(s)

80202 Vancomycin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

The PEAK specimen should be collected 2 hours after completion of a conitnuous infusion/dose.Pediatric Peak - 2 hours after the start of medication or 1 hour after completion of a 60 min I.V. infusion.

Vancomycin Level Random

Order Synonym(s)

Random Vancomycin Level
Vancomycin Level Random
Vancomycin Random

Associated DTA(s)

Vanco Ds Tm
Vanco Rand

CDM Code(s)

43752045	Vancomycin Level Random
43852045	Vancomycin Level Random

CPT Code(s)

80202	Vancomycin

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Order only if specific MD order for a non-standard single specimen collection is ordered.-

[Continued]

Vancomycin Level Trough

Order Synonym(s)
Trough Vancomycin Level
Vancomycin Level Trough
Vancomycin Trough

Associated DTA(s)
Vanco Ds Tm
Vanco Tr

CDM Code(s)

43752045	Vancomycin Level Trough
43852045	Vancomycin Level Trough

CPT Code(s)

80202	Vancomycin

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Stability: Ambient/Room Temp: 8 hrs Refrigerated: 48 hrs

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)
The TROUGH specimen should be collected within 30 minutes of the next scheduled dose.A Peak or Trough ordered separately mus
a specific MD order.

Vanillylmandelic Acid 24 Hour Urine-Mayo

Order Synonym(s)

Associated DTA(s)

[Continued]

24 Hr Urine VMA-Mayo
24 Hr Urine Vanillylmandelic Acid-Mayo
Mayo-Vanillylmandelic Acid (VMA), U
Urine 24 Hr VMA-Mayo
Urine 24 Hr Vanillylmandelic Acid-Mayo
VMA Urine 24 Hr Mayo
Vanillylmandelic Acid 24 Hour Urine-Mayo
TV VMA-Mayo
U Hrs VMA-Mayo
U24 VMA Adult-Mayo
U24 VMA Child-Mayo

CDM Code(s)

43761301 Vanillylmandelic Acid 24 Hour Urine-Mayo
43861301 Vanillylmandelic Acid 24 Hour Urine-Mayo

CPT Code(s)

84585 Vanillylmandelic acid (VMA), urine

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

24 Hr Container

Specimen Handling Instruction(s)

Adjust pH:1-5 (use Acetic Acid)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Vanillylmandelic/Homovanillic Ped Urine-

Order Synonym(s)

Mayo-VMA and HVA, Pediatric, U
Urine Pediatic VMA/HVA-Mayo
Urine Pediatric Vanillylmandelic/Homovanillic-Mayo
VMA HVA Ped Urine Mayo
Vanillylmandelic/Homovanillic Ped Urine-Mayo

Associated DTA(s)

U HVA <15 Yr-Mayo
U VMA <15 Yr-Mayo
U4 VMA/HVA Ped-Mayo

CDM Code(s)

43764566 Vanillylmandelic/Homovanillic Ped Urine-Mayo
43864566 Vanillylmandelic/Homovanillic Ped Urine-Mayo

CPT Code(s)

Default Collection Method(s)

Urine

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Urine

Specimen Container Instruction(s)

Urine cup-clean

Specimen Handling Instruction(s)

PreTest medication restrictions

Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Varicella Zoster Antibody IgG

Order Synonym(s)
Varicella Zoster Ab IgG
Varicella Zoster Antibody IgG

Associated DTA(s)
Varicella IgG
Varicella IgG Interp

CDM Code(s)

43755305	Varicella Zoster Antibody IgG
43855305	Varicella Zoster Antibody IgG

CPT Code(s)

86787	Antibody; varicella-zoster

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Vidas

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability
Stability:Ambient/Room Temp: 24 hrs Refrigerated: 5 days

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Varicella-Zoster Antibody IgM-Mayo

Order Synonym(s)
Mayo-Varicella-Zoster Ab, IgM, S
Varicella Zoster Ab IgM Mayo
Varicella-Zoster Antibody IgM-Mayo

Associated DTA(s)
Varicella IgM-Mayo

CDM Code(s)

43763056	Varicella-Zoster Antibody IgM-Mayo
43863056	Varicella-Zoster Antibody IgM-Mayo

CPT Code(s)

86787	Antibody; varicella-zoster

Default Collection Method(s)

[Continued]

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

Varicella-Zoster Virus by Rapid PCR-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Varicella-Zoster Virus by Rapid PCR	V Zos PCR Info-Mayo
Varicella Zoster Rapid PCR Mayo	V Zos PCR Rslt-Mayo
Varicella-Zoster Virus by Rapid PCR-Mayo	V Zos PCR Src-Mayo
	V Zos PCR Stat-Mayo

CDM Code(s)

43764569	Varicella-Zoster Virus by Rapid PCR-Mayo
43864569	Varicella-Zoster Virus by Rapid PCR-Mayo

CPT Code(s)

87798	Varicella-Zoster Virus by Rapid PCR-Mayo

Default Collection Method(s)

Sterile Container

Sterile Procedure

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
BIOPSY	Micro Media
CSF	Sterile Container
LESION	

Specimen Handling Instruction(s)

Do Not Spin

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML
0.50	ML
1.00	ML

Prep Agent(s)

[Continued]

Vasoactive Intestinal Polypeptide-Mayo

Order Synonym(s)
Mayo-Vasoactive Intestinal Polypeptide,P
VIP Mayo
VIP-Mayo
Vasoactive Intestinal Polypeptide-Mayo

Associated DTA(s)
VIP-Mayo

CDM Code(s)

43763058	Vasoactive Intestinal Polypeptide-Mayo
43863058	Vasoactive Intestinal Polypeptide-Mayo

CPT Code(s)

84586	Vasoactive Intestinal Polypeptide-Mayo

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Lavender

Specimen Handling Instruction(s)
Spin-Freeze Plasma immediately

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

VDRL Screen CSF

Order Synonym(s)
CSF VDRL Screen
VDRL CSF Screen
VDRL Screen CSF

Associated DTA(s)
VDRL

CDM Code(s)

43735102	VDRL Syphilis (CSF) Test
43835102	VDRL Syphilis (CSF) Test

CPT Code(s)

86592	Syphilis test; qualitative (eg, VDRL, RPR, ART)

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Serology Bench

Specimen Type(s)
CSF

Specimen Container Instruction(s)
Sterile Container

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Serology

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

Virus Culture Non Respiratory-Mayo

Order Synonym(s)
Culture Virus Non Respiratory-Mayo
Mayo-Virus Culture Non Respiratory
Virus Culture Non Respiratory-Mayo
Virus Culture Non respiratory Mayo

Associated DTA(s)
Virus Culture Non-Resp-Mayo

CDM Code(s)

43762674	Virus Culture Non Respiratory-Mayo
43862674	Virus Culture Non Respiratory-Mayo

CPT Code(s)

87252	Virus isolation; tissue culture inoculation, observation, an

Default Collection Method(s)
Sterile Procedure

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
CSF
EYE
PERICARD FL
PERITONEAL FL
RECTAL SWAB
STOOL
SYNOVIAL FL
TISSUE

Specimen Container Instruction(s)
Sterile Container
VirTnsMed

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Virus Culture Respiratory-Mayo

Order Synonym(s)
Culture Virus Respiratory-Mayo
Mayo-Virus Culture Respiratory

Associated DTA(s)
Virus Culture Resp-Mayo

[Continued]

Virus Culture Respiratory Mayo
Virus Culture Respiratory-Mayo

CDM Code(s)

43761658	Virus Culture Respiratory-Mayo
43861658	Virus Culture Respiratory-Mayo

CPT Code(s)

87252	Virus Culture Respiratory-Mayo

Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
BAL	Sterile Container
NASAL WASH	Vir/Chl vial
Nasal Swab	VirTnsMed
PLEURAL FL	
SPUTUM	
THROAT	
TISSUE	

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Viscosity-Mayo

Order Synonym(s)	Associated DTA(s)
Mayo-Viscosity, S	Viscosity-Mayo
Viscosity Mayo	
Viscosity-Mayo	

CDM Code(s)

43763060	Viscosity-Mayo
43863060	Viscosity-Mayo

CPT Code(s)

85810	Viscosity

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)
Transport on heel warmer immediately
Specimen Stability

[Continued]

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Vitamin A Level-Mayo

Order Synonym(s)
Mayo-Vitamin A, S
Vitamin A Level-Mayo
Vitamin A Mayo

Associated DTA(s)
F Retinol ug/dL-Mayo
Free Retinol-Mayo

CDM Code(s)

43760102	Vitamin A Level-Mayo
43860102	Vitamin A Level-Mayo

CPT Code(s)

84590	Vitamin A Level-Mayo

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Red-No gel (clot tube)
Specimen Handling Instruction(s)
Protect from light
Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Vitamin B12 Level

Order Synonym(s)
B12 Level
Vitamin B12
Vitamin B12 Level

Associated DTA(s)
B12 Lvl

CDM Code(s)

43753011	Vitamin B12 Level
43853011	Vitamin B12 Level

CPT Code(s)

82607	Cyanocobalamin (Vitamin B-12);

Default Collection Method(s)
Venous Draw
Service Resource(s)

[Continued]

MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947
MCCG DXI 950

Specimen Type(s)	Specimen Container Instruction(s)
*Outreach Gold	Gold Gel (Clot Tube)
Blood	Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Vitamin B6 Level-ARUP

Order Synonym(s)	Associated DTA(s)
Vitamin B6 Level-ARUP	Vitamin B6-ARUP

CDM Code(s)

43760104	Vitamin B6-ARUP
43860104	Vitamin B6-ARUP

CPT Code(s)

84207	Pyridoxal phosphate (Vitamin B-6)

Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)
Protect from light/freeze serum stat
Specimen Stability
Collection Class(es)
ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

Vitamin D, 25 - OH

Order Synonym(s)	Associated DTA(s)

[Continued]

25 Hydroxy Vitamin D
25 Hydroxycholecalciferol
25 Hydroxyergocalciferol
25-OH Vitamin D
Total Vitamin D
Vitamin D 25 - Hydroxy
Vitamin D Total
Vitamin D, 25 - OH

Vit D, 25 - OH

CDM Code(s)

43753255	Vitamin D; 25 hydroxy, includes fraction(s), if performed
43853255	Vitamin D; 25 hydroxy, includes fraction(s), if performed

CPT Code(s)

82306	Vitamin D; 25 hydroxy, includes fraction(s), if performed

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Architect
MCCG Architect 2000

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)
Green (Li Hep)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

Vitamin E Level-Mayo

Order Synonym(s)

Mayo-Vitamin E, S
Vitamin E Level-Mayo
Vitamin E Mayo

Associated DTA(s)

Vitamin E-Mayo

CDM Code(s)

43761902	Vitamin E Level-Mayo
43861902	Vitamin E Level-Mayo

CPT Code(s)

84446	Tocopherol alpha (Vitamin E)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Protect from light

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
3.00	ML

Prep Agent(s)

Vitamin K1-Mayo

Order Synonym(s)

Mayo-VITAMIN K1
Vitamin K1 Mayo
Vitamin K1-Mayo

Associated DTA(s)

Vitamin K1 Lvl-Mayo

CDM Code(s)

43764575	Vitamin K1-Mayo
43864575	Vitamin K1-Mayo

CPT Code(s)

84597	Vitamin K1-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

*Outreach Gold
Blood

Specimen Container Instruction(s)

Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Protect from light

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
5.00	ML

Prep Agent(s)

Volatile Screen

Order Synonym(s)

Methanol
Methyl Alcohol
Volatile Screen
Volatile Screening Test

Associated DTA(s)

VOL1 Methanol
VOL2 Ethanol
VOL3 Acetone
VOL4 Isopropanol
Volatile Sens Comment

CDM Code(s)

43752012	BLOOD VOLATILES
43852012	BLOOD VOLATILES

CPT Code(s)

[Continued]

84600 Volatiles (eg, acetic anhydride, carbon tetrachloride, dichl

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Med GC

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Gray (K Ox/NaFl) Top Tube

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Tox Medical

Minimum Volume	Minimum Volume Unit
14.00	ML

Prep Agent(s)

Blood Collection: Do not use alcoholic solutions as a skin preparation for drawing specimens. Non-alcoholic solutions such as Betadine or Zephiran are suggested.- Preferred collection tube is a gray top tube containing fluoride and oxalate.- Serum may be obtained.- Keep specimen capped after collection.

Von Willebrand Factor Antigen-Mayo

Order Synonym(s)

Mayo-von Willebrand Factor Ag, P
Von Willebrand Factor Ag Mayo
Von Willebrand Factor Antigen-Mayo

Associated DTA(s)

vWF Ag-Mayo

CDM Code(s)

43761402 Von Willebrand Factor Antigen-Mayo
43861402 Von Willebrand Factor Antigen-Mayo

CPT Code(s)

85246 Von Willebrand Factor Antigen-Mayo

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)

Blood

Specimen Container Instruction(s)

Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.50	ML

Prep Agent(s)

[Continued]

Von Willebrand Factor Profile-Mayo

Order Synonym(s)
Von Willebrand Factor Profile-Mayo

Associated DTA(s)
Von Willebrand Factor Profile

CDM Code(s)

43763061	Von Willebrand Factor Profile
43863061	Von Willebrand Factor Profile

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Blue

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Froz Roch Send Outs

Minimum Volume	Minimum Volume Unit
4.00	ML

Prep Agent(s)

Weil-Felix Test, DA-Mayo

Order Synonym(s)
Mayo-Weil-Felix Test, DA
Weil Felix Test Da Mayo
Weil-Felix Test, DA-Mayo

Associated DTA(s)
Proteus OX19-Mayo
Proteus OX2-Mayo
Proteus OXK-Mayo

CDM Code(s)

43764577	Weil-Felix Test, DA-Mayo
43864577	Weil-Felix Test, DA-Mayo

CPT Code(s)

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

[Continued]

Wet Prep

Order Synonym(s)
Wet Prep
Wet Prep Test

Associated DTA(s)
Clue Cells Wet Prep
Epith Cells Wet Prep
Trich Wet Prep
WBC's Wet Prep
Wet Prep Source
Yeast Wet Prep

CDM Code(s)
43730123 WET PREP

CPT Code(s)
87210 Smear, primary source with interpretation; wet mount for inf

Default Collection Method(s)
Clean Container

Service Resource(s)
MCCG Man UA

Specimen Type(s)
Wet Prep Specimen

Specimen Container Instruction(s)
Clean Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Urinalysis

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

Workers Comp Drug Screen

Order Synonym(s)
Chain of Custody Collection
Drug Screen Urine Worker Comp
ER Chain of Custody Collection
Workers Comp Drug Screen

Associated DTA(s)
Workers Comp Drg Scrn

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Forensic Tox

Specimen Type(s)
Urine

Specimen Container Instruction(s)
Urine cup-clean

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Tox Forensic

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

X-linked Hyper IgM Syndrome Panel-Mayo

Order Synonym(s)
Mayo-X-linked Hyper IgM Syndrome Panel,B
X linked Hyper IgM Syndrome Mayo
X-linked Hyper IgM Syndrome Panel-Mayo

Associated DTA(s)
Hyper IgM Func-Mayo
Hyper IgM Int-Mayo
Hyper IgM Rev-Mayo
Hyper IgM Surf-Mayo

CDM Code(s)

43764584	X-linked Hyper IgM Syndrome Panel-Mayo
43864584	X-linked Hyper IgM Syndrome Panel-Mayo

CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Grn-Sodium Hep
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Room Temp Roch Send Outs

Minimum Volume	Minimum Volume Unit
2.00	ML

Prep Agent(s)

zADAMTS 13 Activity-Mayo

Order Synonym(s)
zADAMTS 13 Activity-Mayo
Associated DTA(s)
ADAMTS 13 Activity-Mayo
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Blue
Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
2.50 ML
Prep Agent(s)

zANA by IFA-ARUP

Order Synonym(s)
zANA by IFA-ARUP
Associated DTA(s)
ANA by IFA, IgG-ARUP
CDM Code(s)
43767617 ANA by IFA ARUP
43867617 ANA by IFA ARUP
CPT Code(s)
86039 Antinuclear antibodies (ANA); titer
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG ARUP Reference Lab
Specimen Type(s)
*Outreach Gold
Blood
Specimen Container Instruction(s)
Gold Gel (Clot Tube)
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
ARUP Refrig
Minimum Volume **Minimum Volume Unit**
2.00 ML
Prep Agent(s)

zCorrected Calcium

Order Synonym(s)
zCorrected Calcium
Associated DTA(s)
Corr Calcium
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG DL 2000
MCCG DL2000 AutoResults
MCCG DL2000 ManualResults
MCCG DXC 116
MCCG DXC 117
MCCG DXI 947

[Continued]

MCCG DXI 950

Specimen Type(s)
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.10	ML

Prep Agent(s)

zCytogenetics - Emory

Order Synonym(s)
zCytogenetics - Emory

Associated DTA(s)
Cytogenetics Emory

CDM Code(s)

CPT Code(s)

Default Collection Method(s)
Sterile Procedure
Venous Draw

Service Resource(s)
MCCG Other Ref Lab

Specimen Type(s)
BONE MARROW
Blood
CSF
FLUID
LYMPH NODE
TISSUE

Specimen Container Instruction(s)
Lavender
RPMI

Specimen Handling Instruction(s)
Do not spin;keep at room temp
Keep at Room Temperature

Specimen Stability

Collection Class(es)
Send Outs

Minimum Volume	Minimum Volume Unit
0.10	ML
1.00	ML
2.00	ML
3.00	ML

Prep Agent(s)

zElectrophoresis Total Protein Body Flui

Order Synonym(s)

Associated DTA(s)

[Continued]

zElectrophoresis Total Protein Body Fluid

Alb Fluid
Alpha 1 Fluid
Alpha 2 Fluid
Beta Fluid
Fluid Type Elec
Gamma Fluid
Interp Elect Fluid
TP Fluid

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Electrophoresis
Specimen Type(s)
FLUID
Specimen Container Instruction(s)
FLD
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

zFlow Cytometry to CHOA

Order Synonym(s)
zFlow Cytometry to CHOA
Associated DTA(s)
Flow Cytometry - CHOA
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Sterile Procedure
Service Resource(s)
MCCG Other Ref Lab
Specimen Type(s)
CSF
LYMPH NODE
TISSUE
Specimen Container Instruction(s)
RPMI
Specimen Handling Instruction(s)
Keep at Room Temperature
Specimen Stability
Collection Class(es)
Send Outs
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

[Continued]

zFree Light Chains Quantitative Urine

Order Synonym(s)
zFree Light Chains Quantitative Urine
zUrine Free Light Chains Quantitative

Associated DTA(s)
Free Kappa Lt Chain Urine
Free Kappa/Lambda Ratio Urine
Free Lambda Lt Chain Urine

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Immage 800
Specimen Type(s)
Urine
Specimen Container Instruction(s)
Urine cup-clean
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

zFree Light Chains Quatitative 24 Hr Uri

Order Synonym(s)
z24 Hr Urine Free Light Chains Quantitative
zFree Light Chains Quatitative 24 Hr Urine

Associated DTA(s)
Free Kappa Excreat/day
Free Kappa Lt Chain Urine
Free Kappa/Lambda Ratio Urine
Free Lambda Excreat/day
Free Lambda Lt Chain Urine
Total Volume - Free Urine Lt Chains

CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Urine
Service Resource(s)
MCCG Immage 800
Specimen Type(s)
Urine
Specimen Container Instruction(s)
24 Hr Container
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Chem Special

Minimum Volume	Minimum Volume Unit

[Continued]

1.00 ML

Prep Agent(s)

Zinc Level 24 Hour Urine-Mayo

Order Synonym(s)
24 Hr Urine Zinc Level-Mayo
Mayo-Zinc, U
Urine 24 Hr Zinc Level-Mayo
Zinc Level 24 Hour Urine-Mayo
Zinc Urine 24 Hr Mayo

Associated DTA(s)
Hrs Zinc-Mayo
TV Zinc-Mayo
U24 Zinc-Mayo
Ur Zinc-Mayo

CDM Code(s)

43764592	Zinc Level 24 Hour Urine-Mayo
43864592	Zinc Level 24 Hour Urine-Mayo

CPT Code(s)

84630	Zinc Level 24 Hour Urine-Mayo

Default Collection Method(s)
Urine

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)
Urine

Specimen Container Instruction(s)
24 Hr Container

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
10.00	ML

Prep Agent(s)

Zinc Level-Mayo

Order Synonym(s)
Mayo-Zinc, S
Zinc Level-Mayo
Zinc Mayo

Associated DTA(s)
Zinc Lvl ug/dL-Mayo
Zinc Lvl-Mayo

CDM Code(s)

43761291	Zinc Level-Mayo
43861291	Zinc Level-Mayo

CPT Code(s)

84630	Zinc

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Mayo Medical

Specimen Type(s)

Specimen Container Instruction(s)

[Continued]

Blood RylPlain

Specimen Handling Instruction(s)

Pour off serum

Specimen Stability

Collection Class(es)

Mayo Refrig Roch Send Outs

Minimum Volume	Minimum Volume Unit
1.00	ML

Prep Agent(s)

zPosaconazole Quantitation-ARUP

Order Synonym(s)	Associated DTA(s)
zPosaconazole Quantitation-ARUP	Posaconazole, Quant by LC-MS/MS

CDM Code(s)

CPT Code(s)

80299 Quantitation of drug, not elsewhere specified

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG ARUP Reference Lab

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Red-No gel (clot tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)

ARUP Frozen

Minimum Volume	Minimum Volume Unit
2.50	ML

Prep Agent(s)

zReflex ADAMTS 13 Antibody-Mayo

Order Synonym(s)	Associated DTA(s)
zReflex ADAMTS 13 Antibody-Mayo	ADAMTS 13 Antibody-Mayo

CDM Code(s)

CPT Code(s)

Default Collection Method(s)

Venous Draw

Service Resource(s)

MCCG Mayo Medical

Specimen Type(s)	Specimen Container Instruction(s)
Blood	Blue

Specimen Handling Instruction(s)

Specimen Stability

[Continued]

Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

zReflex ADAMTS 13 Inhibitor-Mayo

Order Synonym(s)
zReflex ADAMTS 13 Inhibitor-Mayo
Associated DTA(s)
ADAMTS 13 Antigen-Mayo
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Venous Draw
Service Resource(s)
MCCG Mayo Medical
Specimen Type(s)
Blood
Specimen Container Instruction(s)
Blue
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Mayo Froz Roch Send Outs
Minimum Volume **Minimum Volume Unit**
0.10 ML
Prep Agent(s)

ZZ BB Dummy Orderable

Order Synonym(s)
ZZ BB Dummy Orderable
Associated DTA(s)
Coombs XM Interp
XM Interp
CDM Code(s)
CPT Code(s)
Default Collection Method(s)
Product/Tissue
Service Resource(s)
MCCG BB Products
Specimen Type(s)
TISSUE
Specimen Container Instruction(s)
Bone and Tissue
Specimen Handling Instruction(s)

Specimen Stability
Collection Class(es)
Blood Bank
Minimum Volume **Minimum Volume Unit**

[Continued]

1.00 ML

Prep Agent(s)

zzHIV 1 Antibody Screen (Initial Screen)

Order Synonym(s)
zzHIV 1 Antibody Screen (Initial Screen)

Associated DTA(s)
HIV 1/2 Ab, p24 Ag Screen

CDM Code(s)
43753141 HIV-1 AB
43853141 HIV-1 AB

CPT Code(s)
86701 Antibody; HIV-1

Default Collection Method(s)
Venous Draw

Service Resource(s)
MCCG Architect
MCCG Architect 2000
MCCG HIV-1 Scre

Specimen Type(s)
*Outreach Gold
Blood

Specimen Container Instruction(s)
Gold Gel (Clot Tube)

Specimen Handling Instruction(s)

Specimen Stability

Collection Class(es)
Chem Auto

Minimum Volume	Minimum Volume Unit
0.50	ML

Prep Agent(s)

[End of Report]